

1. Product and Company Identification

www.rxmarine.com

Product Name **RXSOL-20-1011-020**
Product Type **METAL RUST BRIGHT**

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999 / 27611360
Fax +91 22 2781 1318 :::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Ethoxylated Fatty alcohol, Phosphoric Acid and sulphonated alky Benzene remaining which is not in the list of hazardous materials .

3. Hazards Identification

www.rxmarine.com

Odour	Odourless
Appearance	Liquid, pale yellow, soluble in water
Contact with eyes	Can cause damage to the eyes
Contact with skin	Causes burns (R34)
Inhalation	Vapours or aerosols may cause irritation of eyes, nose and respiratory damage to the lungs
Ingestion	The ingestion of significant quantities may cause damage to digestive

4. First Aid Measures

www.rxmarine.com

INHALATION	After inhalation medical attention require
SKIN contact	In case of contact with skin , wash immediately with plenty of water and contaminated clothes.
EYE contact	Flush with running water for at least 15 minutes Immediately medical
INGESTION	seek medical attention , try to drink more plenty of fresh water.

5. Fire-fighting Measures

www.rxmarine.com

Non combustible product

Suitable	Not known , on direct exposure to heat dangrous emission of gas of C released
Not suitable	Not applicable
Special	Not applicabe
Protection of fire Fighter	Not applicable
Precaution for fire-fighters	Wear protective equipment with breathing apparatus.

6. Accidental Release Measures

www.rxmarine.com

Environmental Precaution

Direct flow into drainage system, surface or ground water is prohibited. Neutralize with alkaline materials like lime powder for pH balancing before disposal.
Flush Spill Area with Water and avoid contact with skin and eye.

Cleaning Method

7. Handling and Storage

www.rxmarine.com

Condition to Avoid

Non flammable but avoid direct heating

Materials to Avoid

Do not subject to ALKALINE medium.

Handling

Keep Container Tightly Closed

NOTE

Eyewash facilities require at workplace

The product causes corrosion on skin and mucous membranes Pl. Note that In case of discharge of acidic or alkaline products into the sewerage system the pH must be in the range of 6-10 since higher or lower pH values may damage the sewerage system or impair biological dosage treatment plants. So that for maintaining pH we have to add acidic / basic medium neutraliser . For example if pH is less than 6 basic neutraliser is required and if pH is more than 10 acidic nature neutraliser is required. For details of any guideline pl. Visit our technical website www.rxmarine.com

☑ Dilute in water (always use plastic jar and RXSOL should be added to water never add water to RXSOL.)

8. Exposure controls and personal protection

www.rxmarine.com

Personal protection:

Respiratory System Protection

Approved respirator must be worn when spraying

Eye Protection

Strictly wear eye protection

Hand protection

wear PVC chemical resistance protective gloves

9. Physical and chemical properties

www.rxmarine.com

Appearance

Clear brownish liquid

Density

g/cm³ at 15°C: 1.5

pH

10% solution 1.5-2.5

Flash Point

Not applicable

Compatibility

Metal

Concentrate and long touch may corrode.

Rubber

No known effect

10. Stability and reactivity

www.rxmarine.com

Hazardous Decomposition Products

Do not occur if stored and used as directed. In FIRE combustion CO, SO₂, SO₃ etc hazardous gas produced.

NOTE

AVOID CONTACT WITH ALKALINE SUBJECT.

11. Toxicological information

www.rxmarine.com

Skin Irritation

Cause severe irritation

Eye Irritation

Cause severe irritation

Sensitization

Cause Sensitizing

Chronic Toxicity

Not Identified

Carcinogenicity

No.

12. Ecological information

www.rxmarine.com

RXSOL-16-1011-020 is degradable, and due to highly acidic in nature must be neutralized as per guidance and ingredients used in it. Direct contact is Harmful to aquatic organism.

13. Disposal considerations

www.rxmarine.com

As per guide line of local rules and regulation and before disposal and neutralization pl. refer 07 article..

14. Transport information

www.rxmarine.com

Transport over land ADR/RID	1805 8/11c 8/11c
Transport over inland waterways ADN/ADNR	
Transport over sea IMDG	8
Transport by air ICAO/IATA	8/1805
Phosphoric acid sea	EMS 8-08, MFAG 700 PG III

15. Regulatory information

www.rxmarine.com

Classification and labelling according to 4. Novelle Gefahrstoff-Verordnung

Symbols of danger	C Corrosive
Ingredients	Phosphoric acid
R-phrases	R34 : Cause burns
S-phrases	S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S45 : In case of accident or if you feel unwell, seek medical advice immediately.
National prescriptions	
Water hazard class (WGK)	2 (self classification on the basis of component assessments or analogies without addition/subtraction of points for good/poor biodegradability)

16. Other information

www.rxmarine.com

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and are subject to change without notice. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in connection with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.