Product Name TARTARIC ACID AR DEXTRORATATORY

Part Number RXSOL-60-6605-647

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

 Email
 mail@rxmarine.com

 Website
 www.rxmraine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name CAS EC number Weight Formula

Tartaric acid 87-69-4 201-766-0 170 °C

Vapour pressure < 0.05 hPa at 20 °C - NF T

20-048

Density 1,76 g/cm3 at 20 °C
Vapour pressure Density 1,878 at 20,6 °C
Freezing point No data available
Specific Gravity No data available
Partition coefficient log Pow: -1,91 at 20 °C
Explosive properties No data available
Solubility 1.390 g/l at 20 °C

Ignition temperature No information available.

Particle characteristics No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity Forms explosive mixtures with air on intense heating. A range from

approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust

explosion potential may generally be assumed.

Stability The product is chemically stable under standard ambient conditions (room

temperature).

Possibility of hazardous reactions Exothermic reaction with: Strong oxidizing agents silver hydrogen peroxide alkaline substances with Water Risk of explosion with: silver salt

Risk of ignition or formation of inflammable gases or vapours with:

Fluorine

Conditions to avoid Strong heating.

Incompatible materials Strong oxidizing agents, Strong acids
Hazardous Polymerization In the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

Skin corrosion/irritation Serious eye damage/eye irritation

Respiratory or skin sensitization

Toxicity to Animal

Toxic Effects on Human

Carcinogenicity

Germ cell mutagenicity

Reproductive toxicity

Specific target organ toxicity - single exposure Special Remarks on other Toxi Effects on Humans

Endocrine disrupting properties

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) Eyes - In vitro study Result: Irreversible effects on the eye (OECD Test Guideline 437)

Local lymph node assay (LLNA) - Mouse Result: Not a skin sensitizer. (OECD Test Guideline 429)

WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE Acute oral toxicity (LD50): 689 mg/kg [Rat].

May cause damage to the following organs: upper respiratory tract. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant, sensitizer), of ingestion, of inhalation (lung irritant, lung sensitizer).

Carcinogenicity - No carcinogenic properties suspected. (IUCLID)

Test Type: dominant lethal test Species: Rat Application Route: Oral Method: OECD Test Guideline 478 Result: negative Test Type: Chromosome aberration test Species: Rat Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 475 Result: negative

No data available No data available

Acute Potential Health Effects: Skin: Causes skin irritation. May cause skin sensitization, an allergic reation, which becomes evident upon reexposure to this material. Eyes: Causes eye irritation. Ingestion: Causes gastrointestinal (digestive) tract irritation with nausea, vomiting, and diarrhea. May be harmful if swallowed. Inhalation: Causes respiratory tract irritation. May cause chemical pneumonitis and pulmonary edema, inflammation, edema of bronchi and larynx. Chronic Potential Health Effects: Repeated or prolonged skin exposure may cause allergic reactions in sensitive individuals. Repeated or prolonged exposure by inhalation may affect respiration and metabolism.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. Ecological information

www.rxmarine.com

Persistence and degradability

Toxicity to fish

Toxicity to daphnia and other aquatic invertebrates

Toxicity to algae

Products Biodegradation

Mobility in soil

Results of PBT and vPvB assessment

Endocrine disrupting properties

Other adverse effects

Biodegradability aerobic - Exposure time 28 d Result: 85% - Readily biodegradable. (OECD Test Guideline 306) Theoretical oxygen demand 533 mg/g Remarks: (Lit.) Ratio BOD/ThBOD 56 % Remarks: (Lit.)

Static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h (OECD Test Guideline 203)

Static test EC50 - Daphnia magna (Water flea) - 93,3 mg/l - 48 h (OECD Test Guideline 202)

Static test EC50 - Pseudokirchneriella subcapitata - 51,4 mg/l - 72 h (OECD Test Guideline 201) static test NOEC - Pseudokirchneriella subcapitata (green algae) - 3,125 mg/l - 72 h (OECD Test Guideline 201)

The methods for determining the biological degradability are not applicable to inorganic substances.

No Information available

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

No data available

13. Disposal considerations

www.rxmarine.com

Disposal methods

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do

not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

Waste treatment Method

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

www.rxmarine.com

UN number ADR/RID: IMDG: IATA:

ADR/RID: UN proper shipping name

IMDG:

ΙΔΤΔ.

ADR/RID: IMDG: IATA: Transport hazard class(es) Packaging group ADR/RID: IMDG: IATA:

ADR/RID: No IMDG: No IATA: No Environmental hazards

Special precautions for user Tunnel restriction code: (C/E)

Further information Not classified as dangerous in the meaning of transport regulations.

Transport in bulk according to IMOinstruments No data available

15. Regulatory information

www.rxmarine.com

Inventory status

Components are on the following inventories: Polymaleic acid: - US TSCA, Canadian DSL, EU EINECS, Australian AICS, Korean, Philippine PICCS and Chinese Xi irritant R 36/38 Irritant to eyes & skin R 41 Risk of serious damage to eyes S24/25 Avoid contact with skin and eyes S26/28 In case of contact eyes & skin, rinse with plenty water and seek medical advice Section 312/313: Not listed. Not listed under California proposition 65.

substance or mixture

Safety, health and environmental regulations/legislation specific for the This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Safety, health and environmental regulations specific for the product in European Inventory of Existing Commercial Chemical Substances question

(EINECS) -Listed.EC Inventory Listed. United States Toxic Substances Control Act (TSCA) Inventory- Listed. China Catalog of Hazardous chemicals 2015 Not- Listed. New Zealand Inventory of Chemicals (NZIoC)Listed. PICCS -Listed. Vietnam National Chemical Inventory -Listed. IECSC Listed. Korea Existing Chemicals List (KECL) -Listed.

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. OXIDISING LIQUIDS AND **SOLIDS**

ENVIRONMENTAL HAZARDS

Other regulations Chemical Safety Assessment Take note of Dir 94/33/EC on the protection of young people at work. A Chemical Safety Assessment has been carried out for this substance.

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.