

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-10-1725
Product Type Tar and Asphalt Remover Conc.

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 27815541 / 42
Fax +91 22 2781 1318 :::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

| COMPONENTS-CHEMICAL NAMES AND COMMON NAMES | CAS Number | SARA III LIST | Applicable PEL- OSHA | Exposure Limits TLVACGIH | Carcinogen Ref. Source ** |
|--|------------|------------------|-------------------------|-----------------------------|------------------------------|
| (Hazardous Components 1% or greater; Carcinogens 0.1% or greater) | | | | | |
| ETHYLENE GLYCOL MONOBUTYL ETHER | 111-76-2 | Yes | 25 | 25 | d |
| MONOCHLOROTOLUENE (MIXED ISOMERS) | 25168-05-2 | No | N/E | N/E | d |
| ORTHO ISOMER | 95-49-8 | No | N/E | 50 | d |
| PARA ISOMER | 106-43-4 | No | N/E | N/E | d |
| SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC | 64742-94-5 | No | N/E | N/E | d |

3. Hazards Identification

www.rxmarine.com

PRIMARY ROUTES OF ENTRY: INHALATION INGESTION SKIN ABSORPTION EYE NOT HAZARDOUS
ACUTE EFFECTS Systemic: CNS depression producing headache, dizziness, numbness, loss of consciousness.

Inhalation:

Irritation of upper respiratory tract. Exposure to high concentrations may cause systemic toxicity. Aspiration into lungs can cause chemical pneumonitis

Eye Contact:

Irritation.

Skin Contact:

Dermal irritation & dermatitis attributable to defatting of skin.

Ingestion:

Irritation of gastrointestinal tract. See also systemic effects above

CHRONIC EFFECTS:

Chronic exposure to high concentrations may cause some liver or kidney dysfunction

Medical Conditions Generally

Liver or kidney disease. May aggravate pre-existing irritation.

Aggravated by Exposure:

4. First Aid Measures

www.rxmarine.com

Eye Contact:

Flush with water for 15 minutes. Get medical attention.

Skin Contact:

Flush skin with water then wash with soap and water. If irritation occurs, get medical attention.

Inhalation: Remove to fresh air. If not breathing, administer artificial respiration. Get medical attention.
Ingestion:

DO NOT INDUCE VOMITING. Drink 3 to 4 glasses of water. Get immediate medical attention. If vomiting occurs, keep head tilted to the side to prevent aspiration.

5. Fire-fighting Measures

www.rxmarine.com

FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols)

N/A

N/Auto Ignition Temperature

Auto Ignition Temperature N/D

Flammability Limits in Air by % in Volume:

% LEL: N/D

% UEL: N/D

FLASH POINT AND METHOD USED (non-aerosols): 141°F (TCC)

SPECIAL FIRE FIGHTING PROCEDURES: Burning product may give off noxious & toxic fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus.

EXTINGUISHER MEDIA: Water fog, foam, dry chemical or CO2. Burning product may float on water.

Unusual Fire & Explosion Hazards: Burning product may float on surface of water and spread fire to other areas.

6. Accidental Release Measures

www.rxmarine.com

7. Handling and Storage

www.rxmarine.com

Steps To Be Taken If Material Is Spilled Or Released: Do not allow large spills to contaminate sewers, ground or surface waters. Contain spill & soak up in inert absorbent material. Use spill proof containers for proper disposal.

Waste Disposal Methods: Dispose of in accordance with all local, state and federal regulations

Precautions To Be Taken In Handling & Storage: Store in original shipping containers. Keep closed when not in use. Shelf life 1 year. Protect from extreme heat and cold

Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Read & follow label directions. Do not cut, weld or drill on drums whether full or empty.

8. Exposure controls and personal protection

www.rxmarine.com

Respiratory Protection (specify type): None required under normal conditions of handling and use.

Protective Gloves: Solvent resistant

Eye Protection: Chemical goggles.

Ventilation Requirements: Special ventilation not normally needed. If required to maintain concentrations below specified levels use explosion proof ventilation.

Other Protective Clothing & Equipment: Solvent resistant, as needed. Eyewash station and safety shower

Hygienic Work Practices: Do not eat, drink or smoke in work area. Wash hands after handling.

9. Physical and chemical properties

www.rxmarine.com

Boiling Point: N/D
Specific Gravity (H₂O=1): 0.93
Vapor Pressure: PSIG @ 70°F (Aerosols): N/A
Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/D
Vapor Density (Air = 1): >1
Evaporation Rate (BUAC = 1):