

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-17-1069
Product Type Water Stain and Deposit Remover

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999 / 27611360
Fax +91 22 2781 1318 :::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	CAS Number	SARA-III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)
HYDROGEN CHLORIDE	7647-01-0	Yes	5	5
Citric Acid	77-92-9	no		

3. Hazards Identification

www.rxmarine.com

Odour chlorine odor.
Appearance Clear, amber fluid
Contact with eyes Irritation, severe burns & permanent damage including blindness.
Contact with skin Burning, irritation and dermatitis.
Inhalation Irritant causing burning, choking, coughing, headaches.
Ingestion Unlikely route, causes severe burns to internal organscan occur.

4. First Aid Measures

www.rxmarine.com

Eye Contact: Flush with water for 15 minutes. Get medical attention.
Skin Contact: Remove contaminated clothing. Wash with water for 15 minutes.
Ingestion DO NOT INDUCE VOMITING. Drink large quantity of water. Get immediate medical attention.
Inhalation Remove to fresh air. Get medical attention.

5. Fire-fighting Measures

www.rxmarine.com

- FLASH POINT AND METHOD USED:-None
- EXTINGUISHER MEDIA:-Non-combustible
- SPECIAL FIRE FIGHTING PROCEDURE S : None

6. Accidental Release Measures

www.rxmarine.com

Respiratory Protection (specify type) : Approved self -contained breathing apparatus when air concentrations exceed 100 ppm HCL vapors.
Protective Gloves : Neoprene

Eye Protection:	Chemical goggles and/or face shield.
Other Protective Clothing & Equipment	Neoprene or PVC rain suit & boots in case of fire.
:	
Hygienic WorkPractices :	Do not eat, drink or smoke in work area. Wash hands after handling.
Ventilation Requirements :	As necessary to maintain HCL vapors below 5 ppm at all times.

7. Handling and Storage

www.rxmarine.com

Steps To Be Taken If Material Is Spilled Contain fluid by diking. Neutralize with soda ash or diluted caustic soda.

Or Released:

Waste Disposal Methods: Wash neutralized material down the sewer.

Storage Store in original container or acid-resistant containers. Keep container sealed when not in use. Shelf life one year. Store in metal free area.

Other Precautions & / or Special Hazards KEEP OUT OF REACH OF CHILDREN

:

8. Exposure controls and personal protection

www.rxmarine.com

FLASH POINT AND None

METHOD USED

EXTINGUISHING MEDIA: Non-combustible

SPECIAL FIRE FIGHTING PROCEDURES : None

9. Physical and chemical properties

www.rxmarine.com

Appearance:	Clear, amber fluid
Odor	chlorine odor.
Boiling Point:	>212 ° F
Vapor Pressure:	N/A
Solubility in Water:	Total
Specific Gravity (H ₂ O=1):	1.06-1.08
Evaporation Rate	1.0
Water Reactive:	None

10. Stability and reactivity

www.rxmarine.com

- **Incompatibility (Material to avoid)** Bases, metals, mercuric sulfate, carbides of Ca, Cs, Rb.
- **Conditions to Avoid:** Contact with strong bases can cause violent reaction generating large amounts of heat

11. Toxicological information

www.rxmarine.com

Toxicological information	No experimental data available.
Inhalation	Irritant causing burning, choking, coughing, headaches.
Contact with skin	Burning, irritation and dermatitis.
Contact with eyes	Irritation, severe burns & permanent damage including blindness
CHRONIC EFFECTS:	None known.
Ingestion	Unlikely route, causes severe burns to internal organs
Medical Conditions Generally Aggravated	Skin, eye, mucous membrane irritation.

12. Ecological information

www.rxmarine.com

13. Disposal considerations

www.rxmarine.com

14. Transport information

www.rxmarine.com

15. Regulatory information

www.rxmarine.com

16. Other information

www.rxmarine.com

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.