

## 1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-17-1073  
Product Type Rust Remover For Metal or Concrete ( De Rust - 20)

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999 / 27611360  
Fax +91 22 2781 1318 :::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	CAS Number	SARA-III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	C R d d d
ETHYLENEGLY COLMONOBUT YLETHER	111-76-2	Yes	25	25	
PHOS PHORIC ACID	7664-38-2	Yes	1mg/m3	1mg/m3	
AMMONIUM BIFLUORIDE ( EXP . L IMITSFORFLUORIDEAS DUST )	1341-49-7	No	N/E	N/E	

## 3. Hazards Identification

www.rxmarine.com

Appearance Clear to slightly hazy viscous pink liquid  
Odour characteristic odor.  
Contact with eyes May cause burns.  
Contact with skin May cause severe irritation & fluoride burns, which may not be immediately evident.  
Inhalation May cause severe irritation to upper respiratory tract. Not likely to be a problem under normal conditions of handling  
Ingestion May cause systemic toxic effects as well as tissue damage to GI tract .

## 4. First Aid Measures

www.rxmarine.com

Eye Contact: Flush (including under lids) with water for 30 minutes. Get medical attention.  
Skin Contact: Flush with cold water for at least 15 minutes. Use alkaline soap. If irritation occurs, get medical attention  
Ingestion DO NOT INDUCE VOMITING. Drink large quantity of water. Get immediate medical attention.  
Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

## 5. Fire-fighting Measures

www.rxmarine.com

- **FLASH POINT AND METHOD USED:**-Non-combustible
- **EXTINGUISHER MEDIA:**-Non-combustible. Use media appropriate to surrounding fire.
- **SPECIAL FIRE FIGHTING PROCEDURES :** Self-contained breathing apparatus.

## 6. Accidental Release Measures

www.rxmarine.com

Respiratory Protection ( specify type) : Not generally needed under normal conditions of handling and use.  
Protective Gloves : Neoprene or PVC.  
Eye Protection: Chemical goggles.  
Other Protective Clothing & Equipment Eyewash stations & safety showers.  
:  
Hygienic WorkPractices : Avoid contact with skin and avoid breathing vapors.  
Ventilation Requirements : Special ventilation is not generally needed under normal conditions of handling & use.

## 7. Handling and Storage

www.rxmarine.com

Steps To Be Taken If Material Is Spilled Or Released: Contain spill. Do not contaminate sewers, ground or surface waters. Neutralize with soda ash or lime. Soak up in inert material and place in sealed, leak-proof, properly labeled containers.  
Waste Disposal Methods: Dispose of in accordance with all local, state and federal regulations.  
Storage: Store in original container. Keep container sealed when not in use. Shelf life one year. Protect from extreme heat or cold.  
Other Precautions & / or Special Hazards: KEEP OUT OF REACH OF CHILDREN  
:

## 8. Exposure controls and personal protection

www.rxmarine.com

FLASH POINT AND METHOD USED: Non-combustible  
EXTINGUISHER MEDIA: combustible. Use media appropriate to surrounding fire.  
SPECIAL FIRE FIGHTING PROCEDURES : Self-contained breathing apparatus.

## 9. Physical and chemical properties

www.rxmarine.com

Appearance: Clear to slightly hazy viscous pink liquid  
Odor: characteristic odor.  
Boiling Point: 100°C  
Vapor Pressure: N/A  
Vapor Density (Air = 1): N/D  
Solubility in Water: Miscible  
Specific Gravity (H<sub>2</sub>O=1): 1.100-1.250  
Evaporation Rate: 1  
Water Reactive: No

## 10. Stability and reactivity

www.rxmarine.com

- **Incompatibility (Mat. to avoid)**(Mat. to avoid): Bases, metals, glasses, carbides, acetylides, phosphides, silicides.  
- **Conditions to Avoid:** Contact with strong bases can cause violent reaction generating large amounts of heat.

## 11. Toxicological information

www.rxmarine.com

Toxicological information	No experimental data available.
Inhalation	May cause severe irritation to upper respiratory tract. Not likely to be a problem under normal conditions of handling and use.
Contact with skin	May cause severe irritation & fluoride burns, which may not be immediately evident.
Contact with eyes	May cause burns.
CHRONIC EFFECTS:	Dermatitis or secondary effects of burns, chronic over-exposure may cause tooth erosion, chronic cough.
Ingestion	May cause systemic toxic effects as well as tissue damage to GI tract.
Medical Conditions Generally Aggravated by Exposure	Asthma and conditions affecting above systems and others

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.