Product Name	RXSOL-41-4122
Product Type	Truck and Trailer Degreaser that's

### **Company Details:**

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333 / 5555 / 9999 / 27611360	Fax	+91 22 2781 1318 :::AOH :0091 9821214367	Email
mail@rxmarine.com				

**Chemical Name** 

**CAS Number** 

SARA III LIST

OSHA PEL

ACGIH TLV (ppm)

SODIUM METASILICATE ANHYDROUS

6834-92-0

### NA

### N/E

N/E

### d

Proprietory Blend of Degreasers - - -

#### Odour

#### no distinct odor

### Appearance

# Clear Liquid

# Contact with eyes

#### Causes irritation.

# Contact with skin

# Causes irritation.

### Inhalation

May cause irritation to mucous membranes

Ingestion

May cause diarrhea, nausea.

Contact with skin

Wash with soap and water. If irritation persists, get medical attention.

Contact with eyes

Flush with water for 15 minutes, then apply an isotonic solution. If irritation persists, get medical attention.

Ingestion

DO NOT INDUCE VOMITING. Drink 3 to 4 glasses of water followed by a weak vinegar solution. Get immediate medical attention

Inhalation

Remove to fresh air

### FLASH POINT AND METHOD USED :- NA

#### Unusual Fire & Explosion Hazards :- NA

**Respiratory Protection** 

. . .

None required

Protective Gloves

Rubber

Eye Protection

Splash goggles or face shield

Other Protective Clothing & Equipment

Splash apron and rubber boots, if desired

Hygienic Work Practices

Wash face, hands and exposed skin after use

#### Waste Disposal Methods

Dispose of in accordance with all local, state and federal regulations

#### Storage

Store in original shipping containers. Keep closed when not in use. Shelf life 1 year. Protect from extreme heat and cold

Exposure Limits

NA

Gloves

Goggles Suit

No\_Smoking

#### no distinct odor

#### Appearance

### Clear Liquid

### Vapor Density (Air = 1)

#### 0.62

# Boiling point

### 212ºF

### Vapour pressure

#### not known

#### Specific Gravity

## 1.02

### Evaporation Rate

### >1

N/A

- Incompatibility :-Strong oxidizing agents

-Conditions to Avoid:- N/A

Contact with skin

Causes irritation

Contact with eyes

Causes irritation.

Ingestion

DO NOT INDUCE VOMITING. Drink 3 to 4 glasses of water followed by a weak vinegar solution.Get immediate

medical attention

Inhalation

Remove to fresh air

- Not classified

- Not classified

- Not classified as hazardous for transport

Safety Phrases Irritant

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice (S26) Wear suitable gloves and eye/face protection (S37/39)

Text of R and S phrase codes used in this safety data sheet:- R34: Causes burns; R36: Irritating to eyes; R37: Irritating to respiratory system; R41: Risk of serious damage to eyes. The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties The data given here only applies when product used for

proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer .