Product Name STANNIC OXIDE LR
Part Number RXSOL-60-6605-602

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

Emailmail@rxmarine.comWebsitewww.rxmraine.comA

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name CAS EC number Weight Formula

Stannic oxide 18282-10-5 18282-10-5 20.000 mg/kg Remarks:

(RTECS) LC50 Inhalation -Rat - male and female - 4 h -> 2,04 mg/l - dust/mist (OECD Test Guideline 403) Dermal: No data available

Skin corrosion/irritation Remarks: No data available Serious eye damage/eye Remarks: No data available

irritation

Respiratory or skin Local lymph node assay

sensitization (LLNA) - Mouse Result: Not

a skin sensitizer. (OECD

Test Guideline 429)
Toxic Effects on Human May cause damage to the

following organs: upper respiratory tract. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant, sensitizer), of ingestion, of inhalation (lung irritant, lung

sensitizer).

Carcinogenicity No data available
Germ cell mutagenicity No data available
Reproductive toxicity No data available
Specific target organ toxicity No data available

- single exposure

Special Remarks on other Acute Potential Health

Toxi Effects on Humans Effects: Skin: Causes skin

irritation. May cause skin sensitization, an allergic reation, which becomes evident upon re-exposure to this material. Eyes: Causes eye irritation. Ingestion: Causes gastrointestinal

(digestive) tract irritation with nausea, vomiting, and diarrhea. May be harmful if swallowed. Inhalation: Causes respiratory tract irritation. cause May chemical pneumonitis and pulmonary edema, inflammation, edema of bronchi and larynx. Chronic Potential Health Effects: Repeated or prolonged skin exposure may cause allergic reactions in sensitive individuals. Repeated or prolonged exposure by inhalation may affect respiration and metabolism.

Endocrine properties

disrupting The substance/mixture does contain components considered to have endocrine disrupting properties according to REACH Article 57(f) Commission or Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: XQ4000000 Inorganic tin salts are poorly absorbed into the body. When parenterally administered tin salts are highly toxic. Tin oxide inhaled as a dust or fume leads benign to a pneumoconiosis with no sign of interference with pulmonary function. Deposited dust appears nodular with the particles being mostly extracelluar. No necrosis, foreign-body giant-cell reaction, collagen formation has been seen. Tin salts that have gained access to the blood stream are highly toxic and produce neurologic damage and paralysis. With most common tin salts, the profile toxicity is complicated by hydrolysis in body fluids producing unphysiologic pH values. The reported symptoms of hyperemia, vascular changes with bleeding in the central nervous system, liver, heart, and other organs may be due to tin itself or to the unphysiological pH changes. Ingestion produces vomiting due to the gastric irritation from the activity and astringency of tin compounds. Injection

inorganic tin salts produces diarrhea, muscle paralysis, and twitching. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. Ecological information

www.rxmarine.com

Bioaccumulative potential No data available

Persistence and degradability Biodegradability Result: - Readily biodegradable.

Toxicity to fish Static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l - 96

h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates Static test EC50 - Daphnia magna Straus (Water flea) -> 100 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae Static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l -

72 h (OECD Test Guideline 201) static test NOEC - Desmodesmus subspicatus (green algae) - 9,77 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria Static test EC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test

Guideline 209)

Mobility in soil No Information available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other adverse effects No data available

13. Disposal considerations

www.rxmarine.com

Disposal methods The material can be disposed of by removal to a licensed chemical

destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do

not discharge to sewer systems.

Contaminated packaging Dispose of as unused product.

Waste treatment Method See www.retrologistik.com for processes regarding the return of

chemicals and containers, or contact us there if you have further

questions.

14. Transport information

www.rxmarine.com

UN number ADR/RID: IMDG: IATA:

UN proper shipping name ADR/RID: IMDG: IATA: Transport hazard class(es) ADR/RID: IMDG: IATA:

Packaging group ADR/RID: IMDG: IATA:

Environmental hazards ADR/RID: NO IMDG: NO IATA: NO

Further information No data available

15. Regulatory information

www.rxmarine.com

Inventory status

Safety, health and environmental regulations/legislation specific for the substance or mixture

National legislation

Other regulations

Chemical Safety Assessment

Components are on the following inventories: Polymaleic acid: - US TSCA, Canadian DSL, EU EINECS, Australian AICS, Korean, Philippine PICCS and Chinese Xi irritant R 36/38 Irritant to eyes & skin R 41 Risk of serious damage to eyes \$24/25 Avoid contact with skin and eyes \$26/28 In case of contact eyes & skin, rinse with plenty water and seek medical advice Section 312/313: Not listed. Not listed under California proposition 65.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : ACUTE TOXIC : ENVIRONMENTAL HAZARDS

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.