

1. Product and Company Identification

www.rxmarine.com

Product Name : **RXSOL-20-2102-210**
Product Type : **P-XYLENE (TECHNICAL GRADE)-II**

Catalog Codes SLX1120
CAS# 106-42-3
RTECS ZE2625000
TSCA TSCA 8(b) inventory: p-Xylene
CI# Not applicable.
Synonym p-Methyltoluene
Chemical Name 1,4-Dimethylbenzene
Chemical Formula C6H4(CH3)2

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone : +91 22 65113333 / 5555 / 9999 / 27611360
Fax : +91 22 2781 1318 :::AOH :0091 9821214367
Email : mail@rxmarine.com , sales@tankcleaner.net/
Website : www.rxmarine.com/ , www.tankcleaner.net/

2. Composition / Information on ingredients

www.rxmarine.com

Chemica Name	CAS #	% BY WEIGHT
{p-}Xylene	106-42-3	100

Toxicological Data on Ingredients: p-Xylene: ORAL (LD50): Acute: 5000 mg/kg [Rat.]. DERMAL (LD50): Acute: 12400 mg/kg [Rabbit.]. VAPOR (LC50): Acute: 4550 ppm 4 hour(s) [Rat].

3. Hazards Identification

www.rxmarine.com

Potential Acute Health Effects

Very hazardous in case of skin contact (irritant), of eye contact (irritant) and in case of skin contact (permeator), of ingestion, of inhalation. Inflammation of skin, redness, watering, and itching. Skin inflammation is characterized by itching, scaling, redness, and blistering.

Potential Chronic Health Effects

Hazardous in case of skin contact (irritant), of eye contact (irritant) and Slightly hazardous in case of skin contact (permeator), of ingestion.

CARCINOGENIC EFFECTS

Not available.

MUTAGENIC EFFECTS

Not available.

TERATOGENIC EFFECTS
DEVELOPMENTAL TOXICITY

Not available.
Not available.

The substance is toxic to blood, kidneys, the nervous system, liver.
Repeated or prolonged exposure to the substance can produce target organs damage.

4. First Aid Measures

www.rxmarine.com

Eye Contact	Check for and remove any contact lenses. Do not use an eye ointment or eye drops without medical attention.
Skin Contact	After contact with skin, wash immediately with plenty of water. Wash the contaminated skin with running water and non-abrasive soap. Be particularly careful of the neck, creases and groin. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Remove contaminated clothing before reusing.
Serious Skin Contact	Wash with a disinfectant soap and cover the contaminated skin with a sterile dressing. Seek immediate medical attention.
Inhalation	Allow the victim to rest in a well ventilated area. Seek immediate medical attention.
Serious Inhalation	Not available.
Ingestion	Do not induce vomiting. Examine the lips and mouth to ascertain if the victim has been damaged, a possible indication that the toxic material was ingested; the absence of such signs is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is unconscious, do not perform mouth-to-mouth resuscitation. Seek immediate medical attention.
Serious Ingestion	Not available.

5. Fire-fighting Measures

www.rxmarine.com

Flammability of the Product	Flammable.
Auto-Ignition Temperature	527°C (980.6°F)
Flash Points	CLOSED CUP: 25°C (77°F). OPEN CUP: 28.9°C (84°F) (Cleveland).
Flammable Limits	LOWER: 1.1% UPPER: 7%
Products of Combustion	These products are carbon oxides (CO, CO ₂).
Fire Hazards in Presence of Various Substances	Highly flammable in presence of open flames and sparks, of heat.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.
Fire Fighting Media and Instructions	Flammable liquid, insoluble in water.
SMALL FIRE	Use DRY chemical powder.
LARGE FIRE	Use water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.
Special Remarks on Fire Hazards	Explosive in the form of vapor when exposed to heat or flame. Vapor may be ignited at a considerable distance to source of ignition and flash back. When heated to decomposition it emits acrid smoke and irritating fumes.
Special Remarks on Explosion Hazards	Not available.

6. Accidental Release Measures

www.rxmarine.com

Small Spill	Absorb with an inert material and put the spilled material in an appropriate disposal.
Large Spill	Toxic flammable liquid, insoluble or very slightly soluble in water. Keep away from heat. Keep away from sources of ignition. Stop leak if w risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate ignition sources. Call for assistance on disposal. Be careful that the product is not present at a concentration le TLV. Check TLV on the MSDS and with local authorities

7. Handling and Storage

www.rxmarine.com

Precautions	Keep away from heat. Keep away from sources of ignition. Ground all eq containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. If ingested, seek medical immediately and show the container or the label. Avoid contact with skin and eyes Keep away from incompatibles such as oxidizing agents.
Storage	Flammable materials should be stored in a separate safety storage cabinet Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a co ventilated place. Ground all equipment containing material. A refrigerated room would be preferable f materials with a flash point lower than 37.8°C (100°F).

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airbo concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety s are proximal to the work-station location.
Personal Protection	Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/ce respirator or equivalent. Gloves.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing mig sufficient; consult a specialist BEFORE handling this product.
Exposure Limits	TWA: 100 STEL: 150 (ppm) from ACGIH (TLV) TWA: 434 STEL: 651 (mg/m ³) from ACGIH Consult local authorities for acceptable exposure limits.

9. Physical and chemical properties

www.rxmarine.com

Physical state and appearance	- Liquid. (Liquid.)
Odor	- Not available.
Taste	- Not available.
Molecular Weight	- 106.17 g/mole
Color	- Colorless.
pH (1% soln/water)	- Not applicable.

Boiling Point	- 138°C (280.4°F)
Melting Point	- 12°C (53.6°F)
Critical Temperature	- Not available.
Specific Gravity	- 0.86 (Water = 1)
Vapor Pressure	- 9 mm of Hg (@ 20°C)
Vapor Density	- 3.7 (Air = 1)
Volatility	- Not available.
Odor Threshold	- 0.62 ppm
Water/Oil Dist. Coeff.	- Not available.
Ionicity (in Water)	- Not available.
Dispersion Properties	- See solubility in water, methanol, diethyl ether.
Solubility	- Easily soluble in methanol, diethyl ether. - Insoluble in cold water, hot water.

10. Stability and reactivity

www.rxmarine.com

Stability	- The product is stable.
Instability Temperature	- Not available.
Conditions of Instability	- Not available.
Incompatibility with various substances	- Reactive with oxidizing agents.
Corrosivity	- Non-corrosive in presence of glass.
Special Remarks on Reactivity	- Not available.
Special Remarks on Corrosivity	- Not available.
Polymerization	- No.

11. Toxicological information

www.rxmarine.com

Routes of Entry	- Eye contact.
Toxicity to Animals:	
WARNING	- THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF 4-HOUR EXPOSURE.
Acute oral toxicity (LD50)	- 5000 mg/kg [Rat.].
Acute dermal toxicity (LD50)	- 12400 mg/kg [Rabbit.].
Acute toxicity of the vapor (LC50)	- 4550 ppm 4 hour(s) [Rat].
Chronic Effects on Humans	- The substance is toxic to blood, kidneys, the nervous system, liver.
Other Toxic Effects on Humans	- Very hazardous in case of skin contact (irritant). Slightly hazardous in case of skin contact (permeator), of ingestion, of inhalation.
Special Remarks on Toxicity to Animals	- Not available.
Special Remarks on Chronic Effects on Humans	- 0347 Animal: embryotoxic, foetotoxic, passes through the placental barrier. - 0900 Detected in maternal milk in human.
Special Remarks on other Toxic Effects on Humans	- Narcotic effect; may cause nervous system disturbances. - Material is irritating to mucous membranes and upper respiratory tract

12. Ecological information

www.rxmarine.com

Ecotoxicity	- Not available.
BOD5 and COD	- Not available.
Products of Biodegradation	- Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation
Special Remarks on the Products of Biodegradation

- The products of degradation are more toxic.
- Not available.

13. Disposal considerations

www.rxmarine.com

Waste Disposal:

14. Transport information

www.rxmarine.com

DOT Classification	Class 3: Flammable liquid.
Identification	Xylene : UN1307 PG: III
Special Provisions for Transport	Not available.

15. Regulatory information

www.rxmarine.com

Federal and State Regulations:
Pennsylvania RTK: p-Xylene
Florida: p-Xylene
Massachusetts RTK: p-Xylene
New Jersey: p-Xylene
TSCA 8(b) inventory: p-Xylene
SARA 313 toxic chemical notification and release reporting: p-Xylene
CERCLA: Hazardous substances.: p-Xylene

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications:

WHMIS (Canada):
CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F).
CLASS D-2B: Material causing other toxic effects (TOXIC).

DSCL (EEC):
R10- Flammable.
R38- Irritating to skin.
R41- Risk of serious damage to eyes.
R48/20- Harmful: danger of serious damage to health by prolonged exposure through inhalation.

HMIS (U.S.A.):
Health Hazard: 2
Fire Hazard: 3
Reactivity: 0
Personal Protection: h
National Fire Protection Association (U.S.A.):
Health: 2
Flammability: 3
Reactivity: 0
Specific hazard:
Protective Equipment:
Gloves.
Lab coat.
Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate

16. Other information

www.rxmarine.com

Other Special Considerations	Not available.
Created	10/10/2005 08:33 PM
Last Updated	11/06/2008 12:00 PM

:: : The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.