

1. Product and Company Identification

www.rxmarine.com

Product Name ZINC CHLORIDE DRY PURIFIED
Part Number RXSOL-60-6605-839

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 27815540 / 27815541 / 27815542
Fax +91 22 2781 1318 :::AOH :0091 9821214367
Email 123@rxmarine.com
Website www.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Name of Substance	Cas Number	EC Number	Wight %
Zinc chloride	7646-85-7	231-592-0	100%

3. Hazards Identification

www.rxmarine.com

Signal Word Danger

Hazard Statements H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements - prevention P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection

Precautionary statements - response P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

4. First Aid Measures

www.rxmarine.com

Eye Contact Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.

Skin Contact In case of contact, immediately flushes skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.

Ingestion: Do not induce vomiting. Obtain medical attention. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration.

Notes to Physician Treat symptomatically

5. Fire-fighting Measures

www.rxmarine.com

Flammability of the Product	Non-flammable.
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Hazardous combustion products	When heated to decomposition, it emits toxic fumes of Hydrochloric Acid, and Zinc Oxide.
Protective Equipment	Use personal protective equipment.
Special protective equipment for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Further information	Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. Accidental Release Measures

www.rxmarine.com

Spillage	Corrosive solid. Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.
Personal Protection	Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.
Environmental Precaution	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods and materials for containment and cleaning	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal. Cover drains.

7. Handling and Storage

www.rxmarine.com

Handling	Keep locked up.. Keep container dry. Do not ingest. Do not breathe dust. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, metals.
Storage	Deliquescent. Keep container tightly closed. Keep container in a cool, well-ventilated area.
General occupational hygiene	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Control	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Personal Protection	Eye/face Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Splash goggles. Full suit. Vapor and dust respirator. Boots. A self contained

Other Protection Measure
Exposure Limit

breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Handle in accordance with good industrial hygiene and safety practice.

TWA: 1 STEL: 2 (mg/m³) [United Kingdom (UK)] TWA: 1 STEL: 2 (mg/m³) from ACGIH (TLV) [United States] TWA: 1 STEL: 2 (mg/m³) from OSHA (PEL) [United States] Consult local authorities for acceptable exposure limits.

9. Physical and chemical properties

www.rxmarine.com

Form	Powder
Colour	White
Odour	Odourless
Odor Threshold	Not Applicable
pH	ca. 5 at 100 g/l 20 °C
Melting Point/Range	287 - 304 °C at ca.1,013 hPa Method: OECD Test Guideline 102
Boiling Point/Boiling Range	732 °C at 1,013 hPa
Flash Point	Not Applicable
Evaporation Rate	Not Applicable
Flammability (solid, gas)	The product is not flammable.
Explosive limits	No Data Available
Vapour pressure	1.33 hPa at 428 °C
Vapour Density	No information available
Density	2.93 g/cm ³ at 22 °C Method: OECD Test Guideline 109
Partition coefficient	No data available
Explosive properties	None
Solubility in water	851 g/l at 25 °C Method: OECD Test Guideline 105
Ignition temperature	No information available.
Decomposition temperature	ca.360 °C
Viscosity, dynamic	No information available.
Oxidizing properties	None
Bulk density	ca.1,400 - 1,800 kg/m ³

10. Stability and reactivity

www.rxmarine.com

Reactivity	No Data Available
Stability	The product is chemically stable under standard ambient conditions (room temperature).
Possibility of hazardous reactions	Violent reactions possible with: sodium. Strong oxidizing agents
Conditions to avoid	Exposure to moisture
Incompatible materials	Strong oxidizing agents
Hazardous Polymerization	Hazardous polymerization does not occur.

11. Toxicological information

www.rxmarine.com

Rout Of Entry	Absorbed through skin. Dermal contact. Inhalation. Ingestion.
Toxicity to Animal	Acute oral toxicity (LD50): 329 mg/kg [Mouse].
Toxic Effects on Human	May cause damage to the following organs: upper respiratory tract. Other Very hazardous in case of skin contact (irritant), of ingestion, of inhalation. Hazardous in case of skin contact (corrosive, permeator), of eye contact (corrosive).

Special Remarks on other Toxi Effects on Humans:

Acute Potential Health Effects: Skin: Causes skin irritation with possible burns, especially if skin is wet or moist. May be absorbed by the skin. Eyes: May cause severe irritation with possible eye burns and irreversible eye injury. May cause corneal ulceration, and opacification, and glaucoma and severe iritis. Eye or skin contact may result in mild, moderate, or severe irritation and burns depending on the concentration and duration of exposure. Inhalation: May cause severe respiratory tract irritation, and may affect behavior. Ingestion: Harmful if swallowed. May cause severe digestive tract irritation with nausea, vomiting, diarrhea abdominal pain, possible burns

12. Ecological information

www.rxmarine.com

Eco Toxicity

Not Available

COD and BOD 5

Not Available

Products Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise. Toxicity of the Products of Biodegradation: The products of degradation are less toxic than the product itself.

Mobility in soil

No Information available

Results of PBT and vPvB assessment

PBT/vPvB: Not applicable for inorganic substances

Other adverse effects

Additional ecological information. Hazard for drinking water supplies. Discharge into the environment must be avoided.

13. Disposal considerations

www.rxmarine.com

Waste treatment Method

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

14. Transport information

www.rxmarine.com

UN Number

UN 2330

Proper shipping name

ZINC CHLORIDE, ANHYDROUS

Hazard Class

8

Packing group

III

Special precautions for user

No Data Available

Tunnel restriction code

E

15. Regulatory information

www.rxmarine.com

Federal and State Regulation

Connecticut hazardous material survey.: Zinc chloride Illinois toxic substances disclosure to employee act: Zinc chloride Illinois chemical safety act: Zinc chloride New York release reporting list: Zinc chloride Rhode Island RTK hazardous substances: Zinc chloride Pennsylvania RTK: Zinc chloride Minnesota: Zinc chloride Massachusetts RTK: Zinc chloride Massachusetts .

Other Regulation

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

WHMIS (Canada)

CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC). CLASS D-2A: Material causing other toxic effects. CLASS E: Corrosive solid.

DSCL (EEC)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.