

1. Product and Company Identification

www.rxmarine.com

Product Name ZINC CHLORIDE DRY AR
Part Number RXSOL-60-6605-840

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400
Fax +91 22 27612100 ::AOH :0091 9821214367
Email mail@rxmarine.com
Website www.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	CAS	EC number	Weight	Index-No.
ZINC CHLORIDE DRY AR	7646-85-7	231-592-0	136.29 g/mol	030-003-00-2

3. Hazards Identification

www.rxmarine.com

Signal Word	Danger
Hazard Statements	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects.
Classification of the substance or mixture	Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Sub-category 1B), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410 For the full text of the H-Statements mentioned in this Section, see Section 16
P280 Wear protective gloves.P305 + P351 + P338 Precautionary statements - response	NA P260 Do not breathe dust. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.P260 Do not breathe dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

None

NA

NA

None

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Response

Disposal

Prevention

Supplemental Hazard Statements

Other hazards

4. First Aid Measures

www.rxmarine.com

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

Eye Contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

Swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

Skin Contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

Inhalation

Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.

Ingestion

NA

Notes to Physician

NA

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

5. Fire-fighting Measures

www.rxmarine.com

Flammability	NA
Flash Point	NA
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given.
Special hazards arising from the substance or mixture	Hydrogen chloride gas Zinc/zinc oxides Not combustible.
Further information	Ambient fire may liberate hazardous vapours Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system
Hazardous combustion products	NA
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothingStay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing
Protective Equipment	NA
Specific Hazards Arising from the Chemical	NA

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Spillage	NA
Personal Protection	NA
Environmental Precaution	Do not let product enter drains.
Methods and materials for containment and cleaning	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
Reference to other sections	For disposal see section 13.

7. Handling and Storage

www.rxmarine.com

Advice on safe handling	NA
Advice on protection against fire and explosion	NA
Hygiene measures	NA
Precautions for safe handling	For precautions see section 2.2.
Conditions for safe storage, including any incompatibilities	Handle under nitrogen, protect from moisture. Store under nitrogen. Tightly closed. Dry. strongly hygroscopic

Storage conditions	NA
Storage conditions	NA
Storage class	Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
Handling	NA
Advice on general occupational hygiene	NA

8. Exposure controls and personal protection

www.rxmarine.com

Application Area	Routes of exposure	Health effect	Value
Worker DNEL, longterm longtermWorker DNEL, longterm longtermWorker DNEL, longterm	Inhalation	Systemic effects	1 mg/m3
Remarks Worker DNEL, longterm longtermWorker DNEL, longterm	Zinc dermal	Systemic effects	
Consumer DNEL, longterm	Zinc inhalation	Systemic effects	1,3 mg/m3
Consumer DNEL, longterm longtermConsumer DNEL, longterm longtermConsumer DNEL, longterm	Zinc dermal	Systemic effects	
Consumer DNEL, longterm	Zinc oral	Systemic effects	
	Zinc		

Compartment	Value
Fresh water	20,6 µg/l
Remarks	Zinc
Fresh water sediment	117,8 mg/kg Zinc
Sea water	6,1 µg/l Zinc
Sea sediment	56,5 mg/kg Zinc
Sewage treatment plant	52 µg/l Zinc
Soil	35,6 mg/kg Zinc
Occupational Exposure limit values	No data available
Biological limit values	No data available
Exposure controls	NA
Engineering Control	NA
Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles
Body Protection	protective clothing
Skin protection	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested: KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested: KCL 741 Dermatril® L
Respiratory protection	required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2 The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.
Other Protection Measure	NA
Control of environmental exposure	Do not let product enter drains.
Thermal hazards	No data available





Gloves Suit

9. Physical and chemical properties

www.rxmarine.com

Physical state	Powder
Colour	White
Odour	Odorless
Odor Threshold	Not Applicable
pH	Not Applicable
Melting Point	293 °C
Boiling Point	No data available
Flash Point	No data available
Evaporation Rate	Not Applicable
Flammability (solid, gas)	No data available
Explosive limits	No Data Available
Upper/lower flammability or explosive limits	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Vapour pressure	No Data Available
Density	No data available
Vapour Density	No Data Available
Specific Gravity	No data available
Partition coefficient	No data available
Explosive properties	None
Solubility	851 g/l at 20 °C - OECD Test Guideline 105- completely soluble
Ignition temperature	No information available.
Particle characteristics	No data available
Oxidizing properties	None
Other safety information	No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity	No data available
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature)
Stability	No data available
Possibility of hazardous reactions	Violent reactions possible with:sodium Strong oxidizing agentsViolent reactions possible with: sodium Strong oxidizing agents Exposure to moisture. no information availableExposure to moisture. no information available
Conditions to avoid	
Incompatible materials	various metals

11. Toxicological information

www.rxmarine.com

Acute toxicity	LD50 Oral - Rat - male - 1.100 mg/kg (OECD Test Guideline 401) Acute toxicity estimate Oral - 1.100 mg/kg (ATE value derived from LD50/LC50 value) LC50 Inhalation - Rat - female - 10 min - 2.000 mg/kg (OECD Test Guideline 402)
Skin corrosion/irritation	Skin - MouseSkin - Mouse Remarks: (ECHA)
	Remarks: (ECHA)Skin - Mouse
	Remarks: (ECHA)
Serious eye damage/eye irritation	Remarks: Risk of blindness! (Regulation (EC) No 1272/2008, Annex VI)
Respiratory or skin sensitization	Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)
Rout Of Entry	NA
Toxicity to Animal	NA
Toxic Effects on Human	NA
Germ cell mutagenicity	Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: without metabolic activation Result: negative
	Remarks: (ECHA) Test Type: Micronucleu Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Intraperitoneal Result: negative Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: Zinc sulphate
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Special Remarks on other Toxi Effects on Humans:	NA
Additional Information	Endocrine disrupting properties
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Repeated dose toxicity - Rat - male and female - Oral - 13 Weeks - NOAEL (No observed adverse effect level) - 31,52 mg/kg - LOAEL (Lowest observed adverse effect level) - 53,8 mg/kg RTECS: ZH1400000
	Zinc chloride and its aqueous solutions are corrosive to the eyes and skin. They cause conjunctivitis and corneal burns in the eye and produce chemical burns, particularly on areas where the skin is broken. Ingestion produces a corrosive action to the mouth, throat, and digestive tract which can include symptoms of stomach pain, nausea, vomiting, bloody diarrhea, swelling of the throat, blood in the urine, and shock. Inhalation irritates the nose and throat producing cough, chest pain, bluish skin, fever, nausea and vomiting, shortness of breath, difficulty in breathing (onset may be delayed by several hours), and pneumonia. Fatalities have occurred by inhalation and ingestion., To the best of our knowledge, the
	chemical, physical, and toxicological properties have not been thoroughly investigated.
Endocrine disrupting properties	NA

12. Ecological information

www.rxmarine.com

Persistence and degradability	No data available
Toxicity	NA

Bioaccumulative potential	No data available
Toxicity to fish	Static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,169 mg/l 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	Static test EC50 - Daphnia magna (Water flea) - 0,33 mg/l - 48 h(OECD Test Guideline 202)
Toxicity to algae	Static test NOEC - Pseudokirchneriella subcapitata (green algae) - 0,0049 mg/l - 72 h (OECD Test Guideline 201)
Eco Toxicity	Not Available
COD and BOD 5	Not Available
Products Biodegradation:	NA
Mobility in soil	No Information available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	No data available

13. Disposal considerations

www.rxmarine.com

Disposal methods	NA
Contaminated packaging	NA
Waste treatment Method	See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questionsSee www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions

14. Transport information

www.rxmarine.com

UN number	ADR/RID: 2331 IMDG: 2331 IATA: 2331
UN proper shipping name	ADR/RID: ZINC CHLORIDE, ANHYDROU IMDG: ZINC CHLORIDE, ANHYDROUS IATA: Zinc chloride, anhydrous
Transport hazard class(es)	ADR/RID: 8 IMDG: 8 IATA: 8
Packaging group	ADR/RID: III IMDG: III IATA: III
Environmental hazards	ADR/RID: yes IMDG Marine pollutant: yes IATA: no

Special precautions for user	Tunnel restriction code : (E)
Further information	Further information : No data available NA
Transport in bulk according to IMO instruments	No data available

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Safety, health and environmental regulations specific for the product in question	NA
National legislation	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
DSCL (EEC)	NA
Other regulations	Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.
Chemical Safety Assessment	Take note of Dir 94/33/EC on the protection of young people at work. A Chemical Safety Assessment has been carried out for this substance

16. Other information

www.rxmarine.com

Full text of H-Statements referred to under sections 2 and 3.	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation. H400 Harmful if swallowed. H410 Causes severe skin burns and eye damage.
Further information	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this

Other Information

document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

ZINC CHLORIDE DRY AR

ZINC CHLORIDE DRY AR

ZINC CHLORIDE DRY AR