

1. Product and Company Identification

www.rxmarine.com

Product Name **Silver Nitrate (Solid/Crystal) AR**
Product Type RXSOL-60-6142-100

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kolkata, Chennai, Gandhidham, Visakhapatnam, Fujairah,
Muscat

Phone +91 22 27815541 / 42
Fax +91 22 2781 1318 :::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Ingredient	CAS No	Percent
Silver Nitrate Crystal	7761-88-8	99.80 %

3. Hazards Identification

www.rxmarine.com

Emergency Overview: DANGER! STRONG OXIDIZER! CONTACT WITH COMBUSTIBLE MATERIAL MAY CAUSE FIRE. CORROSIVE. CAUSES BURNS TO ANY AREA OF CONTACT. HARMFUL OR MAY BE FATAL IF SWALLOWED OR INHALED. Safety Ratings: Health: 3, Severe Reactivity: 3, Severe Flammability: 0, None Contact: 3, Severe

OSHA Regulatory Status: This product is considered a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Appearance	Powder / Crystal
Contact with eyes	Corrosive. Causes severe eye burns. May cause permanent eye damage.
Contact with skin	Corrosive. Causes severe skin burns. May discolor skin.
Inhalation	Corrosive. May cause damage to mucus membranes and respiratory tract.
Ingestion	Corrosive. Harmful if swallowed. May cause burns to the lips, oral cavity, esophagus, and/or digestive tract.
Target Organs	Skin, eyes, respiratory tract, blood, liver, kidneys

Chronic Health Effects	Corrosive. Prolonged contact causes serious tissue damage. May cause liver and/or kidney damage. Risk of damage to blood system.
Aggravation of Medical Conditions	Persons with pre-existing skin disorders or eye problems, or impaired kidney or respiratory function may be more susceptible to the effects of this substance.

4. First Aid Measures

www.rxmarine.com

Inhalation:	Remove to fresh air. If breathing is difficult, administer oxygen. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Ingestion:	Do not induce vomiting. If vomiting occurs, the head should be kept to the side that stomach vomit doesn't enter the lungs. Never give anything by mouth to an unconscious person. GET MEDICAL ATTENTION OR CALL POISON CONTROL CENTER IMMEDIATELY.
Skin Contact:	In case of contact, wash skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms persist.
Eye Contact:	Check for and remove contact lenses. Immediately flush eyes with gentle large stream of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention if symptoms persist.
General Advice:	In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Carry this safety data sheet to the doctor in attendance.
Notes to Physician:	Treat symptomatically.

5. Fire-fighting Measures

www.rxmarine.com

Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).

Unsuitable extinguishing media : Do not use a heavy water stream. 5.2.

Special hazards arising from the substance or mixture

Fire hazard : May intensify fire; oxidiser.

Explosion hazard : Heating may cause a fire or explosion. 5.3.

Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

6. Accidental Release Measures

www.rxmarine.com

Personal Precautions	Ventilate area of leak or spill. Eliminate all sources of ignition. Isolate area and keep unnecessary and unprotected personnel away from the leak or spill. Keep upwind. Keep out of low areas. Wear appropriate personal protective equipment as specified in the Exposure Control and Personal Protection Section 8. Avoid contact with eyes, skin, and clothing. Avoid inhalation of dusts. Wear a dust mask if dust is generated above exposure limits.
Methods for Containment:	Stop leak if you can do so without risk. Keep combustibles (wood, paper, etc.) away from spilled material. If sweeping of a contaminated area is necessary, use a dust suppressant agent which does not react with the product. Prevent entry into waterways, sewer, basements or confined spaces. Dike the spilled material if necessary.
Methods for Cleaning Up:	Keep combustibles away from spilled material. Pick up and place in noncombustible container for reclamation or disposal, using a method that does not generate dust. Clean contaminated surface thoroughly. Neutralize spills in original containers for re-use. Clean up in accordance with applicable regulations.
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not contaminate waterways, water courses or the ground. In case of a spill, dike if needed.

7. Handling and Storage

www.rxmarine.com

Handling	Wear personal protective equipment (see section 8). Use only in well-ventilated areas. Provide sufficient air exchange and/or exhaust in work rooms. Wear appropriate respiratory equipment in case of insufficient ventilation. Protect from direct sunlight. Avoid contact with skin, eyes, and clothing. Do not breathe dust. Keep formation of airborne dusts to a minimum. Do not ingest. Do not eat, drink, or smoke while handling this product. Do not handle near an open flame, heat, or other sources of ignition. Keep away from incompatible materials such as combustibles, reducing agents, organic materials, metals, acids, moisture. Handle in accordance with good hygiene and safety practice. Wash thoroughly after handling. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquids). Observe all warnings and precautions listed on the product.
----------	--

Storage: Store in a cool, dry, ventilated area away from flame, sources of ignition, and incompatible materials. Do not store near combustibles, organic materials, or other oxidizable materials. Keep containers tightly closed and upright. Protect from physical damage. Keep away from food, drink, and animal feedingstuffs. Keep out of the reach of children.

8. Exposure controls and personal protection

www.rxmarine.com

Exposure Limits ACGIH (TWA): 0.01 mg/m³
OSHA (PEL): 0.01 mg/m³.

Exposure controls Ensure adequate ventilation. Ventilation rates should be maintained under all conditions. If applicable, use process enclosures, local exhaust ventilation, and other engineering controls to maintain airborne levels below recommended exposure limits or to acceptable levels.

Eye Protection: Wear safety glasses with side shields or goggles

Skin Protection: Wear appropriate chemical resistant clothing (with long sleeves) and appropriate chemical resistant gloves

Respiratory Protection A NIOSH- approved dust respirator may be necessary under certain circumstances where airborne concentrations are at unacceptable levels. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

General Hygiene Considerations: Avoid contact with skin, eyes, clothing, and combustible materials. Remove and wash contaminated clothing promptly. Do not breathe dust. When working, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower.

9. Physical and chemical properties

www.rxmarine.com

Odour Odorless

Appearance Crystalline powder

pH 6-7 (Aqueous solution)

Boiling point 440°C (824°F) (Decomposes)

Freezing/Melting Point: 212°C (414°F)

Vapour density 5.8 (Air=1)

Specific Gravity: 4.35

Evaporation Rate: No information found
Percent Volatile: No information found

10. Stability and reactivity

www.rxmarine.com

Stability: Stable under normal conditions.

Conditions to Avoid: Incompatibles, combustibles, heat, light.

Incompatible Materials: Combustible materials, reducing agents (oxidizable substances), organic materials, alkalis, sulfur. Hazardous Decomposition Nitrogen oxides. May decompose upon heating to produce corrosive and/or toxic fumes.

Products: Possibility of Hazardous May react violently with the incompatible materials listed above.

Reactions: Hazardous Polymerization: Will not occur

11. Toxicological information

www.rxmarine.com

Toxicological Data: Oral Rat LD50: 1173 mg/kg

Acute Effects: Harmful if swallowed, inhaled, or absorbed through skin.

Local Effects: Causes burns to any area of contact. Sensitization: Not a skin sensitizer.

Chronic Effects: Corrosive. Prolonged contact causes serious tissue damage. May cause damage to the blood, lungs, liver and/or kidneys.

Carcinogenic Effects: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Skin Corrosion/Irritation: Corrosive to skin and eyes. Epidemiology: No epidemiological data is available for this product.

Mutagenicity: May affect genetic material.

Neurological Effects: No information found

Reproductive Effects: May cause adverse reproductive effects.

Teratogenic Effects: No information found

Target Organs and Symptoms: Skin, Eyes, Mucus Membranes, Blood, Lungs, Liver, Kidneys. Corrosive effects

12. Ecological information

www.rxmarine.com

Toxicity	Ecology - water : Very toxic to aquatic life.
Ecotoxicological Data:	EC50 Water flea (Daphnia magna): 0.0008 mg/L 48 H LC50
	Fathead minnow (Pimephales promelas): 0 - 0.0072 mg/L 96 H
Ecotoxicity:	Very toxic to aquatic life with long lasting effects
Environmental Effects:	Toxic to the environment.
Persistence and Degradability:	The product is not readily biodegradable.
Partition Coefficient	No information found

13. Disposal considerations

www.rxmarine.com

Disposal Instructions:	Dispose of this material and its container to hazardous or special collection point. All wastes must be handled in accordance with local and federal regulations.
Contaminated Packaging:	Since emptied containers retain product residue, follow label warnings after container is emptied. Offer rinsed packaging material to local facilities.
Waste Codes:	No information found

14. Transport information

www.rxmarine.com

Proper Shipping Name:	Silver Nitrate	
UN NO.	UN1493	
Hazard Class	5.1	PackingGroup
Proper Shipping Name	Silver Nitrate	
ADR UN No.	1493	
ADR Hazard Class	5.1	
Proper Shipping Name	POTASSIUM HYDROGEN SULPHATE	
IMDG UN No.	1493	
IMDG Hazard Class	5.1	IMDG PackGroup.:
IMDG EmS		IMDG subrisk
IMDG Labels	5.1	IMDG Flashpoint:
Proper Shipping Name	Silver Nitrate	
ICAO UnNo	1493	
ICAO Hazard Class.	5.1	ICAO PackingGroup
ICAO subrisk	-	ICAO Labels

ICAO Flashpoint	N/A	
DOT Proper Shipping Name	Silver Nitrate	
Hazardous Material	Silver Nitrate	
Hazard Class	5.1	Identification Number
Product RQ (lbs):	N/E	DOT subrisk
DOT Labels	5.1	DOT Flashpoint

15. Regulatory information

www.rxmarine.com

Risk Phrases	Causes burns
Safety Phrases	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, eye/face protection and gloves. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible.)

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

- Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC): Not listed.
- Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS): Not listed.

16. Other information

www.rxmarine.com

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents. The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other.

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Silver Nitrate

Silver Nitrate