

1. Product and Company Identification

www.rxmarine.com

Product Name **Oxygen Gas Cylinder**
Product Type **RXSOL-16-6153-040**

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 27815540 - 43
Fax +91 22 2781 1318 :::AOH :0091
9322594669
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Substance / Preparation :

Substance name	Contents	CAS No	EC No	Annex No	Classification
Oxygen	100 %	7782-44-7	231-556-9	008-001-00.8	o;R8

No other components or impurities which will influence the classification of the product.

4. First Aid Measures

www.rxmarine.com

Inhalation :

Continuous inhalation of concentrations higher than 75% may cause nausea, dizziness, respiratory difficulty and convulsion Remove victim to uncontaminated area.

5. Fire-fighting Measures

www.rxmarine.com

Specific hazard : Exposure to fire may cause containers to rupture/explode. Supports combustion.
Hazardous combustion products : None.

Extinguishing media Suitable extinguishing media :	All known extinguishants can be used.
Specific method :	If possible, stop flow of product Move away from the container and cool with water from a protected position.
Special protective equipment for fire :	None.
Fighter	--

6. Accidental Release Measures

www.rxmarine.com

Personal precautions :

Evacuate area. Ensure adequate air ventilation. Eliminate ignition sources.

Environmental precautions :

Try to stop release. Prevent from entering sewers, basements and workpits, or any place where its accumulation dangerous. can be

Clean up methods :

Ventilate area.

7. Handling and Storage

www.rxmarine.com

Storage :

Segregate from flammable gases and other flammable materials in store Keep container below 50°C in a well ventilated place.

Handling :

Use no oil or grease. Open valve slowly to avoid pressure shock. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Keep away from ignition sources (including static discharges). Refer to supplier's container handling instructions.

8. Exposure controls and personal protection

www.rxmarine.com

Do not smoke while handling product. Wear suitable hand, body and head protection. Wear goggles with suitable light lenses when use is cutting/welding.

Avoid oxygen rich (>21%) atmospheres. Ensure adequate ventilation. Agas National
In case of emergency : 07 3101 0667 PO BOX 1087, Sunnybank Hills, 4109, QLD

9. Physical and chemical properties

www.rxmarine.com

Information on basic physical and chemical properties:

Physical state at 20 °C	Gas
Colour	Colourless
Odour	No odour warning properties.
Molecular weight	32
Melting point [°C]	-219
Boiling point [°C]	-183
Critical temperatur [C]	-118
Vapour pressure [20°C]	Not applicable
Relative density, gas (air=1)	1.1
Relative density, liquid (water=1)	1.1
Solubility in water [mg/l]	39
Flammability range [vol% in air]	Oxidiser
Auto-ignition temperature [°C]	Not applicable
Other data	Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

10. Stability and reactivity

www.rxmarine.com

Hazardous decomposition products :

None.

Materials to avoid :

May react violently with combustible materials. May react violently with reducing agents. Violently oxidises organic material. Keep equipment free from oil and grease.

Conditions to avoid :

Consider the potential toxicity hazard due to the presence of chlorinated or fluorinated polymers in high pressure (> 30 bars) oxygen lines in case of combustion

11. Toxicological information

www.rxmarine.com

Toxicity information :

No known toxicological effects from this product.

12. Ecological information

www.rxmarine.com

Ecological effects information :

No ecological damage caused by this product.

13. Disposal considerations

www.rxmarine.com

To atmosphere in a well ventilated place. Do not discharge into any place where its accumulation could be dangerous.

14. Transport information

www.rxmarine.com

- Ensure that containers are properly secured
- Ensure cylinder valve is closed and not leaking.
- Ensure valve outlet cap nut or plug (where provided) is correctly fitted
- Ensure valve protection device (where provided) is correctly fitted
- Ensure there is adequate ventilation.
- Compliance with applicable regulations.

15. Regulatory information

www.rxmarine.com

EC Classification :	Annex No : 008-001-00-8 O; R8 EC Labelling
Symbol(s) : O :	Oxidizing
R Phrase(s) : R8 :	Contact with combustible material may cause fire
S Phrase(s) : S17 :	Keep away from combustible material.

16. Other information

www.rxmarine.com

The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications usage in such may cause risks not mentioned in this sheet. Do not

use for other application(s) without seeking advice from manufacturer.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.