

## 1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-18-1049-005  
Product Type Vinyl Polish (Thermoplastic Floor Finish)

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999  
Fax +91 22 2781 1318 ::::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

### HAZARDOUS INGREDIENTS

INGREDIENTS	Conc % W/W
Acrylic polymer ULTRA M	30 - 60
2-(2-Methoxyethoxy) ethanol	1 - 5

## 3. Hazards Identification

www.rxmarine.com

N/A

## 4. First Aid Measures

www.rxmarine.com

Contact with Eyes	Immediately flush eyes with plenty of water for at least 15 minutes. Occasionally lifting upper and lower lids. Get medical attention at once.
Contact with skin	It should be rinsed off with water.
Ingestion	If this product is swallowed, do not induce vomiting. If victim is conscious give plenty of water to drink. Get medical attention at once. (ANTIPOISON CENTER: 1-800-463-5060)
Inhalation	Move exposed person to fresh air. If irritation persists. Get medical attention promptly.

## 5. Fire-fighting Measures

www.rxmarine.com

Flammable Condition	No
Extinction	Nothing
Flash Point (open cup)	Chemical foam, carbon dioxide, water Superior at 95° C
Auto-inflammation temperature	N/D
Dangerous product made by combustion	Carbon oxide

## 6. Accidental Release Measures

www.rxmarine.com

Eyes Protection  
Respiratory Protection  
Skin Protection  
Technical installation  
Measures if a leaks and spills  
Elimination

Protectives Googles.  
You don't need a safety mask with normal using.  
Protectives cloths, Boots, Googles.  
No caution are necessary  
Take off the leaks and put in a identify container Rinse the floor with  
Conform with federal and provincial laws Put in a closed material. Pr  
freeze

## 7. Handling and Storage

www.rxmarine.com

N/A

## 8. Exposure controls and personal protection

www.rxmarine.com

N/A

## 9. Physical and chemical properties

www.rxmarine.com

Physical State		White Liquid
boiling Point	> 100°C	
Odor	Light Acrylic odor	
pH	8.5± 0.5	
Freezing Point	0°C	
% Volatile	N/D	
Density (20°C)	1.034 g/cc	
Vapor Pressure	N/D	
Water solubility	yes	
Vapor Density	N/D	

## 10. Stability and reactivity

www.rxmarine.com

Chemical stability		Stable
Incompatibility with other products	Strong oxidizer, strong oxidizer and acid products	
Conditions		N/D
Polymerisation	None	
Decomposition product	Carbon oxide	

## 11. Toxicological information

www.rxmarine.com

Exposition limit		N/D
Absorption way	Inhalation ( ) Eyes (X) Skin ( ) Ingestion (X)	
Chronics exposure with the product		N/D
Inhalation	No Object	
Eyes	Can be irritating eyes and can be paste eyelid	
Skin	Can be irritating skin and paste on the skin	
Ingestion	Dangerous	
Carcinogenicity	None	
Synergics products	None	

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

N/A

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

N/A

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

N/A

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

N/A

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

N/A

**DISCLAIMER OF LIABILITY** :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.