

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL Defoam X
Product Type RXSOL-81-8147-210

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999
Fax +91 22 2781 1318 ::::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Name	CAS#	% by Weight
Glycol Blend		60-100 %

3. Hazards Identification

www.rxmarine.com

EMERGENCY OVERVIEW

ACUTE EFFECTS:

INHALATION
INGESTION
SKIN
EYES

CAUTION! MAY CAUSE EYE, SKIN AND RESPIRATORY IRRITATION. Avoid contact with eyes, skin and clothing. Avoid breathing airborne dust. Provide adequate ventilation. Wash thoroughly after handling.

May be irritating to the respiratory tract if inhaled.
May cause gastric distress, nausea and vomiting if ingested.
May be irritating to the skin.
May be irritating to the eyes

4. First Aid Measures

www.rxmarine.com

Eye Contact
Skin Contact
General
Inhalation
Ingestion

Immediately flush eyes with lots of water while holding the eye lids. Continue to flush for at least 15 minutes. Get medical attention if any discomfort continues.

Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if any discomfort continues.

Treat symptomatically and supportively.
Move the exposed person to fresh air at once. Provide medical attention.
Drink a couple of glasses water or milk. Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

www.rxmarine.com

FLASH POINT (°F)	
AUTO IGNITION TEMP. (°F)	∞
FLAMMABILITY LIMIT - LOWER(%)	N/D
FLAMMABILITY LIMIT - UPPER(%)	N/D
EXTINGUISHING MEDIA	Carbon dioxide (CO2). Dry chemicals. Foam. Water spray, fog or mist.
SPECIAL FIRE FIGHTING PROCEDURES	Wear positive-pressure, self-contained breathing apparatus (SCBA) and protective fire fighting clothing (including boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.
UNUSUAL FIRE & EXPLOSION HAZARDS	No unusual fire or explosion hazards noted.
HAZARDOUS COMBUSTION PRODUCTS	Irritating gases/vapors/fumes. Oxides of: Carbon.

6. Accidental Release Measures

www.rxmarine.com

Personal precaution: Use proper personal protective equipment as indicated in Section 8.

SPILL CLEAN-UP PROCEDURES:

Absorb in vermiculite, dry sand or earth and place into containers. Rinse area with water. Dike far ahead of larger spills for later disposal. Do not contaminate drainage or waterways

7. Handling and Storage

www.rxmarine.com

Handling precautions

Ventilate well, avoid breathing vapors. Use appropriate level. Wear full protective clothing for prolonged use. An emergency shower must be available at the work area if needed.

Storage precautions:

Store at moderate temperatures in dry, well ventilated area.

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Controls

Use appropriate engineering controls such as, enclosure, local exhaust, and keep worker exposure below the applicable limits.

Ventilation

Supply natural or mechanical ventilation adequate to maintain the applicable limits.

Eye protection

Wear chemical safety goggles where eye exposure is anticipated.

Protective clothing:

Wear appropriate clothing to prevent repeated or prolonged contact.

Hygienic work practices

Wash promptly with soap and water if skin becomes contaminated to eliminate any possibility of contamination.

9. Physical and chemical properties

www.rxmarine.com

Appearance/Physical state

Liquid

Color

white

Odor

Mild (or faint).

Solubility Description

Insoluble in water

Density/specific gravity (g/ml)

0.9 - 1.0

Vapor density (air = 1)

N/D

Vapor pressure