

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-60-6605-826
Product Type XYLENE AR
Revised date

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone +91 22 27815541 / 42
Fax +91 22 2781 1318 :::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Substance / Preparation : Xylene AR

CAS No :1330-20-7

Substance

contains no other components or impurities which will influence the classification of the product.

3. Hazards Identification

www.rxmarine.com

3.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : R10

Xn; R20/21

Xi; R38

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract

irritation - Category 3 - Warning (CLP : STOT SE 3) H335

Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315

Acute toxicity, dermal - Category 4 - Warning (CLP : Acute Tox. 4) H312

Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332

3.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s) : Xn : Harmful

R Phrase(s) : R10 : Flammable.

R20/21 : Harmful by inhalation and in contact with skin.

R38 : Irritating to skin.

S Phrase(s) : S2 : Keep out of the reach of children.

S25 : Avoid contact with eyes.

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms

Signal words : Warning

Hazard statements : H226 : Flammable liquid and vapour.

H312 : Harmful in contact with skin.

H315 : Causes skin irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.

Precautionary statements

☒ General : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

☒ Prevention : P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical, ventilating, lighting, , equipment.

P210: Keep away from heat, sparks, open flames or hot surfaces. ☒ No smoking.

P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P233: Keep container tightly closed.

P264: Wash thoroughly after handling.

☒ Response : P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P332+P313: If skin irritation occurs : Get medical advice.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position

comfortable for breathing.

P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated

clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P370+P378: In case of fire: Use for extinction.

☒ Storage : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P403+P235: Store in well-ventilated place. Keep cool.

P405: Store locked up.

☒ Disposal considerations : P501: Dispose of this material and its container to hazardous

or special waste collection point, in accordance with local, regional, national and/or

international regulation.

3.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT

substance or vPvB substance according to Annex XIII of Regulation REACH.

4. First Aid Measures

www.rxmarine.com

4.1. Description of first aid measures

Inhalation : Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air

and keep at rest in a position comfortable for breathing.

Skin contact : Get medical advice. If skin irritation occurs : Wash with plenty of soap

and water. Remove/Take off immediately all contaminated clothing. Wash contaminated

clothing before reuse. Specific treatment (see on this label). Immediately call a POISON

CENTER or doctor.

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain,

blinking or redness persist.

Ingestion : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Repeated exposure to this material can result in absorption

through skin causing significant health hazard.

Causes skin irritation. May cause respiratory irritation. Danger of serious damage to

health by prolonged exposure through inhalation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting Measures

www.rxmarine.com

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental Release Measures

www.rxmarine.com

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

Technical measures : Use special care to avoid static electric charges.

Special precautions : Remove ignition sources. No naked lights. No smoking.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth

as soon as possible. Store away from other materials. Collect spillage.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and Storage

www.rxmarine.com

7.1. Precautions for safe handling

Handling : Handle empty containers with care because residual vapours are flammable.

Use only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, vapours, spray. Take precautionary measures against static discharge. Wash thoroughly after handling.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Use explosion-proof electrical, ventilating, lighting, equipment.

Special precautions : No naked lights. No smoking. Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep in fireproof place. Keep container tightly closed. Ground/bond container and receiving equipment. Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls and personal protection

www.rxmarine.com

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

☒ Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

☒ Hand protection : Wear protective gloves.

☒ Skin protection : Wear suitable protective clothing.

☒ Eye protection : Chemical goggles or safety glasses.

☒ Others : When using, do not eat, drink or smoke.

8.2. Control parameters Occupational

Exposure Limits : No data available.

VLA-ED [ppm] : 50

VLA-ED [mg/m³] : 221

VLA-EC [ppm] : 100

VLA-EC [mg/m³] : 442

ILV (EU) - 8 H - [ppm] : (50 Skin.)

ILV (EU) - 8 H - [mg/m³] : (221 Skin.)

ILV (EU) - 15 min - [ppm] : (100 Skin.)

ILV (EU) - 15 min - [mg/m³] : (442 Skin.)

TLV© -TWA [mg/m³] : 435

9. Physical and chemical properties

www.rxmarine.com

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Odour : Aromatic odor

Odour threshold : No data available.

pH value : No data available.

Melting point [°C] : -34 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : 460

Flammability (solid, gas) : Flammable liquid and vapour.

Flammable. Flash point [°C] : Circa 25

Boiling point [°C] : 135 to 145

Initial boiling point [°C] : 118 °C

Final boiling point [°C] : 126 °C

Evaporation rate : 0,7

Vapour pressure [20°C] : N/A

Vapour pressure mm/Hg : Circa 8

Vapour density : 3,66

Density [g/cm3] : 0.9

Relative density, gas (air=1) : 3.7

Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Insoluble.

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A

Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A

Explosion limits - upper [%] : 7

Explosion limits - lower [%] : 1

Oxidising properties : No data available.

10. Stability and reactivity

www.rxmarine.com

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Open flame.

Overheating. Heat. Sparks.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

May release flammable gases

11. Toxicological information

www.rxmarine.com

11.1. Information on toxicological effects

Acute toxicity

☒ Inhalation : Harmful if inhaled.

☒ Dermal : Harmful in contact with skin.

☒ Ingestion : Based on available data, the classification criteria are not met.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Causes skin irritation. May cause respiratory irritation.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information

www.rxmarine.com

12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

www.rxmarine.com

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Handle empty containers with care because residual vapours are flammable.

14. Transport information

www.rxmarine.com

14.1. Land transport (ADR-RID)

Proper shipping name : XYLENE

UN N° : 1307

H.I. nr : 30

ADR - Class : 3 Labelling - Transport : 3 : Flammable liquid.

ADR - Classification code : F1

ADR - Group : III

ADR - Packing instructions : P001 R001 LP001

ADR - Limited Quantity : 5 L

ADR - Tunnel code: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : XYLENE

UN N° : 1307

IMO-IMDG - Class or division : 3 : Flammable liquid.

IMO-IMDG - Packing group : III

IMO- IMDG - Packing instructions : P001 LP01

IMO-IMDG - Limited quantities : 5 L

IMO-IMDG - Marine pollution : No

EMS-Nr : F-E S-D

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : XYLENE

UN N° : 1307

IATA - Class or division : 3 : Flammable liquid.

IATA - Packing group : III

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing : 355

instruction

- Passenger and Cargo - Maximum : 60 L

Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 366

- Cargo only - Maximum Quantity/ : 220 L

Packing

IATA - Limited Quantities : 10 L

ERG-Nr : 3L

15. Regulatory information

www.rxmarine.com

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed.

regulations/legislation specific for the substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

www.rxmarine.com

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

[XYLENE AR](#)