### 1. Product and Company Identifaction

www.rxmarine.com

Product Name SODIUM LAURYL SULPHATE AR 99%

Part Number RXSOL-60-6605-529

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

 Email
 mail@rxmarine.com

 Website
 www.rxmraine.com

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical NameCASEC numberWeightSODIUM LAURYL SULPHATE 151-21-3205-788-1288,38 g/mol

AR 99%

#### 3. Hazards Identification

www.rxmarine.com

Signal Word Danger

Hazard Statements H228 Flammable solid.

H302 + H332 Harmful if swallowed or if inhaled

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

P280 Wear protective gloves.P305 + P351 + P338 Wear protective gloves/ eye protection/ face protection.IF IN EYES:

Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Precautionary statement(s) P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking. P261 Avoid breathing dust. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/

face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. None

Supplemental Hazard Statements

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher. Possible sensitizer

4. First Aid Measures www.rxmarine.com

General advice Consult a physician. Show this safety data sheet to the doctor in

attendance.

If inhaled If breathed in, move person into fresh air. If not breathing, give artificial

respiration. Consult a physician.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult

a physician.

Skin Contact Wash off with soap and plenty of water. Consult a physician.

Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Rinse mouth with water. Consult a physician

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment No data available

needed

If swallowed

### 5. Fire-fighting Measures

www.rxmarine.com

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

No data available

Further information Use water spray to cool unopened containers

Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

#### 6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

Personal Protection

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

**Environmental Precaution** 

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see

section 13).

Reference to other sections For disposal see section 13.

## 7. Handling and Storage

www.rxmarine.com

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

hygroscopic Storage class (TRGS 510): Flammable solid hazardous materials

Specific end use(s)

Apart from the uses mentioned in section  $1.2\ \mathrm{no}$  other specific uses are stipulated

#### 8. Exposure controls and personal protection

www.rxmarine.com

Control parameters

Exposure controls

Eye/face protection

**Body Protection** 

Skin protection

Respiratory protection

Control of environmental exposure



Gloves Suit

Components with workplace control parameters

Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face particle

respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering

controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use

respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. Physical and chemical properties

Physical state Form: Solid
Colour White
Odour odourless
Odor Threshold Not Applicable

Melting Point Melting point/range: 204 - 207 °C - lit

Boiling Point No data available

Flash Point 170 °C

Evaporation Rate Not Applicable

Flammability (solid, gas)

The substance or mixture is a flammable solid with the category 2.

9,1 at 10 g/l

Upper/lower flammability or explosive limits

Autoignition temperature

Decomposition temperature

No data available

No data available

No data available

Vapour pressure

O,0018 hPa at 20 °C

Density

No data available

Vapour Density

No Data Available

Relative density

O,370 g/cm3

Partition coefficient log Pow: 0,83 at 22 °C

Explosive properties None Water solubility soluble Auto-ignition temperature 310,5  $^{\circ}$ C.

Particle characteristics No data available

Other safety information Solubility in other Ethanol - partly soluble solvents Surface tension 25,2

mN/m at 23 °C Dissociation constant 1,31 at 20 °C

### 10. Stability and reactivity

pН

www.rxmarine.com

Reactivity
No data available
Chemical stability
No data available
Possibility of hazardous reactions
No data available
Conditions to avoid
Heat, flames and sparks.
Incompatible materials
Oxidizing agents

Hazardous decomposition products Other decomposition products - No data available

In the event of fire: see section 5

### 11. Toxicological information

www.rxmarine.com

Acute toxicity LD50 Oral - Rat - male and female - 1.200 mg/kg LC50 Inhalation - Rat -

1 h - > 3.900 mg/m

Skin corrosion/irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation Eyes - Rabbit Result: Risk of serious damage to eyes. (OECD Test

Guideline 405)

Respiratory or skin sensitization Information given is based on data obtained from similar substances.

Germ cell mutagenicity No data available No data available Ames test S. typhimurium Result: negative

S. typhimurium

Ames test

o. typiiiiiaiiaiii

Result: negative

Carcinogenicity IARC: No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed human

carcinogen by IARC.

Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard

No data available No data available No data available No data available

RTECS: WT1050000 sneezing, The sodium salt of dodecyl sulfate has been reported to cause pulmonary sensitization resulting in hyperactive airway dysfunction and pulmonary allergy accompanied by fatigue, malaise, and aching.

Significant symptoms of exposure can persist for more than two years and can be activated by a variety of nonspecific environmental stimuli such as automobile exhaust, perfumes, and passive smoking. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### 12. Ecological information

www.rxmarine.com

Persistence and degradability

Additional Information

Toxicity

Bioaccumulative potential

Toxicity to fish

Toxicity to daphnia and other aquatic invertebrates

Toxicity to algae

Mobility in soil

Results of PBT and vPvB assessment

Other adverse effects

Biodegradability aerobic - Exposure time 28 d Result: 95 % - Readily biodegradable (OECD Test Guideline 301B) Ratio BOD/ThBOD 95,9 %

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 29 mg/l - 96h (OECD Test Guideline 203)Toxicity to daphnia and other aquatic invertebratesflow-through test EC50 - Daphnia dubia (water flea) - 5,55 mg/l - 48 h Toxicity to algae Growth inhibition LOEC - Pseudokirchneriella subcapitata - 2,68 mg/l - 6 d static test EC50 -Desmodesmus subspicatus (Scenedesmus subspicatus) - > 120 mg/l - 72 h Bioaccumulation Cyprinus carpio (Carp) - 72 h Bioconcentration factor

(BCF): 3,9 - 5,3

flow-through test LC50 - Pimephales promelas (fathead minnow) - 29 mg/l - 96

h (OECD Test Guideline 203)

flow-through test EC50 - Daphnia dubia (water flea) - 5,55 mg/l - 48 h

Growth inhibition LOEC - Pseudokirchneriella subcapitata - 2,68 mg/l - 6 d static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus)

- > 120 mg/l - 72 h

No Information available

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Toxic to aquatic life.

# 13. Disposal considerations

www.rxmarine.com

Contaminated packaging

Waste treatment Method

Dispose of as unused product

Product Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

# 14. Transport information

www.rxmarine.com

UN number ADR/RID: 1325

IMDG: 1325

IATA: 1325

UN proper shipping name ADR/RI

ADR/RID: FLAMMABLE SOLID, ORGANIC, N.O.S. (Sodium

dodecyl sulphate)

IMDG: FLAMMABLE SOLID, ORGANIC, N.O.S. (Sodium dodecyl

sulphate)

IATA: Flammable solid, organic, n.o.s. (Sodium dodecyl sulphate)

Special Provisions: [IKeep away from heat] label required.

Transport hazard class(es) ADR/RID: 4.1

IMDG: 4.1

IATA: 4.1 ADR/RID: III

IMDG: III

IATA: III ADR/RID: no

IMDG Marine pollutant: no

IATA: no

Special precautions for user No data available

## 15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the No data available

substance or mixture
Regulatory information

This safety datasheet complies with the requirements of Regulation (EC)

No. 1907/2006.

Chemical Safety Assessment For this product a chemical safety assessment was not carried out

#### 16. Other information

www.rxmarine.com

Other Information

Packaging group

Environmental hazards

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense

arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

PALLADIUM ACETATE RXSOL-60-6605-160

PALLADIUM HYDROXIDE 20% ON CHARCOAL RXSOL-60-6605-163

PALLADIUM NITRATE 44% PD content RXSOL-60-6605-164

PALLADIUM SPONGE 99.9% POWDER RXSOL-60-6605-165

PALLADIUM CALCIUM CARBONATE 10% pd RXSOL-60-6605-166

PARAFFIN WAX 58 60C BLOCK BRICKS RXSOL-60-6605-180

P DIMETHYL AMINO BENZALDEHYDE AR RXSOL-60-6605-192

P DIMETHYL AMINO CINNAMALDEHYDE AR RXSOL-60-6605-193

PEPTONE BACTERIOLOGICAL GRANULAR RXSOL-60-6605-197

PETROLEUM ETHER 100-2000 C FOR SYNTHESIS RXSOL-60-6605-205

PHENOL RED INDICATOR SOLUTION RXSOL-60-6605-215

PHENOLDISULPHONIC ACID SOLUTION 25% RXSOL-60-6605-216

PHENOLPHTHALEIN INDICATOR RXSOL-60-6605-218

PHENYL CHLOROFORMATE FOR SYNTHESIS RXSOL-60-6605-219

PHENYL HYDRAZINE AR RXSOL-60-6605-220

PHENYL HYDRAZINE FOR SYNTHESIS RXSOL-60-6605-221

PHENYL HYDRAZINE HYDROCHLORIDE AR RXSOL-60-6605-223

PHENYL MERCURY ACETATE FOR SYNTHESIS RXSOL-60-6605-224

PHENYL PHOSPHATE DISODIUM SALT AR RXSOL-60-6605-226

PHENYL TRIMETHYL AMMONIUM CHLORIDE RXSOL-60-6605-227

PHLOXIN B FOR MICROSCOPY RXSOL-60-6605-229

PHTHALAMIDE FOR SYNTHESIS RXSOL-60-6605-237

PHTHALIC ACID AR RXSOL-60-6605-238

PHTHALIC ACID FOR SYNTHESIS RXSOL-60-6605-239

PHTHALIC ANHYDRIDE FOR SYNTHESIS RXSOL-60-6605-249

PHTHALIDE FOR SYNTHESIS RXSOL-60-6605-250

PHTHALIMIDE FOR SYNTHESIS RXSOL-60-6605-251

PICRIC ACID SOLUTION AR 1.2% RXSOL-60-6605-256

PIPERAZINE Anhydrous 98% RXSOL-60-6605-257

PIPERAZINE Anhydrous 98% RXSOL-60-6605-257

PIPES BUFFER piperazine NN-Bis-2-Ethene Sulfonic acid RXSOL-60-6605-260

PLATINIUM OXIDE Pt 80% RXSOL-60-6605-261

POLYETHYLENE GLYCOL 600 RXSOL-60-6605-269 POLYVINYL PYRROLIDONE PVP RXSOL-60-6605-241 PONCEAU S FOR ELECTROPHORESIS RXSOL-60-6605-242 POPOP Scintillation Grade 1 4-bis5-phenyloxaza-2yl benzene RXSOL-60-6605-243 POPSO BUFFER FOR BIOCHEMISTRY RXSOL-60-6605-244 POTASSIUM ACETATE AR RXSOL-60-6605-245 POTASSIUM ACETATE LR RXSOL-60-6605-246 SODAMIDE RXSOL-60-6605-451 SODIUM ACETATE TRIHYDRATE AR RXSOL-60-6605-462 SODIUM ARSENITE SOLUTION AR 0.1N N10 RXSOL-60-6605-468 SODIUM BENZOATE AR RXSOL-60-6605-472 SODIUM BISELENITE Sodium Hydrogen Selenite RXSOL-60-6605-473 SODIUM BROMATE LR RXSOL-60-6605-481 SODIUM BROMIDE AR RXSOL-60-6605-482 SODIUM BROMIDE LR RXSOL-60-6605-483 SODIUM CHLORIDE SOLUTION0 85% wv RXSOL-60-6605-488 SODIUM CHROMATE TETRAHYDRATE LR RXSOL-60-6605-490 SODIUM DI CHLOROISOCYANURATE RXSOL-60-6605-495 SODIUM HYDROXIDE SOLUTION IN 1M N1 RXSOL-60-6605-519 SODIUM LAURYL SULPHATE AR 99% RXSOL-60-6605-529 SODIUM LAURYL SULPHATE POWDER LR RXSOL-60-6605-531 SODIUM META BORATE TETRAHYDRATE LR RXSOL-60-6605-534 SODIUM METHOXIDE AR RXSOL-60-6605-535 SODIUM METHOXIDE POWDER LR RXSOL-60-6605-536 SODIUM MOLYBDATE AR DIHYDRATE RXSOL-60-6605-537 SODIUM NITRITE AR RXSOL-60-6605-541 SODIUM NITRITE LR RXSOL-60-6605-542 SODIUM NITRO PRUSIDE AR RXSOL-60-6605-543 SODIUM NITRO PRUSIDE LR RXSOL-60-6605-544 SODIUM OXALATE AR RXSOL-60-6605-545 SODIUM PERBORATE TRIHYDRATE PURE RXSOL-60-6605-548

SODIUM PER CARBONATE GRANULAR RXSOL-60-6605-549

SODIUM PER CARBONATE TABLET RXSOL-60-6605-550

SODIUM PERSULPHATE AR RXSOL-60-6605-553

SODIUM PERSULPHATE LR RXSOL-60-6605-554 SODIUM PHOSPHATE DI BASIC DIHYDRATE RXSOL-60-6605-559 SODIUM PYRUVATE RXSOL-60-6605-562 SODIUM SALICYLATE AR RXSOL-60-6605-563 SODIUM SELENITE AR ANHYDROUS RXSOL-60-6605-566 SODIUM SELENITE LR ANHYDROUS RXSOL-60-6605-567 SODIUM SELENITE PENTAHYDRATE LR RXSOL-60-6605-568 SODIUM SILICATE POWDER META HYDRATED RXSOL-60-6605-569 SODIUM SILICATE SOLUTION RXSOL-60-6605-570 SODIUM SILICO FLUORIDE 99% RXSOL-60-6605-571 SODIUM STANNATE LR RXSOL-60-6605-572 SODIUM SULPHATE ANHYDROUS AR RXSOL-60-6605-573 SODIUM SULPHIDE FLAKES AR RXSOL-60-6605-576 SODIUM SULPHITE ANHYDROUS AR RXSOL-60-6605-577 SODIUM SULPHITE ANHYDROUS LR RXSOL-60-6605-578 SODIUM TELLURITE 96% RXSOL-60-6605-579 SODIUM Tert BUTOXIDE 98% RXSOL-60-6605-580 SODIUM THIOCYANATE AR RXSOL-60-6605-581 SODIUM THIOSULPHATE AR PENTAHYDRATE RXSOL-60-6605-583 SODIUM TRI POLYPHOSPHATE ANHYDROUS STPP RXSOL-60-6605-585 SODIUM TUNGSTATE DIHYDRATE RXSOL-60-6605-586 SODIUM TUNGSTATE DIHYDRATE AR RXSOL-60-6605-587 SODIUM B GLYCERO PHOSPHATE AR RXSOL-60-6605-588 SOYA LECITHIN 30% RXSOL-60-6605-592 SOYA PEPTONE SOYATONE RXSOL-60-6605-593

SPADNS AR RXSOL-60-6605-595

SPAN 20 Sorbitan Monolaurate RXSOL-60-6605-596

SPAN 60 Sorbitane Monostearate RXSOL-60-6605-598

STANNIC OXIDE AR RXSOL-60-6605-601

STANNIC OXIDE LR RXSOL-60-6605-602

SPAN 80 SORBITANE MONOOLEATE RXSOL-60-6605-599