

1. Product and Company Identification

www.rxmarine.com

Product Name SODIUM META BORATE TETRAHYDRATE
LR

Part Number RXSOL-60-6605-534

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400
Fax +91 22 27612100 ::AOH :0091 9821214367
Email mail@rxmarine.com
Website www.rxmraine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	CAS	EC number	Weight	Formula
SODIUM META BORATE TETRAHYDRATE LR	10555-76-7	231-891-6	100 %	BNaO ₂ 4H ₂ O

3. Hazards Identification

www.rxmarine.com

Signal Word	Warning
Hazard Statements	H361d Suspected of damaging the unborn child.
P280 Wear protective gloves.P305 + P351 + P338	Wear protective gloves/ protective clothing/ eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary statements - response	P202 Do not handle until all safety precautions have been read and understood.
Supplemental Hazard Statements	P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention
Other hazards	None This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

General advice	Show this material safety data sheet to the doctor in attendance
If inhaled	After inhalation: fresh air. Call in physician
Eye Contact	After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Skin Contact	Remove contact lenses. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.
If swallowed	After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.
Most important symptoms and effects, both acute and delaye	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
	2.2) and/or in section 11The most important known symptoms and effects are described in the labelling (see section
	2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

5. Fire-fighting Measures

www.rxmarine.com

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given
Special hazards arising from the substance or mixture	Borane/boron oxides Sodium oxides Not combustible. Ambient fire may liberate hazardous vapours.
Further information	Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Personal Protection	Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Enviromental Precaution	Do not let product enter drains.
Methods and materials for containment and cleaning	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
Reference to other sections	For disposal see section 13.

7. Handling and Storage

www.rxmarine.com

Precautions for safe handling	For precautions see section 2.2.
Conditions for safe storage, including any incompatibilities	Storage conditions Tightly closed. Dry. Storage class Storage class (TRGS 510): 11: Combustible Solids

Storage conditions	Tightly closed. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Light sensitive. Moisture sensitive.
Storage conditions	Tightly closed. Dry.
Storage class	Storage class (TRGS 510): 11: Combustible Solids
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls	Personal protective equipment
Control parameters	Ingredients with workplace control parameters
Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glassesUse equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Body Protection	protective clothing
Skin protection	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mmBreak through time: 480 min Material tested:KCL 741 Dermatrill® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatrill® L
Respiratory protection	required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P3 The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented
Control of environmental exposure	Do not let product enter drains



Gloves Suit

9. Physical and chemical properties

www.rxmarine.com

Physical state	solid
Colour	No data available
Odour	No data available
Odor Threshold	Not Applicable
pH	Not Applicable
Viscosity	Viscosity, kinematic: No data available
	Viscosity, dynamic: No data available
Melting Point	No data available
Boiling Point	No data available
Flash Point	No data available
Evaporation Rate	Not Applicable
Flammability (solid, gas)	No data available
Explosive limits	No Data Available
Upper/lower flammability or explosive limits	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Vapour pressure	No Data Available
Density	No data available
Vapour Density	No Data Available
Specific Gravity	No data available
Partition coefficient	No data available
Explosive properties	None
Ignition temperature	No information available.
Particle characteristics	No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity	No data available
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature)
Possibility of hazardous reactions	No data available
Conditions to avoid	No data available
Incompatible materials	No data available
Hazardous Polymerization	In the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

Acute toxicity	Acute toxicity LD50 Oral - Rat - 4.233 mg/kg Remarks: (External MSDS) Symptoms: Nausea, Vomiting Inhalation: No data available LD50 Dermal - Rat - > 2.000 mg/kg Remarks: (External MSDS)
Skin corrosion/irritation	Skin - Rabbit Result: No skin irritation Remarks: (External MSDS)
Serious eye damage/eye irritation	Eyes - Rabbit Result: slight irritation Remarks: (External MSDS)
Respiratory or skin sensitization	Sensitisation test: - Guinea pig Result: negative (OECD Test Guideline 406)
Serious eye damage/eye irritation	Eyes - Rabbit Result: slight irritation Remarks: (External MSDS)
Germ cell mutagenicity	Test Type: Mutagenicity (mammal cell test): Result: positive Remarks: (Lit.) Test Type: Mutagenicity (mammal cell test): micronucleus.
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Additional Information	To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Symptoms of an acute molybdenum(VI) intoxication: diarrhoea, anaemia (decreased

haemoglobin concentration in the blood), fatigue. Toxic effect on liver and kidneys after high doses. However, when the product is handled appropriately, hazardous effects are unlikely to occur. Handle in accordance with good industrial hygiene and safety practice.

12. Ecological information

www.rxmarine.com

Persistence and degradability	The methods for determining the biological degradability are not applicable to inorganic substances.
Bioaccumulative potential	No data available
Toxicity to fish	NOEC - <i>Oncorhynchus mykiss</i> (rainbow trout) - 3.200 mg/l - 96 h Remarks: (External MSDS)
Toxicity to algae	NOEC - <i>Pseudokirchneriella subcapitata</i> (green algae) - 4,6 mg/l - 72 h Remarks: (External MSDS)
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Other adverse effects	No data available

13. Disposal considerations

www.rxmarine.com

Waste treatment Method	Product See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.
------------------------	---

14. Transport information

www.rxmarine.com

UN number	ADR/RID:
	IMDG:
	IATA:
UN proper shipping name	ADR/RID: Not dangerous goods
	IMDG: Not dangerous goods
Transport hazard class(es)	ADR/RID:
	IMDG:
	IATA:
Packaging group	ADR/RID:
	IMDG:
	IATA:
Environmental hazards	ADR/RID: No
	IMDG: No
	IATA: No
Special precautions for user	No data available
Further information	Not classified as dangerous in the meaning of transport regulations.

15. Regulatory information

www.rxmarine.com

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

PALLADIUM ACETATE RXSOL-60-6605-160

PALLADIUM HYDROXIDE 20% ON CHARCOAL RXSOL-60-6605-163

PALLADIUM NITRATE 44% PD content RXSOL-60-6605-164

PALLADIUM SPONGE 99.9% POWDER RXSOL-60-6605-165

PALLADIUM CALCIUM CARBONATE 10% pd RXSOL-60-6605-166

PARAFFIN WAX 58 60C BLOCK BRICKS RXSOL-60-6605-180

P DIMETHYL AMINO BENZALDEHYDE AR RXSOL-60-6605-192

P DIMETHYL AMINO CINNAMALDEHYDE AR RXSOL-60-6605-193

PEPTONE BACTERIOLOGICAL GRANULAR RXSOL-60-6605-197

PETROLEUM ETHER 100-2000 C FOR SYNTHESIS RXSOL-60-6605-205

PHENOL RED INDICATOR SOLUTION RXSOL-60-6605-215

PHENOLDISULPHONIC ACID SOLUTION 25% RXSOL-60-6605-216

PHENOLPHTHALEIN INDICATOR RXSOL-60-6605-218

PHENYL CHLOROFORMATE FOR SYNTHESIS RXSOL-60-6605-219

PHENYL HYDRAZINE AR RXSOL-60-6605-220

PHENYL HYDRAZINE FOR SYNTHESIS RXSOL-60-6605-221

PHENYL HYDRAZINE HYDROCHLORIDE AR RXSOL-60-6605-223

PHENYL MERCURY ACETATE FOR SYNTHESIS RXSOL-60-6605-224

PHENYL PHOSPHATE DISODIUM SALT AR RXSOL-60-6605-226

PHENYL TRIMETHYL AMMONIUM CHLORIDE RXSOL-60-6605-227

PHLOXIN B FOR MICROSCOPY RXSOL-60-6605-229

PHTHALAMIDE FOR SYNTHESIS RXSOL-60-6605-237

PHTHALIC ACID AR RXSOL-60-6605-238

PHTHALIC ACID FOR SYNTHESIS RXSOL-60-6605-239

PHTHALIC ANHYDRIDE FOR SYNTHESIS RXSOL-60-6605-249

PHTHALIDE FOR SYNTHESIS RXSOL-60-6605-250

PHTHALIMIDE FOR SYNTHESIS RXSOL-60-6605-251

PICRIC ACID SOLUTION AR 1.2% RXSOL-60-6605-256

PIPERAZINE Anhydrous 98% RXSOL-60-6605-257

PIPERAZINE Anhydrous 98% RXSOL-60-6605-257

PIPES BUFFER piperazine NN-Bis-2-Ethene Sulfonic acid RXSOL-60-6605-260

PLATINIUM OXIDE Pt 80% RXSOL-60-6605-261

POLYETHYLENE GLYCOL 600 RXSOL-60-6605-269

POLYVINYL PYRROLIDONE PVP RXSOL-60-6605-241

PONCEAU S FOR ELECTROPHORESIS RXSOL-60-6605-242

POPOP Scintillation Grade 1 4-bis(5-phenyloxaza-2-yl) benzene RXSOL-60-6605-243

POPSO BUFFER FOR BIOCHEMISTRY RXSOL-60-6605-244

POTASSIUM ACETATE AR RXSOL-60-6605-245

POTASSIUM ACETATE LR RXSOL-60-6605-246

SODAMIDE RXSOL-60-6605-451

SODIUM ACETATE TRIHYDRATE AR RXSOL-60-6605-462

SODIUM ARSENITE SOLUTION AR 0.1N N10 RXSOL-60-6605-468

SODIUM BENZOATE AR RXSOL-60-6605-472

SODIUM BIASELENITE Sodium Hydrogen Selenite RXSOL-60-6605-473

SODIUM BROMATE LR RXSOL-60-6605-481

SODIUM BROMIDE AR RXSOL-60-6605-482

SODIUM BROMIDE LR RXSOL-60-6605-483

SODIUM CHLORIDE SOLUTION 85% wv RXSOL-60-6605-488

SODIUM CHROMATE TETRAHYDRATE LR RXSOL-60-6605-490

SODIUM DI CHLOROISOCYANURATE RXSOL-60-6605-495

SODIUM HYDROXIDE SOLUTION IN 1M N1 RXSOL-60-6605-519

SODIUM LAURYL SULPHATE AR 99% RXSOL-60-6605-529

SODIUM LAURYL SULPHATE POWDER LR RXSOL-60-6605-531

SODIUM META BORATE TETRAHYDRATE LR RXSOL-60-6605-534

SODIUM METHOXIDE AR RXSOL-60-6605-535

SODIUM METHOXIDE POWDER LR RXSOL-60-6605-536

SODIUM MOLYBDATE AR DIHYDRATE RXSOL-60-6605-537

SODIUM NITRITE AR RXSOL-60-6605-541

SODIUM NITRITE LR RXSOL-60-6605-542

SODIUM NITRO PRUSIDE AR RXSOL-60-6605-543

SODIUM NITRO PRUSIDE LR RXSOL-60-6605-544

SODIUM OXALATE AR RXSOL-60-6605-545

SODIUM PERBORATE TRIHYDRATE PURE RXSOL-60-6605-548

SODIUM PER CARBONATE GRANULAR RXSOL-60-6605-549

SODIUM PER CARBONATE TABLET RXSOL-60-6605-550

SODIUM PERSULPHATE AR RXSOL-60-6605-553

SODIUM PERSULPHATE LR RXSOL-60-6605-554

SODIUM PHOSPHATE DI BASIC DIHYDRATE RXSOL-60-6605-559

SODIUM PYRUVATE RXSOL-60-6605-562

SODIUM SALICYLATE AR RXSOL-60-6605-563

SODIUM SELENITE AR ANHYDROUS RXSOL-60-6605-566

SODIUM SELENITE LR ANHYDROUS RXSOL-60-6605-567

SODIUM SELENITE PENTAHYDRATE LR RXSOL-60-6605-568

SODIUM SILICATE POWDER META HYDRATED RXSOL-60-6605-569

SODIUM SILICATE SOLUTION RXSOL-60-6605-570

SODIUM SILICO FLUORIDE 99% RXSOL-60-6605-571

SODIUM STANNATE LR RXSOL-60-6605-572

SODIUM SULPHATE ANHYDROUS AR RXSOL-60-6605-573

SODIUM SULPHIDE FLAKES AR RXSOL-60-6605-576

SODIUM SULPHITE ANHYDROUS AR RXSOL-60-6605-577

SODIUM SULPHITE ANHYDROUS LR RXSOL-60-6605-578

SODIUM TELLURITE 96% RXSOL-60-6605-579

SODIUM Tert BUTOXIDE 98% RXSOL-60-6605-580

SODIUM THIOCYANATE AR RXSOL-60-6605-581

SODIUM THIOSULPHATE AR PENTAHYDRATE RXSOL-60-6605-583

SODIUM TRI POLYPHOSPHATE ANHYDROUS STPP RXSOL-60-6605-585

SODIUM TUNGSTATE DIHYDRATE RXSOL-60-6605-586

SODIUM TUNGSTATE DIHYDRATE AR RXSOL-60-6605-587

SODIUM B GLYCERO PHOSPHATE AR RXSOL-60-6605-588

SOYA LECITHIN 30% RXSOL-60-6605-592

SOYA PEPTONE SOYATONE RXSOL-60-6605-593

SPADNS AR RXSOL-60-6605-595

SPAN 20 Sorbitan Monolaurate RXSOL-60-6605-596

SPAN 60 Sorbitane Monostearate RXSOL-60-6605-598

SPAN 80 SORBITANE MONOOLEATE RXSOL-60-6605-599

STANNIC OXIDE AR RXSOL-60-6605-601

STANNIC OXIDE LR RXSOL-60-6605-602