

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-60-6227-100
Product Type Aniline Solution

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999
Fax +91 22 2781 1318 :::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

SARA 313 Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
	CAS#0201	100%	V/V	OSHA TWA 5 ppm (19 mg/m ³)

3. Hazards Identification

www.rxmarine.com

May be fatal if inhaled, swallowed or absorbed thru the skin Avoid all contact. Use with adequate ventilation. Wash thoroughly after use. Keep container closed.

Emergency Overview: Danger! May be fatal if swallowed, inhaled or absorbed through skin. Causes irritation to skin, eyes and respiratory tract. Combustible liquid and vapor. May cause methemoglobinemia. Affects blood, cardiovascular system, central nervous system, liver and kidneys. Toxic. Affects ability of blood to carry oxygen. Symptoms may include bluish discoloration of lips and tongue, severe headache, nausea, confusion, dizziness, shock, respiratory paralysis, death.

Inhalation: Toxic. Lethal dose may be as little as one gram. Symptoms of ingestion parallel those of inhalation exposure.

Ingestion: May be absorbed through skin. Symptoms of skin absorption parallel those of inhalation exposure.

Skin: Vapor is an eye irritant. May cause tearing, blurred vision. Splashes may cause corneal damage.

Eye Contact: Aniline is a blood toxin, causing hemoglobin to convert to methemoglobin, resulting in cyanosis.

Chronic Exposure: Lengthy or repeated exposures may result in decreased appetite, anemia, weight loss, nervous system affects, and kidney, liver and bone marrow damage. Any exposure may cause an allergic skin reaction.

Aggravated by Exposure: Persons with pre-existing skin disorders or eye problems or impaired liver or kidney function may be more susceptible to the effects of the substance.

4. First Aid Measures

www.rxmarine.com

May be fatal if inhaled, swallowed or absorbed thru the skin Avoid all contact. Use with adequate ventilation. Wash thoroughly after use. Keep container closed.

SKIN: Remove contaminated clothing. Wash exposed area with soap and

EYES:

water.

Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally.
Seek Medical Aid.

INHALATION:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen

INGESTION:

If swallowed, induce vomiting immediately after giving two glasses of water. Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

www.rxmarine.com

Fire Extinction Type:

See above section for extinguishing recommendations

Fire/Explosion Hazard:

Fire possible at elevated temperatures.
Dust in sufficient quantities can form explosive mixtures with air.

Fire Fighting Procedure:

Wear self-contained breathing apparatus and protective clothing to prevent contact with dust and fumes.

6. Accidental Release Measures

www.rxmarine.com

Evacuate area. Ventilate area and remove ignition sources. Contain and recover when possible.

Ventilate area or leak or spill. Remove all sources of ignition. Wear appropriate personal protective equipment as specified in section 7. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use nonsparking tools and equipment. Collect liquid in an appropriate container or absorb with an Inert material (e.g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer! Us regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities.

7. Handling and Storage

www.rxmarine.com

Store in a cool dry dark place. Do not get in eyes, on skin, or clothing. Wash thoroughly after handling.

8. Exposure controls and personal protection

www.rxmarine.com

Respiratory Protection

Organic Vapor Cartridge

Ventilation

Local

OTHER

Mechanical

Protective Gloves

NIOSH Approved Gloves

EYE PROTECTION

Splash Goggles

Other Protective Equipment

Wear appropriate clothing to prevent skin exposure

9. Physical and chemical properties

www.rxmarine.com

BOILING POINT

100°C

VAPOR PRESSURE

1000 mmHg

MELTING POINT

0°C

VAPOR DENSITY

1.2

EVAPORATION RATE

Information not available

Appearance /Odors	Clear,light red liquid / characteristic odor
Flash Point	39°C
Specific Gravity	1.02
Percent Soluble In	Information not available
Evaporation Residue	
Auto Ignition Temp	1139°C
Lower Flamm. Limit In Air	Information not available
Upper Flamm. Limit In Air	Information not available
Solubility in Water	Soluble

10. Stability and reactivity

www.rxmarine.com

STABILITY

CONDITIONS TO AVOID Heat, Air, Light

MATERIALS TO AVOID

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS POLYMERIZATION Will Not Occur
Conditions to Avoid None known

11. Toxicological information

www.rxmarine.com

NTP Carcinogen - Known: No, IARC Category- 3

12. Ecological information

www.rxmarine.com

Environmental Fate:When released into the soil, this material is expected to readily biodegrade. When released into the soil, this material may leach into groundwater. When released into the soil, this material may evaporate to a moderate extent. When released into water, this material is expected to readily biodegrade. When released into water, this material is expected to have a half-life between 10 and 30 days.This material has an experimentally-determined bioconcentration factor (BCF) of less than 100. This material is not expected to significantly bioaccumulate. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals. When released into the air, this material is expected to be readily degraded by photolysis. When released into the air, this material is expected to have a half-life of less than 1 day. When released into the air, this material is not expected to adversely affect the ozone layer.

Environmental Toxicity:This material is expected to be very toxic to terrestrial life. This material is expected to be very toxic to aquatic life. The LC50/96-hour values for fish are between 10 and 100 mg/l. The EC50/48-hour values for daphnia are less than 1 mg/l.

13. Disposal considerations

www.rxmarine.com

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved incinerator or disposed in a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport information

www.rxmarine.com

DOT Classification: UN1547, Aniline, 6.1, PG II

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

15. Regulatory information

www.rxmarine.com

Chemical Inventory Status

Part 1:Ingredient

Aniline (62-53-3)

TSCA Yes

EC Yes

Japan YES

Australia Yes

Chemical Inventory Status

Part 2:Ingredient

Aniline (62-53-3)

Korea Yes

DSL Yes

NDSL No

Phil. Yes

Federal, State & International Regulations

Part 1: Ingredient.

Aniline (62-53-3)

RQ 5000

TPQ 1000*

List Yes

Chemical Catg: No

Federal, State & International Regulations

Part 2:Ingredient

Aniline (62-53-3)

CERCLA 5000

261.33 U012

8(d) No

Chemical Weapons Convention:No

TSCA 12 (b):No

CDTA:Yes (Pure/Liquid)

SARA 311/312: Acute: Yes

Chronic: Yes

Fire: Yes

Pressure: No

Reactivity: No

Australian Hazchem Code: 3x

Poison Schedule: S6

16. Other information

www.rxmarine.com

Conditions aggravated/Target organs: Persons with preexisting skin, eye, and respiratory disorders may be more susceptible. DANGER! May be fatal if swallowed, inhaled or absorbed through skin. Causes irritation to skin, eyes and respiratory tract. Combustible liquid and vapor. Target organs:

Affects blood, cardiovascular system, central nervous system, liver and kidneys.

Toxic by inhalation. Affects ability of blood to carry oxygen. Toxic by ingestion even as little as 1 gram. Toxic! Suspect Carcinogen! Acute: Irritation to skin, eyes, lungs, mucous membranes, and GI tract. Nausea, dizziness, headache. Chronic: Dermatitis, cyanosis,

Flammability

Health

Reactivity

Revisions

NFPA

7/28/2010

0.1 updated msds to 16 section from 10 section msds. STN

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.