

1. Product and Company Identification

www.rxmarine.com

Product Name Resin Cleaner
Product Type RXSOL-20-2009-020

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999 / 27815540
Fax +91 22 2781 1318 ::::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	Concentration	CAS Number	EC Number	R Phrases*	Sym
Gammna Butyrolactone	50-75%	96-48-0	202-509-5	22	Xn
3 -Butoxypropan-2-ol	10-25%	5131-66-8	225-878-4	36,38	Xi
Alcohol Ethoxylates C9-C11	2-5%	68439-43-3	Polymer	41	Xi
Non Ionic Surfactant	5-15	Proprietary		

3. Hazards Identification

www.rxmarine.com

T

Odour	Solvent
Appearance	Liquid
Contact with eyes	Risk of serious damage to eyes (R41).
Contact with skin	Repeated exposure may cause skin dryness or cracking (R66), Mildly irritating to skin.
Inhalation	Vapours or aerosols may cause irritation of eyes, nose and respiratory tract.
Ingestion	The ingestion of significant quantities may cause gastro-intestinal disturbances.

4. First Aid Measures

www.rxmarine.com

Contact with skin	Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water.
Contact with eyes	If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes. Seek medical advice if necessary.
Ingestion	Never give anything by mouth to an unconscious person. Give plenty of water to drink. Seek medical advice if necessary.
Inhalation	Vapours or aerosols may cause irritation of eyes, nose and respiratory tract. Remove patient to fresh air.
General	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) (S45)

5. Fire-fighting Measures

www.rxmarine.com

Exbltein egxutiisnhgiunigs hminegd iaagents: CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture: No further relevant information available.

Protective Equipment : No Special Measure Required.

Additional Information : Cool endangered receptacles with water spray.

6. Accidental Release Measures

www.rxmarine.com

Personal Precautions	Wear protective clothing as per section 8.
Environmental Precautions	No special precautions are required for this product. Do not allow to enter sewers/ surface or ground water.
Immediate Actions	Shut off source of leak if safe to do so and absorb liquid by Absorbing Pad
Clean Up Actions	Absorb spillage in suitable inert material.
	Flush spill area with copious amounts of water with detergent
Special Precautions	Wear protective clothing as per section.

7. Handling and Storage

www.rxmarine.com

Handling	The usual precautions for handling chemicals should be observed Eyewash bottles should be available. Wear Protective clothing
Storage	Keep only in the original container in a cool, well ventilated place (S3/9/49) Protect from frost

8. Exposure controls and personal protection

www.rxmarine.com

Occupational exposure limits

Exposure guidelines have not been established for this product. Available exposure limits for the substance(s) are shown below.

Country/Source	Substance (S)	Category	PPM
Austria	Sodium Hydroxide (inhalable fraction)	MAK	
Belgium	Sodium Hydroxide	MAK CEIL	
Bulgaria	Sodium Hydroxide	TWA	
Denmark	Sodium Hydroxide	TWA	
Finland	Sodium Hydroxide	LOFT	
France	Sodium Hydroxide	HETKELL	
Ireland	Sodium Hydroxide	VME	
Italy	Sodium Hydroxide	STEL	
Norway	Sodium Hydroxide	Ceiling	
Spain	Sodium Hydroxide	CEIL	
Sweden	Sodium Hydroxide (inhalable dust)	VLA-EC	
Switzerland	Sodium Hydroxide (inhalable dust)	NGV TGV	
United Kingdom	Sodium Hydroxide	STEL	
Poland	Sodium Hydroxide	TWA	
Hungary	Sodium Hydroxide	STEL	
Latvia	Sodium Hydroxide	STEL	
Czech Republic	Sodium Hydroxide	MAC-NDS	
Croatia	Sodium Hydroxide	MAC-NDSC	
Romania	Sodium Hydroxide NaOH	H	
Russian Federation	Sodium Hydroxide as NaOH (Aersol)	AK	
Seerbia	Sodium Hydroxide as NaOH	CK	

Sloveniya	Sodium Hydroxide	TWA	
Slovenia	Sodium Hydroxide (inhalable fraction)	PEL	

* A skin notation refers to the potential significant contribution to overall exposure by the cutaneous route, incl. mucous membranes and the eyes.

Monitoring measures

-A small volume of air is drawn through an absorbant or barrier to trap the substance(s) which can then be desorbed or removed and analyzed as referenced below:

Substance (S)	Method	Analysis	Absorbant
Sodium Hydroxide	US NIOSH : 7401	Titration	PTFE filter

Engineering measures

-General ventilation is recommended.

Personal protection:

General advise

-The use and choice of personal protection equipment is related to the hazard of the product, the workplace and the way the product is handled. In general, we recommend as a minimum precaution that safety glasses with side-shields and workclothes protecting arms, legs and body be used. In addition any person visiting an area where this product is handled should at least wear safety glasses with side-shields. The applicable European standard can be found in EN 166.

Respiratory protection

-Where concentrations in air may exceed the limits given in this section, the use of a half face filter mask or air supplied breathing apparatus is recommended. A suitable filter material depends on the amount and type of chemicals being handled. Consider the use of filter type: P The applicable European standard can be found in EN

140, EN 137, EN 143 and EN 14387. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

Hand protection

-When handling this product, the use of chemical gauntlets is recommended. The choice of work glove depends on work conditions and what chemicals are handled, but we have positive experience under light handling conditions using gloves made from PVC . Gloves should be replaced immediately if signs of degradation are observed.

Breakthrough time not determined as preparation, consult PPE manufacturers. The applicable European standard can be found in EN 374.

Skin protection

-When handling this product, the use of overalls, a chemical resistant apron and rubber boots is recommended. A full slicker suit is recommended if gross exposure is possible. The applicable European standard can be found in EN ISO 20345.

Eye protection

When handling this product, the use of splash chemical goggles is recommended. The applicable European standard can be found in EN 166.

Hygiene recommendations

Use good work and personal hygiene practices to avoid exposure. Keep an eye wash fountain available. Keep a safety shower available. If clothing is contaminated, remove clothing and thoroughly wash the affected area.

Launder contaminated clothing before reuse. Always wash thoroughly after handling chemicals. When handling this product never eat, drink or smoke.

9. Physical and chemical properties

www.rxmarine.com

Physical state

-Viscous liquid

Appearance

-Translucent

Odor

-Amine

Flash point

> 200°F / > 93.2 °C

Specific gravity

1,04 (25°C)

Solubility (in water)

Complete
pH (100%)
12.4

Note: These physical properties are typical values for this product and are subject to change.

10. Stability and reactivity

www.rxmarine.com

Stability

-Stable under normal conditions.

Hazardous polymerization

-Hazardous polymerization will not occur.

Conditions to avoid

-Avoid extremes of temperature

Materials to avoid

-Acids, Contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic, sulfonic) may generate heat, splattering or boiling and toxic vapors.

Hazardous decomposition products

-Under fire conditions: Oxides of carbon, Oxides of sulfur

11. Toxicological information

www.rxmarine.com

No toxicity studies have been conducted on this product

Sensitization

-This product is not expected to be a sensitizer.

Carcinogenicity

-None of the substances in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the American Conference of Governmental Industrial Hygienists (ACGIH).

For additional information on the hazard of the preparation, please consult section 3 and 12.

12. Ecological information

www.rxmarine.com

No toxicity studies have been conducted on this product

Bioaccumulation potential

-This preparation or material is not expected to bioaccumulate

13. Disposal considerations

www.rxmarine.com

If this preparation becomes a waste, the final user must define and assign the appropriate European Waste

Catalogue code. Use only authorized contractors. Ensure compliance with EC, national and local regulations.

Dispose of wastes in an approved incinerator or waste treatment/disposal site, in accordance with all applicable

regulations. Do not dispose of wastes in local sewer or with normal garbage. This product is ashless and can be

burned directly in appropriate equipment. Any chemical waste is a potential environmental pollutant and is NOT

suitable for disposal via ground, municipal sewers, drains, natural streams or rivers. Empty drums should be taken for recycling, recovery, or disposal through a suitably qualified or licensed contractor.

Europe waste code

-16 03 03* - OFF SPECIFICATION BATCHES AND UNUSED PRODUCTS - Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code.

National regulations Czech Republic

-Valid and applicable waste legislation in the Czech Republic: Waste Act (No. 185/2001 Coll.), Packaging Act (No. 477/2001 Coll.) and the Decree of the Ministry of the Environment on the Catalogue of Wastes (No. 381/2001 Coll.), as amended

14. Transport information

www.rxmarine.com

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper Shipping Name / Hazard Class may vary by packaging, properties, and mode of transportation. Typical Proper Shipping Names for this product are as follows.

Land transport

Proper shipping name

-CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name(s)

-Sodium Hydroxide

UN/ID no.

-UN 3266

Hazard Class ☑ Primary

-Primary : 8

Packing group

-III

ADR/RID H.1.n

-80

Classification code

-C5

Air transport (ICAO/IATA)

Proper shipping name

-CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name(s)

-Sodium Hydroxide

UN/ID no.

-UN3266

Hazard Class ☑ Primary 8

Packing group III

IATA Cargo Packing Instructions 820

IATA Cargo Aircraft Limit

-60 L (max. net quantity per package)

IATA Passenger Packing Instructions

-Y818 / 818

IATA Passenger Aircraft Limit

1 L / 5 L

Marine transport (IMDG/IMO)

Proper shipping name

-CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name(s)

-Sodium Hydroxide

UN/ID no.

UN3266

Hazard Class ☑ Primary 8

Packing group III

Other Applicable information

CEFIC Tremcard reference 80GC5-II+III

Emergency action code 2X

15. Regulatory information

www.rxmarine.com

Classification and labeling

-GOVERNING DIRECTIVE(S): Dangerous Substances Directive 67/548/EEC and Dangerous Preparations Directive 1999/45/EC.

Hazard symbols

-Irritant

Risk phrases

-R36/38 - Irritating to eyes and skin.

Safety phrases

S24/25 - Avoid contact with skin and eyes.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 - After contact with skin, wash immediately with plenty of water.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

National regulations Czech Republic

This preparation is classified as per Act on Chemical Substances and Chemical Preparations (No. 356/2003 Coll.)

This Safety Data Sheet is drawn up as per Act No. 356/2003 Coll. and per Act 371/2008 Coll. Occupational exposure limits for the Czech Republic in section 8 are given as per Government's Regulation No.

178/2001 Coll. laying down conditions of health protection of employees at work.

International chemical control laws

-The substance(s) in this preparation are included in or exempted from the EINECS or ELINCS inventories. The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Safety Data Sheet according to Regulation (EC) No 1907/2006. Drema is committed to and fully supports the Registration, Evaluation, Authorization and restriction of

chemicals(REACH) regulation. It is our intention to pre-register all chemical substances that we manufacture or import into European Union and to work with our suppliers to ensure a smooth transition to this new regulatory environment. MATERIAL SAFETY DATASHEETDREMACHEM HPPAGE 8 OF 8

United States

-The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

Canada

-The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.