

## 1. Product and Company Identification

www.rxmarine.com

Product Name                   RXSOL-60-6254-500  
Product Type                   Sodium Thiosulfate 0.1 Normal Solution

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Muscat, Fujairah, Gandhidham, Kolkata, Chennai, Visakhapatnam, Canada

Phone                           +91 22 65113333 / 5555 / 9999 / 27611360  
Fax                               +91 22 2781 1318:AOH :0091 9821214367  
Email                           [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	CAS #	Percent	EINECS/ELINCS
Water	7732-18-5	76-99.4	231-791-2
Sodium thiosulfate, pentahydrate	10102-17-7	0.6-22.9	unlisted

## 3. Hazards Identification

www.rxmarine.com

Appearance: colorless liquid. Caution! May cause respiratory tract irritation. May cause skin irritation. May cause eye irritation. This is expected to be a low hazard for usual industrial handling.

Target Organs: None. Potential Health Effects

Eye: May cause mild eye irritation.

Skin: May cause skin irritation. Ingestion: Ingestion of large amounts may cause gastrointestinal irritation. Inhalation: Low hazard for usual industrial handling. May cause respiratory tract irritation. Chronic: No information found.

## 4. First Aid Measures

www.rxmarine.com

Eyes	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.
Skin	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists.
Ingestion	If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately. Induce vomiting by giving one teaspoon of Syrup of Ipecac.
Inhalation	Get medical aid immediately. Remove from exposure to fresh air immediately. If breathing is difficult, give oxygen by mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical resuscitator, a bag and a mask.
Notes to Physician	Effects may be delayed. Ethanol may inhibit methanol metabolism.

## 5. Fire-fighting Measures

www.rxmarine.com

General Information	General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.  Containers can build up pressure if exposed to heat and/or fire. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Water runoff can cause environmental damage. Collect water used to fight fire. Vapors can travel to a source of ignition and flash back. During a fire, irritating and highly visible smoke may be generated by thermal decomposition or combustion. Flammable Liquid. Can release vapors that form explosive mixtures.
---------------------	--

temperatures above the flashpoint. Use water spray to keep fire-exposed containers cool. Water may be ineffective. than water and a fire may be spread by the use of water. Vapors may be heavier than air. They can spread along the ground in low or confined areas. May be ignited by heat, sparks, and flame.

#### Extinguishing Media

Extinguishing Media: For small fires, use water spray, dry chemical, carbon dioxide or chemical foam.  
Flash Point: Not applicable.  
Autoignition Temperature: Not applicable.  
Explosion Limits, Lower:Not available. Upper: Not available.  
NFPA Rating: (estimated) Health: 1; Flammability: 0; Instability: 0

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

#### General Information Spills/Leaks

Use proper personal protective equipment as indicated in Section 8.  
Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

Absorb spill using an absorbent, non-combustible material such as earth, sand, or vermiculite. Do not use combustible saw dust. Provide ventilation. A vapor suppressing foam may be used to reduce vapors.

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

#### Handling

Avoid prolonged or repeated contact with skin. Avoid ingestion and inhalation. Use with adequate ventilation.

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Ground and bond containers before emptying. Do not breathe dust, vapor, mist, or gas. Do not get in eyes, on skin, or on clothing. Empty containers retain some residue (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Avoid contact with heat, direct sunlight, or open flames. Do not inhale. Use only in a chemical fume hood. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to sparks or open flames.

#### Storage

Storage: Store in a cool, dry place. Store in a tightly closed container. Do not store in aluminum or lead containers.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

#### Engineering Controls Exposure Limits

Use adequate ventilation to keep airborne concentrations low. Expos  
Chemical Name ACGIH NIOSH OSHA - Final PELs  
Water none listed none listed none listed  
Sodium thiosulfate, pentahydrate none listed none listed none listed

#### OSHA Vacated PELs

Water ::: No OSHA Vacated PELs are listed for this chemical.  
Sodium thiosulfate, pentahydrate ::: No OSHA Vacated PELs are listed for this chemical.

#### Personal Protective Equipment

Eyes Wear chemical goggles. Wear appropriate protective eyeglasses or chemical safety goggles. Follow OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN 166.  
Skin Wear appropriate protective gloves to prevent skin exposure.  
Clothing Wear appropriate protective clothing to prevent skin exposure.  
Respirators Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or irritation or other symptoms are experienced.

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

#### Physical State

Liquid

#### Appearance

Clear, colorless

#### Odor

None reported - weak odor

#### pH

Not available.

#### Vapor Pressure

14 mm Hg

#### Vapor Density

Not available

#### Evaporation Rate

>1 (ether=1)

#### Viscosity

Not available

#### Boiling Point

212 deg F

#### Freezing/Melting Point

32 deg F

Decomposition Temperature	Not available.
Solubility	Soluble
Specific Gravity/Density	1.0-1.1
Molecular Formula	Mixture
Molecular Weight	Not available.

## 10. Stability and reactivity

www.rxmarine.com

Chemical Stability	Stable under normal temperatures and pressures.
Conditions to Avoid	High temperatures, incompatible materials, ignition sources, oxidizers.
Incompatibilities with Other Materials	Sodium thiosulfate violently reacts with sodium nitrite. It is also incompatible with strong oxidizers, acids.

Hazardous Decomposition Products      Hydrogen sulfide, sodium oxide , Hazardous Polymerization: Has not been reported.

## 11. Toxicological information

www.rxmarine.com

RTECS#:

RTECS#: CAS# 7732-18-5: ZC0110000 CAS# 10102-17-7: WE6660000 LD50/LC50: CAS# 7732-18-5: Oral, rat: LD50 = >90 mL/kg; . CAS# 10102-17-7:

Carcinogenicity: CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS# 10102-17-7: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No data available.

Teratogenicity: No data available.

Reproductive Effects: No data available.

Mutagenicity: No data available.

Neurotoxicity: No data available. Other Studies:

## 12. Ecological information

www.rxmarine.com

Physical: No information available. Other: None.

## 13. Disposal considerations

www.rxmarine.com

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determine 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series      None listed.

RCRA U-Series      None listed.

## 14. Transport information

www.rxmarine.com

	US DOT	IATA	RID/ADR	IMO	CanadaTDG
Shipping Name:	Not regulated as a hazardous material	No information available			

## 15. Regulatory information

www.rxmarine.com

## US FEDERAL

TSCA	CAS# 7732-18-5 is listed on the TSCA inventory. CAS# 10102-17-7 is not on the TSCA Inventory because it is considered to be listed if the CAS number for the anhydrous form is on the inventory (40CFR720.3(u)(2)). Health & Safety Reporting List None of the chemicals are on the Health & Safety Reporting List. Chemical Test Rules None of the chemicals are listed under a Chemical Test Rule. Section 12b None of the chemicals are listed under TSCA Section 12b. TSCA Significant New Use Rule None of the chemicals in this material have a SNUR under TSCA. CERCLA Hazardous Substances and corresponding Response Action Levels None of the chemicals in this material have an RQ.
SARA	None of the chemicals in this product have a TPQ. Section 313 No chemicals are reportable under Section 313. CWA Air Quality Criteria None of the chemicals in this material does not contain any hazardous air pollutants. This material does not contain any Class 1 Ozone depleters. This material does not contain any Class 2 Ozone depleters. Clean Water Act: None of the chemicals in this product are listed as Hazardous Air Pollutants under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.
Clean Air Act	CAS# 67-56-1 is listed as a hazardous air pollutant (HAP). This material does not contain any Class 1 Ozone depleters. This material does not contain any Class 2 Ozone depleters. Clean Water Act: None of the chemicals in this product are listed as Hazardous Air Pollutants under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.
OSHA	None of the chemicals in this product are considered highly hazardous by OSHA.
STATE	CAS# 7732-18-5 is not present on state lists from CA, PA, MN, MA, FL, or NJ. CAS# 10102-17-7 is not present on state lists from CA, PA, MN, MA, FL, or NJ.
European/International Regulations	European/International Regulations European Labeling in Accordance with EC Directives Hazard Symbols: Not available. Phrases: Safety Phrases: S 24/25 Avoid contact with skin and eyes. WGK (Water Danger/Protection) CAS# 7732-18-5 is not available. CAS# 10102-17-7: 0 Canada - DSL/NDSL CAS# 7732-18-5 is listed on Canada's DSL List. CAS# 10102-17-7 is not listed on Canada's DSL List. Canada - WHMIS This product has a WHMIS classification of Not controlled.. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations. Canadian Ingredient Disclosure List

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

MSDS Creation Date: 7/21/2008 Revision #4 Date: 3/3/2009 The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.

**DISCLAIMER OF LIABILITY** :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.