

1. Product and Company Identification

www.rxmarine.com

Product Name Mineral Oil
Product Type RXSOL-60-6276-005

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999
Fax +91 22 2781 1318 :::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

SARA 313 Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
Paraffin Oil, White Drakeol® 19 Min Oil USP	CAS# 8042-47-5	100%	V/V	OSHA TWA 5 mg(mist)/m ³

3. Hazards Identification

www.rxmarine.com

Generally not hazardous in normal handling, however good laboratory practices should always be used. Avoid long term exposure to skin or by inhalation.

Emergency Overview: Not expected to cause a severe emergency hazard. This product is a water-white to light amber, viscous liquid. It has a light, mildly petroleum odor. The product floats on water. This product is slightly combustible (Flammability Class IIIB) but will burn. Heated product will produce colorless vapors. Heated vapors in the presence of an ignition source can be explosive, if confined.

Inhalation: No significant adverse health effects are expected to occur upon short-term exposure.

Ingestion: If swallowed, large volume of material can cause generalized depression, headache, drowsiness, nausea, vomiting, and diarrhea. Smaller doses can cause a laxative effect. If aspirated into lungs, liquid can cause lung damage.

Skin: This product can cause mild, transient skin irritation with short-term exposure.

Eye Contact: This product can cause transient mild eye irritation with short-term contacts with liquid sprays or mists.

4. First Aid Measures

www.rxmarine.com

Generally not hazardous in normal handling, however good laboratory practices should always be used. Avoid long term exposure to skin or by inhalation.

SKIN: Wash exposed area with soap and water. If irritation persists, seek medical attention.

EYES: Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If

INGESTION:

breathing is difficult, give oxygen

Give several glasses of milk or water. Vomiting may occur spontaneously, but DO NOT INDUCE! Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

www.rxmarine.com

Fire Extinguisher Type:

Fire Extinguisher Remarks:

Fire Fighting Procedures:

Water spray, Carbon dioxide, dry chemical, powder, foam

Dense smoke may be generated while burning. Carbon dioxide, nitrogen and sulfur oxides may be

Wear self-contained breathing apparatus and protective clothing to protect skin and clothing.

6. Accidental Release Measures

www.rxmarine.com

Absorb spill with inert material, then place in a chemical waste container. Remove all sources of ignition. Dispose of in a manner consistent with federal, local law.

Protective Measures: May burn although not readily ignitable. Wear appropriate personal protective equipment when cleaning up spills. Refer to Section 8.

Spill Management: FOR LARGE SPILLS: Remove with vacuum truck or pump to storage/salvage vessels.

FOR SMALL SPILLS: Soak up residue with an absorbent such as clay, sand or other suitable material. Place in non-leaking container and seal tightly for proper disposal. Remove contaminated soil to remove contaminated trace residues. Dispose of in same manner as material.

Reporting: CERCLA: Product is covered by EPA's Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) petroleum exclusion. Releases to air, land, or water are not reportable under CERCLA (Superfund). CWA: This product is an oil as defined under Section 311 of EPA's Clean Water Act (CWA). Spills into or leading to surface waters that cause a sheen must be reported to the National Response Center, 1-800-424-8802. TWA: 5 STEL: 10 (mg/m3) as oil mist Consult local authorities for acceptable exposure limits.

7. Handling and Storage

www.rxmarine.com

Keep away from heat and flame. Do not get in eyes, on skin, on clothing. Use with adequate ventilation.

8. Exposure controls and personal protection

www.rxmarine.com

Respiratory Protection

No special protection required unless heated

Ventilation

Local

OTHER

Mechanical

Protective Gloves

Gloves to prevent exposure

EYE PROTECTION

Splash Goggles

Other Protective Equipment

Wear appropriate clothing to prevent skin exposure

9. Physical and chemical properties

www.rxmarine.com

BOILING POINT	310°C
VAPOR PRESSURE	0.1 kPa(20°C)
MELTING POINT	information not available
VAPOR DENSITY	not available
EVAPORATION RATE	information not available
Appearance /Odors	Transparent water-white liquid/odorless
Flash Point	168.33°C
Specific Gravity	0.858
Refractive Index	0
Auto Ignition Temp	625°F
Lower Flamm. Limit in Air	Not applicable
Upper Flamm. Limit in Air	Not applicable
Solubility in Water	Soluble

10. Stability and reactivity

www.rxmarine.com

STABILITY

CONDITIONS TO AVOID Temperature extremes, ignition sources

MATERIALS TO AVOID Strong oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS Oxides of carbon, Nitrogen and Sulfur

HAZARDOUS POLYMERIZATION will not occur

Conditions to Avoid None known

11. Toxicological information

www.rxmarine.com

Routes of Entry: Absorbed through skin. Eye contact. Toxicity to Animals: LD50: Not available. LC50: Not available. Chronic Effects on Humans: CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC.

Other Toxic Effects on Humans: Slightly hazardous in case of ingestion. Non-irritant for skin. Non-hazardous in case of inhalation.

Special Remarks on Toxicity to Animals: Not available Special Remarks on Chronic Effects on Humans: Highly refined mineral oils are not classified as human carcinogens. However, related forms (untreated and mildly-treated oils used in metal machining, mule spinning and jute processing) are listed as human carcinogens by both IARC (group 1) and NTP. Special Remarks on other Toxic Effects on Humans: Potential Health Effects: Skin: This product is not expected to cause any skin irritation upon direct single or repeated and prolonged contact. However, similar chemical composition products applied to the skin of lab animals resulted in minimal to slight dermal irritation. Eyes: May cause mild (minimal) eye irritation. Inhalation: May cause respiratory tract irritation with coughing and shortness of breath. This product has a low vapor pressure and is not expected to present an inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting. If aspiration occurs, it may lead to chemical pneumonitis which is characterized by pulmonary edema and hemorrhage and may be fatal. Signs of lung involvement include increased respiratory rate, increased heart rate, and bluish discoloration of the skin. Coughing, choking and gagging are often noted at the time of aspiration. Ingestion: Ingestion is relatively non-toxic unless aspiration occurs. It has laxative properties and may cause gastrointestinal tract discomfort, abdominal cramps, vomiting and diarrhea. Exposure to a large single dose, or repeated small doses by inhalation, aspiration or ingestion leading to aspiration can lead to lipid pneumonia or lipid granuloma. These are low-grade, chronic localized tissue reactions which are not fatal.

12. Ecological information

www.rxmarine.com

Ecotoxicity: Not available. BOD5 and COD: Not available. Products of Biodegradation: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise. Toxicity of the Products of Biodegradation: Not available. Special Remarks on the Products of Biodegradation: Not available

13. Disposal considerations

www.rxmarine.com

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14. Transport information

www.rxmarine.com

DOT Classification: Not Regulated

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations

15. Regulatory information

www.rxmarine.com

Federal and State Regulations: TSCA 8(b) inventory: Mineral oil Other Regulations: EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances. Other Classifications: WHMIS (Canada): Not controlled under WHMIS (Canada). DSCL (EEC): This product is not classified according to the EU regulations. Not applicable

16. Other information

www.rxmarine.com

Flammability

Health

Reactivity

Revisions
7/28/2010
7/9/2012

NFPA
0.1 updated msds to 16 section from 10 section msds. STN
0.2 Revised ingredient from Calpur 1 oil to Drakeol 19 oil. LS

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.