1. Product and Company Identifaction

www.rxmarine.com

Product Name RXSOL-60-6605-804

Product Type URANYL ACETATE DIHYDRATE FOR MICROSCOPY

Revised date

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Stock Point: Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone +91 22 27815541 / 42

Fax +91 22 2781 1318 :::AOH :0091 9821214367

Email <u>mail@rxmarine.com</u>

2. Composition / Information on ingredients

www.rxmarine.com

2.1. Substance: URANYL ACETATE DIHYDRATE AR

CAS No: 6159-44-0

Substance.

Contains no other components or impurities which will influence the classification of the

product.

3. Hazards Identification

www.rxmarine.com

3.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H300

Category 1

Acute toxicity (inhal.), H330

Category 2

Specific target organ toxicity 2 Repeated H373

exposure, Category 2

Hazardous to the aquatic

environment 2 Chronic H411

Hazard, Category 2

Full text of classification categories and H statements: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

T+; R26/28

N; R51/53

R33

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

3.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to

displayExtra classification(s) to disply

Symbol(s): T : Very toxic

N : Dangerous for the environment

R Phrase(s):R26/28 Very toxic by Inhalation and if swallowed.

R33: Danger of cumulative effects.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

S Phrase(s):S20/21: When using do not eat, drink or smoke.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the

label where possible).

S61: avoid release to the environment . refer to special instruction/safety data sheets.

Hazard pictograms

Signal word : Danger

Hazard statements: H300+H330 - Fatal if swallowed or if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

3.3. Other hazards

No additional information available

4. First Aid Measures

www.rxmarine.com

4.1. Description of first aid measures

First-aid measures after inhalation: Remove person to fresh air and keep comfortable for

breathing. Give oxygen orartificial respiration if necessary. If you feel unwell, seek

medical advice.

First-aid measures after skin contact: Gently wash with plenty of soap and water. If skin

irritation occurs: Get medicaladvice/attention.

First-aid measures after eye contact: Remove contact lenses, if present and easy to do.

Continue rinsing. Rinse cautiouslywith water for several minutes. If eye irritation

persists: Get medical advice/attention. First-aid measures after

ingestion: Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries: May cause damage to organs through prolonged or repeated

exposure.

Symptoms/injuries after inhalation: Fatal if inhaled.

Symptoms/injuries after ingestion: Fatal if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting Measures

www.rxmarine.com

5.1. Extinguishing media

Suitable extinguishing media: dry chemical powder, alcohol-resistant foam, carbon

dioxide (CO2).

Unsuitable extinguishing media: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting: Do not attempt to take action without suitable protective

equipment.

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personne

1 Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment: Use personal protective equipment as required.

Emergency procedures: Stop release.

6.2. Environmental precautions

Toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spilled material with sand or earth.

6.4. Reference to other sections

No additional information available

7. Handling and Storage

www.rxmarine.com

7.1. Precautions for safe handling

Precautions for safe handling: Do not get in eyes, on skin, or on clothing.

 $Hygiene\ measures: Wash\ ...\ thoroughly\ after\ handling.\ Do\ not\ eat,\ drink\ or\ smoke\ when$

using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in original container. Keep container tightly closed. Store in a

dry place. Protect from moisture.

7.3. Specific end use(s)

No additional information available

8. Exposure controls and personal protection

www.rxmarine.com

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection: protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection: Wear suitable protective clothing

Respiratory protection: Wear respiratory protection

9. Physical and chemical properties

www.rxmarine.com

9.1. Information on basic physical and chemical properties

Odour threshold: No data available

pH: No data available

Relative evaporation rate (butylacetate=1): No data available

Melting point : No data available

Freezing point: No data available

Boiling point : No data available

Flash point: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C: No data available

Relative density: No data available

Solubility: No data available

Log Pow: No data available

Viscosity, kinematic: No data available

Viscosity, dynamic : No data available

Explosive properties: No data available

Oxidising properties: No data available

Explosive limits: No data available

No additional information available

10. Stability and reactivity

www.rxmarine.com

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

11. Toxicological information

www.rxmarine.com

11.1. Information on toxicological effects

Acute toxicity: Oral: Fatal if swallowed.

Inhalation: Fatal if inhaled.

Skin corrosion/irritation: Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation: Not classified

Germ cell mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive toxicity: Not classified

Specific target organ toxicity (singleexposure): Not classified

Specific target organ toxicity (repeatedexposure): May cause damage to organs through

prolonged or repeated exposure.

Additional information: There are potential chronic health effects to consider

Aspiration hazard: Not classified

Potential adverse human health effects and symptoms: Fatal if swallowed.

12. Ecological information

www.rxmarine.com

12.1. Toxicity

Ecology - water: Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

13. Disposal considerations

www.rxmarine.com

13.1. Waste treatment methods

Product/Packaging disposal recommendations: Dispose of contents/container to

... Ecology - waste materials : Hazardous waste due to toxicity.

14. Transport information

www.rxmarine.com

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR): 3288

UN-No. (IMDG): 3288

UN-No.(IATA): 3288

UN-No.(ADN): 3288

UN-No. (RID): 3288

14.2. UN proper shipping name

Proper Shipping Name (ADR): TOXIC SOLID, INORGANIC, N.O.S.

Proper Shipping Name (IMDG): TOXIC SOLID, INORGANIC, N.O.S.

Proper Shipping Name (IATA): TOXIC SOLID, INORGANIC, N.O.S.

Proper Shipping Name (ADN): TOXIC SOLID, INORGANIC, N.O.S.

Proper Shipping Name (RID): TOXIC SOLID, INORGANIC, N.O.S.

Transport document description (ADR): UN 3288 TOXIC SOLID, INORGANIC,

N.O.S., 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG): UN 3288 TOXIC SOLID, INORGANIC,

N.O.S., 6.1, II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA): UN 3288 TOXIC SOLID, INORGANIC,

N.O.S., 6.1, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN): UN 3288 TOXIC SOLID, INORGANIC,

N.O.S., 6.1, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (RID): UN 3288 TOXIC SOLID, INORGANIC,

N.O.S., 6.1, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR-Transport hazard class(es) (ADR): 6.1

Danger labels (ADR): 6.1

IMDG-Transport hazard class(es) (IMDG): 6.1

Danger labels (IMDG): 6.1

IATA - Transport hazard class(es) (IATA): 6.1

Hazard labels (IATA): 6.1

ADN -Transport hazard class(es) (ADN): 6.1

Danger labels (ADN): 6.1

RID-Transport hazard class(es) (RID): 6.1

Danger labels (RID): 6.1
14.4. Packing group
Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID): II
14.5. Environmental hazards
Dangerous for the environment : Yes
Marine pollutant : Yes
Other information : No supplementary information available
14.6. Special precautions for user
- Overland transport
Classification code (ADR): T5
Special provision (ADR): 274
Limited quantities (ADR): 500g
Excepted quantities (ADR): E4
Packing instructions (ADR): P002, IBC08
Special packing provisions (ADR): B4
Mixed packing provisions (ADR): MP10
Portable tank and bulk container instructions (ADR): T3
Portable tank and bulk container special provisions (ADR): TP33
Tank code (ADR): SGAH, L4BH
Tank special provisions (ADR): TU15, TE19
Vehicle for tank carriage : AT
Transport category (ADR): 2
Special provisions for carriage 2 Packages (ADR): V11
Special provisions for carriage - Loading,
unloading and handling (ADR): CV13, CV28
Special provisions for carriage 2 Operation (ADR): S9, S19
Hazard identification number (Kemler No.): 60
Orange plates : Tunnel restriction code (ADR) : D/E
EAC code: 2X

Transport by sea

Special provision (IMDG): 274

Limited quantities (IMDG): 500 g

Excepted quantities (IMDG): E4

Packing instructions (IMDG): P002

IBC packing instructions (IMDG): IBC08

IBC special provisions (IMDG): B2, B4

Tank instructions (IMDG): T3

Tank special provisions (IMDG): TP33

EmS-No. (Fire): F-A

EmS-No. (Spillage): S-A

Stowage category (IMDG): B

Air transport

PCA Excepted quantities (IATA): E4

PCA Limited quantities (IATA): Y644

PCA limited quantity max net quantity (IATA): 1kg

PCA packing instructions (IATA): 669

PCA max net quantity (IATA): 25kg

CAO packing instructions (IATA): 676

CAO max net quantity (IATA): 100kg

Special provision (IATA): A3, A5

ERG code (IATA): 6L

- Inland waterway transport

Classification code (ADN): T5

Special provisions (ADN): 274, 802

Limited quantities (ADN): 500 g

Excepted quantities (ADN): E4

Equipment required (ADN): PP, EP

Number of blue cones/lights (ADN): 2

- Rail transport

Classification code (RID): T5

Special provision (RID): 274

Limited quantities (RID): 500g

Excepted quantities (RID): E4

Packing instructions (RID): P002, IBC08

Special packing provisions (RID): B4

Mixed packing provisions (RID): MP10

Portable tank and bulk container instructions (RID): T3

Portable tank and bulk container special provisions (RID): TP33

Tank codes for RID tanks (RID): SGAH, L4BH

Special provisions for RID tanks (RID): TU15

Transport category (RID): 2

Special provisions for carriage 2 Packages (RID): W11

Special provisions for carriage 2 Loading

and unloading (RID): CW13, CW28, CW31

Colis express (express parcels) (RID): CE9

Hazard identification number (RID): 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. Regulatory information

www.rxmarine.com

15.1. Safety, health and environmental regulations/legislation specific for the

substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

URANYL ACETATE DIHYDRATE is not on the REACH Candidate List

URANYL ACETATE DIHYDRATE is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference: Water hazard class (WGK) 3, strongly hazardous to

water (Classification according

to VwVwS, Annex 2; WGK No 1023)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV: Is not subject of the 12. BlmSchV (Hazardous

Incident Ordinance)

Denmark

Recommendations Danish Regulation: Young people below the age of 18 years are not

allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

15.2. Chemical safety assessment

No additional information available

16. Other information

www.rxmarine.com

Abbreviations and acronyms: PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used: REGULATION (EC) No 1272/2008 OF THE EUROPEAN

PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification,

labelling and packaging of substances and mixtures, amending and repealing Directives

67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information: None.

In accordance with REACH Regulation (CE) № 1907/2006 and with CLP Regulation

(CE) Nº 1272/2008

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.