

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-19-1780-050
Product Type Sodium Lauryl Sulphate

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999 / 27611360
Fax +91 22 2781 1318 ::::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	CAS Number	% By Weight
Sodium Lauryl Sulphate	151-21-3	29-32
Water	7732-18-5	68 - 71

3. Hazards Identification

www.rxmarine.com



Potential Acute Health Effects:	Slightly hazardous in case of skin contact (irritant, sensitizer) ingestion.
Potential Chronic Health Effects:	Slightly hazardous in case of skin contact (sensitizer). CARCINOGENICITY: Not available. MUTAGENIC EFFECTS: Mutagenic for bacteria. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: This substance may be toxic to skin. Repeated or prolonged exposure may cause target organs damage.

4. First Aid Measures

www.rxmarine.com

Contact with eyes	Check for and remove any contact lenses. In case of contact, flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.
Skin Contact:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Cold water may be used. Get medical attention. Do not reuse. Thoroughly clean shoes before reuse. Get medical attention.
Serious Skin Contact:	Not Available
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation:	Not available.
Ingestion:	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anyone alcohol or any liquid to drink. Rinse mouth to an unconscious person. Loosen tight clothing such as a collar, tie, scarf, etc. Immediately call 911 or the nearest hospital for medical attention if symptoms appear.
Serious Ingestion:	Not available.

5. Fire-fighting Measures

www.rxmarine.com

Flammability of the Product:	Non-flammable.
Auto-Ignition Temperature:	Not applicable.
Flash Points:	Not applicable.
Flammable Limits:	Not applicable.
Products of Combustion:	Not applicable
Fire Hazards in Presence of Various Substances:	Not applicable
Explosion Hazards in Presence of Various Substances:	Slightly explosive in presence of open flames and sparks. Non
Fire Fighting Media and Instructions:	Not applicable
Special Remarks on Fire Hazards:	Not applicable
Special Remarks on Explosion Hazards:	Not applicable

6. Accidental Release Measures

www.rxmarine.com

Small Spill:	Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional requirements.
Large Spill:	Absorb with an inert material and put the spilled material in an appropriate disposal. Finish cleaning by spreading water on the contaminated surface and evacuate through the sanitary system

7. Handling and Storage

www.rxmarine.com

Precautions:	Keep locked up.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Wear appropriate protective clothing. If ingested, seek medical advice immediately. See label for more information. See container or the label.
Storage:	Keep container tightly closed. Keep container in a cool, well-ventilated area.

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Controls:	Provide a clean, well-ventilated or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit values. Ensure that overhead ventilation and safety showers are provided in the work area location.
Personal Protection:	Safety glasses. Lab coat. Vapor respirator. Be sure to use an approved certified respirator or equivalent. Gloves.
Personal Protection in Case of a Large Spill:	Spill jacket. Full suit. Vapor respirator. Boots. Gloves. A well-ventilated breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient, consult a specialist BEFORE handling the product.
Exposure Limits:	Not available.

9. Physical and chemical properties

www.rxmarine.com

Physical state and appearance:	Liquid.
Odour	Not available.
Yield:	Not available.
Molecular Weight:	Not applicable.
Color:	Clear Colorless.
pH (5% solution):	pH of solution @ 25°C: 10.6-0.
Boiling Point:	The lowest known value is 100°C (212°F) (Water).
Melting Point:	Not available.
Critical Temperature:	Not available.
Specific Gravity:	1.01 (Water = 1).
Vapor Pressure:	The highest known value is 2.5 kPa (0.24%) (Water).
Vapor Density:	The highest known value is 0.62 (Air = 1) (Water).
Volatility:	Not available.
Color (Standard):	Not available.
Waveform (Ink, Card):	Not available.
Stability (in Water):	Not available.
Dissociation Properties:	See solubility in water.
Solubility:	Easily soluble in cold water, hot water.

10. Stability and reactivity

www.rxmarine.com

Stability:	The product is stable.
Instability Temperature:	Not available.
Conditions of stability:	Incompatible materials.
Incompatibility with various substances:	Slightly reactive in reaction with oxidizing agents.
Corrosivity:	Not corrosive in presence of glass.
Special Remarks on Reactivity:	Not available.
Special Remarks on corrosivity:	Not available.
Polymerization:	Will not occur.

11. Toxicological information

www.rxmarine.com

Routes of Entry:

Absorbed through skin. Eye contact.

Toxicity to Animals:

Acute oral toxicity (LD50): 6440 mg/kg (Rat.) (Calculated value for the mixture).

Chronic Effects on Humans:

METSANOLAC 200/2.7.5.3. Mixtures for Invertebrate and/or plant (Invertebrate/Plant/Other). Contains material which may cause damage to the following aquatic life.

Other Toxic Effects on Humans:	
Special Remarks on Toxicity to Animals:	Lowest Published Lethal Dose: LD ₅₀ (Rat, oral): Approx. 5000 mg/kg (Sodium lauryl sulfate)
Special Remarks on Chronic Effects on Humans:	May cause adverse reproductive effects based on animal test data. No human data found. (Sodium lauryl sulfate)
Special Remarks on other Toxic Effects on Humans:	Acute Potential Health Effects: Causes skin irritation. May cause allergic reaction. It may be absorbed through the skin. Eyes: Causes eye irritation. Inhalation: Breathing dust or vapor may cause respiratory tract and mucous membrane irritation. May cause parosmiasis (nose irritation with sneezing, watery eyes, and itching). May also affect bladder (cystitis, hematuria) and cardiovascular system. Chronic Potential Health Effects: Skin: Irritation or prolonged irritation may cause allergic respiratory reactions. Irritation: Irritation or prolonged irritation may also affect the lung.

12. Ecological information

www.rxmarine.com

Ecotoxicity:

Biodegradability:	Not available.
Biodegradability:	Not available.
Biodegradability:	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation:	The products of degradation are less toxic than the product itself.
Special Remarks on the Products of Biodegradation:	Not available.

13. Disposal considerations

www.rxmarine.com

When Disposed:	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
-----------------------	--

14. Transport information

www.rxmarine.com

DOT classification:

Not a DOT controlled material (Other name)

Identification

Not applicable

Special Provisions for Transport:

Not applicable

15. Regulatory information

www.rxmarine.com

Federal and State Regulations:	TSCA 900 Inventory: Water. Sodium lauryl sulfate
Other Regulations:	OSHA: Hazardous by Definition of Hazard Communication Standard 29 CFR 1910.1200.
Other Classifications:	Not covered under WHMIS (Canada)
WHMIS (Canada):	
SDS (IEC):	R5010: Irritating to eyes and skin. S2: Keep out of the reach of children. S6: If swallowed, seek medical advice immediately and show this container or label.
MSDS (C.S.A.):	Health Hazard:

Fire hazard:

Reactivity:

Personal Protection:

National Fire Protection Association (NFPA):

Health:

Flammability:

Reactivity:

Special hazard:

Other: Lubricate. Vapor explosion. Do not use on open flames or electrical equipment. Safety glasses.

Protective Equipment:

16. Other information

www.rxmarine.com

Text of R and S phrase codes used in this safety data sheet:- R34: Causes burns; R36: Irritating to eyes; R37: Irritating to respiratory system; R41: Risk of serious damage to eyes. The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents. The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer .

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.