

## 1. Product and Company Identification

www.rxmarine.com

Product Name **Leather Cleaner**  
Product Type **RXSOL-41-8303-025**

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333/ 5555 / 9999 / 27611360 / 27815540  
Fax +91 22 2781 1318 :::AOH :0091 9322594669  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

HAZARDOUS INGREDIENTS: OSHA PEL TLV  
Isopropyl Alcohol (CAS #67-63-0) 400 p.p.m. 400 p.p.m.  
Balance 80% blend of Proprietary Formulated Product.

## 3. Hazards Identification

www.rxmarine.com

**Primary Routes of Entry:** Eye contact, skin contact/absorption, inhalation, and ingestion. Potential Health Effects

**Inhalation:** May cause respiratory irritation.

**Skin Contact:** May cause skin irritation.

**Eye Contact:** May cause eye irritation.

**Ingestion:** Harmful if swallowed.

**Carcinogenicity:** NTP: Known  No; Anticipated  No OSHA: TLV-A4 for Isopropyl Alcohol IARC: No

## 4. First Aid Measures

www.rxmarine.com

**INHALATION :::** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

**SKIN CONTACT :::** Flush skin with water after contact. Wash contaminated clothing before reuse.

**EYE CONTACT :::** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

**INGESTION :::** If swallowed, do not induce vomiting. Immediately give 2 glasses of water. Never give anything by mouth to an unconscious person. Call a physician.

## 5. Fire-fighting Measures

www.rxmarine.com

**Flash point:** 123° F (Closed cup)

**Explosive limits :** No data

**Autoignition temperature :** No data

**Hazardous products of combustion:**

Carbon dioxide and/or carbon monoxide. Toxic products such as HF and other perfluorinated organic compounds may be formed at high temperatures above 200 Centigrade or when burned.

**Extinguishing media:**

Use water spray, foam, dry chemical powder of carbon dioxide.

**Fire fighting instructions:**

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if it can be done without risk. Use water to keep fire-exposed containers cool.

**6. Accidental Release Measures** [www.rxmarine.com](http://www.rxmarine.com)

Safeguards (Personnel)

**NOTE:** Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Wear self-contained breathing apparatus (SCBA) and full protective gear. Initial Containment

**Dike spill. :::** Spill Clean Up Soak up with sawdust, sand, oil dry or other absorbent material.

**7. Handling and Storage** [www.rxmarine.com](http://www.rxmarine.com)

Store out of reach of children.

Keep container closed. Store in a cool, dry location. Avoid freezing or extended storage in high temperatures.

**8. Exposure controls and personal protection** [www.rxmarine.com](http://www.rxmarine.com)

**Engineering Controls :::** Use only with adequate ventilation.

Personal Protective Equipment

**EYE/FACE PROTECTION**

Wear safety glasses. Where splash potential exists, wear chemical splash goggles.

**RESPIRATORS**

Wear NIOSH approved respiratory protection, as appropriate.

(EXPOSURE CONTROLS/PERSONAL PROTECTION - Continued)

**PROTECTIVE CLOTHING**

Where there is potential for skin contact have available and wear as appropriate impervious gloves, apron, pants and jacket.

**9. Physical and chemical properties** [www.rxmarine.com](http://www.rxmarine.com)

Odor:	Mild
Physical State:	Liquid
Appearance:	Clear, colorless

pH :	8.5
Specific Gravity :	1.02
Boiling Point:	N/E
Freezing/Melting Point:	N/E
Vapor Pressure:	N/E
Vapor Density:	N/E
Solubility in Water:	Complete

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

**Chemical Stability:** Stable.

### **Incompatibility with Other Materials:**

Incompatible with strong alkaline compounds, acids and oxidizing agents.

**Decomposition:** Thermal decomposition may produce carbon monoxide, carbon dioxide, nitrogen oxides, hydrogen fluoride and acrid smoke.

Polymerization: Polymerization will not occur.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

No information available.

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

**Environmental Fate:** No information found.

**Environmental Toxicity:** No information found.

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. All disposal must be in accordance with all federal, state and local regulations.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

Ground Transportation: Not regulated in non-bulk containers, under 49 CFR 173.150 (f).

Air Transportation: UN1993 Flammable Liquid NOS (Isopropyl Alcohol), 3, PGIII; check for limited quantity values.

Maritime Transportation: UN1993 Flammable Liquid NOS (Isopropyl Alcohol), 3, PGIII; check for limited quantity values.

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

Isopropanol (CAS #67-63-0)