

1. Product and Company Identification

www.rxmarine.com

Product Name **Pet Spotter**
Product Type **RXSOL-41-8307-025**

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333/ 5555
Fax +91 22 2781 1318 :::AOH :0091 9322594669
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

COMPONENT	OSHA PEL	TLV
Hydrogen Peroxide (CAS # 7722-84-1) 1 p.p.m.	1 p.p.m.	
Glycol Ether DB (CAS # 112-34-5) N/E	N/E	

3. Hazards Identification

www.rxmarine.com

EMERGENCY OVERVIEW

Physical Properties: clear solution with mild odor

IMMEDIATE HEALTH EFFECTS

Eyes: Severe eye irritation, watering, redness and swelling of eyelids. Risk of permanent damage.

Skin: Irritation and temporary whitening at contact area; risk of burns.

Inhalation: Inhalation may cause irritation of nose and throat; cough.

Ingestion: If swallowed will cause irritation of gastrointestinal tract..

PRIMARY ROUTES OF ENTRY: Eyes, skin contact/absorption, inhalation or ingestion.

SIGNS/SYMPTOMS OF OVEREXPOSURE: Gastrointestinal irritation (nausea, vomiting, diarrhea), and/or irritation to the skin, eyes, nose, throat, and respiratory tract.

REPRODUCTIVE/DEVELOPMENTAL INFORMATION: No data available.

CARCINOGENICITY:

NTP: Known ☐ No; Anticipated ☐ No OSHA: TLV-A3 for hydrogen peroxide. IARC: category 3 for hydrogen peroxide.

4. First Aid Measures

www.rxmarine.com

EYES: Flush eyes with running water for at least 15 minutes, while keeping eyelids open. Get medical attention.

SKIN: Flush skin with water for at least 15 minutes. Remove any contaminated clothing. If irritation persists after washing, consult a physician

INHALATION: Remove to fresh air. If respiratory symptoms persist, consult a physician.

INGESTION: Drink 1 to 8 glasses of milk or water to dilute substance. Do not induce vomiting. Consult a physician or local Poison Control Center immediately. Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

www.rxmarine.com

FLASHPOINT: >200° F (Closed cup)

EXPLOSIVE LIMITS: No data available.

AUTOIGNITION TEMPERATURE: No data available.

HAZARDOUS PRODUCTS OF COMBUSTION: In the event of fire, the following may be released: oxygen which can intensify the fire.

EXTINGUISHING MEDIA: Water spray, foam, dry chemical powder of carbon dioxide.

FIRE FIGHTING INSTRUCTIONS: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. (NICSH/MSHA APPROVED)

6. Accidental Release Measures

www.rxmarine.com

SMALL SPILL: wear appropriate personal protective equipment. Contain and recover material when possible.

Do not return spilled material to original container.

LARGER SPILLS: dilute with large amount of water and hold in dyked area until peroxide decomposes or is neutralized with sodium metabisulfite.

Do not flush undiluted material to sewer. Empty containers should be rinsed with water before discarding.

7. Handling and Storage

www.rxmarine.com

HANDLING: Handle and open containers with care.

STORAGE: Store in a cool, well ventilated place away from incompatible materials. Keep original vented cap on container.

8. Exposure controls and personal protection

www.rxmarine.com

Respiratory Protection: None normally needed.

Protective Clothing: Gloves Recommended.

Eye Protection: Safety Glasses Recommended

Ventilation: Normal room ventilation should suffice Store below 80oF.

Storage: Store out of reach of Children. Keep original vented safety cap on container.

9. Physical and chemical properties

www.rxmarine.com

Odor	Slight Pungent
Physical State	Liquid.
Appearance	Clear, colorless
pH	5.4 +/- .1

Specific Gravity	1.02
Boiling Point	N/E
Freezing/Melting Point	N/E
Vapor Pressure	N/E
Vapor Density	N/E
Solubility in Water	Complete

10. Stability and reactivity

www.rxmarine.com

CHEMICAL STABILITY: Product is stable under normal conditions.

CONDITIONS TO AVOID: Heat/Sources of heat; Contamination

MATERIALS TO AVOID: Acids; Bases; Metals; combustible organic materials; reducing agents.

HAZARDOUS DECOMPOSITION:

Upon combustion, the following may be produced:

Carbon dioxide and/or carbon monoxide, water and oxygen with rapid heat release.

HAZARDOUS POLYMERIZATION: Will not occur.

11. Toxicological information

www.rxmarine.com

EYE EFFECTS: 5% hydrogen peroxide: Minimally irritating (rabbit) [FMC Study Number: I86- 0949]

SKIN EFFECTS: 10% hydrogen peroxide: Mildly irritating after 4-hour exposure (rabbit) [FMC Study Number: I89-1078]

DERMAL LD50: 35% hydrogen peroxide: > 2,000 mg/kg (rabbit) [FMC Study Number: I83-746]

ORAL LD50: 10% hydrogen peroxide: > 5,000 mg/kg (rat) [FMC Study Number: I89-1077]

INHALATION LC50: 50% hydrogen peroxide: > 0.17 mg/l (rat) [FMC Study Number: I89-1080]

ACUTE EFFECTS FROM OVEREXPOSURE: Minimally irritating to the eyes, skin,nose, throat, and lungs.

CHRONIC EFFECTS FROM OVEREXPOSURE:

The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of hydrogen peroxide in humans, but limited evidence in experimental animals (Group 3 - not classifiable as to its carcinogenicity to humans). The American Conference of Governmental Industrial Hygienists (ACGIH) has concluded that hydrogen peroxide is a \square Confirmed Animal Carcinogen with Unknown Relevance to Humans \square (A3).

12. Ecological information

www.rxmarine.com

ECOTOXICOLOGICAL INFORMATION:

Channel catfish 96-hour LC50 = 37.4 mg/L

Fathead minnow 96-hour LC50 = 16.4 mg/L

Daphnia magna 24-hour EC50 = 7.7 mg/L

Daphnia pulex 48-hour LC50 = 2.4 mg/L

Freshwater snail 96-hour LC50 = 17.7 mg/L

For more information refer to ECETOC "Joint Assessment of Commodity Chemicals No. 22, Hydrogen Peroxide." ISSN-0773-6339, January 1993

CHEMICAL FATE INFORMATION:

Hydrogen peroxide in the aquatic environment is subject to various reduction or oxidation processes and decomposes into water and oxygen. Degrades in the atmosphere within the light spectrum with hydroxyl radicals in the gas phase and subsequent photolysis.

13. Disposal considerationswww.rxmarine.com

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit.

Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. All disposal must be in accordance with all federal, state and local regulations.

14. Transport informationwww.rxmarine.com

No restrictions for Ground, Air, or Maritime Transportation in accordance with 49 CFR parts 100-185.

15. Regulatory informationwww.rxmarine.com

Glycol Ether DB (CAS # 112-34-5)