

1. Product and Company Identification

www.rxmarine.com

Product Name Vaprotek industrial odor neutralizer membarce original neutral scent
Product Type RXSOL-41-8344-025

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333/ 5555 / 9999 / 27611360 / 27815540
Fax +91 22 2781 1318 :::AOH :0091 9322594669
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Trade Secrets Biodegradable Product

3. Hazards Identification

www.rxmarine.com

Possible routes of entry: Skin contact, eye contact, inhalation and ingestion.

Signs and symptoms of exposure:

Eyes: May cause temporary irritation by direct contact.

Skin: Prolonged contact may cause temporary irritation or redness.

Ingestion: Harmful if swallowed.

Inhalation: As with any aromatic compound, prolonged or concentrated exposure may cause temporary respiratory irritation to some people.

Emergency First Aid Procedures:

Eyes: Flush with copious amounts of water for at least 15 minutes. If irritation persists, consult a physician.

Skin: Wash affected area with soap. Remove any contaminated clothing and wash prior to reuse.

Ingestion: Drink water or milk and contact a physician.

Inhalation: Remove to fresh air and seek medical attention as necessary.

Medical Conditions Generally Aggravated by Exposure: None known to Vaportek.

Threshold Limit Value: Not determined by ACGIH or OSHA.

Other significant and relevant laboratory data: None of the ingredients in this product are listed as carcinogens or potential carcinogens by NTP, IARC or OSHA.

4. First Aid Measures

www.rxmarine.com

5. Fire-fighting Measures

www.rxmarine.com

Flash Point: Greater than 121ø F. (49.8 C.), TCC method.

Flammable Limits: LEL: N/A. UEL: N/A.

Extinguishing Media: Carbon Dioxide, Dry Chemical or Universal Type Foam applied in accordance with manufacturer's instructions.

Special Fire-fighting Procedures: Self-contained breathing apparatus and protective clothing should be worn whenever fighting fires involving chemicals.

Unusual Fire and Explosion Hazards: None known to Vaportek.

NFPA Ratings: Health = 1, Flammability = 2, Reactivity = 1.

6. Accidental Release Measures

www.rxmarine.com

7. Handling and Storage

www.rxmarine.com

Steps to be taken if material is released or spilled: Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated.

8. Exposure controls and personal protection

www.rxmarine.com

| | |
|----------------------------|--|
| Eye Protection | Not required, but recommended. |
| Protective Clothing | Generally not required. |
| Protective Gloves | Not required, but recommended. |
| Respiratory Protection | Generally not required. |
| Ventilation | Generally not required; use mechanical exhaust as needed. |
| Work and Hygiene Practices | Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse. |

9. Physical and chemical properties

www.rxmarine.com

| | |
|------------------|-----------------|
| Boiling Point | N/A |
| Melting Point | N/A |
| Vapor Pressure | N/A |
| Specific Gravity | 0.98 (+/- .05). |

| | |
|--------------------------------------|------------------|
| Volatiles, % by Volume | 100% |
| Vapor Density (Air = 1) | Heavier than air |
| Solubility in Water | Insoluble |
| Evaporation Rate (Butyl Acetate = 1) | |