

1. Product and Company Identification

www.rxmarine.com

Product Name WET SOL Non Ionic Surfactant
Product Type RXSOL-41-8689-025

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Kolkata, Chennai, Vizag, Nairobi, Muscat, Fujairah, Canada

Phone +91 22 27611360 / 27815540
Fax +91 22 2781 1318 ::: AOH :0091 9322594669
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

CHEMICAL NAME

1-METHOXY PROPANOL (40-50%):

(CAS 107-98-2 / OSHA PEL - NONE / ACGIH TLV ☐ 100 / OTHER LIMITS RECOMMENDED ☐ HAZARD FLAMMABLE)

DIPROPYLENE GLYCOL MONOMETHYL ETHER (40-50%):

(CAS 34590-94-8 / OSHA PEL ☐ 100 PPM / ACGIH TLV ☐ 100 PPM / OTHER LIMITS RECOMMENDED ☐ HAZARD COMBUSTIBLE)

Nonylphenol, ethoxylated (10 - 30%) : CAS : 9016-45-9

3. Hazards Identification

www.rxmarine.com

PRIMARY ROUTES OF ENTRY: INHALATION, SKIN AND EYE CONTACT.

CHRONIC HEALTH HAZARDS INCLUDE NAUSEA AND ANESTHESIA AT HIGHER LEVELS.

SYMPTOMS OF EXPOSURE:

EYES ☐ CAN CAUSE MODERATE IRRITATION, REDNESS, TEARING.

SKIN ☐ STEL-150 PPM ☐ CAN CAUSE SLIGHT IRRITATION.

INGESTION ☐ MAY CAUSE GASTROINTESTINAL IRRITATION.

INHALATION ☐ EXCESSIVE INHALATION OF VAPORS CAN CAUSE NASAL AND RESPIRATORY IRRITATION.n 4.

4. First Aid Measures

www.rxmarine.com

EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER, LIFTING UPPER AND LOWER LIDS OCCASIONALLY.

SKIN CONTACT: THOROUGHLY WASH EXPOSED AREA WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING.

LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

INGESTION: IMMEDIATELY DRINK TWO GLASSES OF WATER AND INDUCE VOMITING BY EITHER GIVING IPECAC SYRUP OR BY PLACING FINGER AT BACK OF THROAT. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION IMMEDIATELY.

INHALATION: IF AFFECTED, REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT ADMINISTER OXYGEN. IF BREATHING HAS STOPPED GIVE ARTIFICIAL RESPIRATION. KEEP PERSON WARM, QUIET AND GET MEDICAL ATTENTION.

5. Fire-fighting Measures

www.rxmarine.com

EXTINGUISHING MEDIA: USE CARBON DIOXIDE OR DRY CHEMICAL FOR SMALL FIRES. USE ALCOHOL TYPE FOAM OR WATER SPRAY FOR LARGE FIRES.

FLASH POINT: 145 F / TCC AUTO IGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR % BY VOLUME: LEL 1.1 / UEL 13.8

FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS. USE WATER SPRAY TO COOL NEARBY CONTAINERS AND STRUCTURES EXPOSED TO FIRE. VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG THE GROUND AND BE IGNITED BY HEAT, PILOT LIGHTS AND OTHER IGNITION SOURCES AT DISTANT LOCATIONS. EXTINGUISH ALL NEARBY SOURCES OF IGNITION. ALL LARGE METAL CONTAINERS SHOULD BE GROUNDED DURING MATERIAL TRANSFER.

6. Accidental Release Measures

www.rxmarine.com

SMALL SPILLS: ABSORB LIQUID ON PAPER, VERMICULITE, FLOOR ABSORBENT OR OTHER ABSORBENT MATERIAL. VENTILATE AREA.

LARGE SPILLS: ELIMINATE ALL IGNITION SOURCES (FLARES, FLAMES INCLUDING PILOT LIGHTS AND ELECTRICAL SPARKS). PERSONS NOT WEARING PROTECTIVE EQUIPMENT SHOULD BE EXCLUDED FROM AREA OF SPILL UNTIL CLEAN-UP HAS BEEN COMPLETED. STOP SPILL AT SOURCE, DIKE AREA OF SPILL TO PREVENT SPREADING, PUMP LIQUID TO SALVAGE TANK. REMAINING LIQUID MAY BE TAKEN UP ON SAND, CLAY, EARTH, FLOOR ABSORBENT OR OTHER ABSORBENT MATERIAL AND SHOVELED INTO CONTAINERS.

PREVENT RUN-OFF TO SEWERS, STREAMS OR OTHER BODIES OF WATER. IF RUN-OFF OCCURS NOTIFY PROPER AUTHORITIES, AS REQUIRED, THAT A SPILL HAS OCCURRED.

7. Handling and Storage

www.rxmarine.com

KEEP AWAY FROM HEAT, SPARKS AND FLAMES. STORE IN COOL, DRY PLACE. VENT CONTAINER FREQUENTLY, AND MORE OFTEN IN WARM WEATHER, TO RELIEVE PRESSURE. ALL LARGE METAL CONTAINERS SHOULD BE GROUNDED DURING MATERIAL TRANSFER. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. DO NOT USE PRESSURE TO EMPTY CONTAINER. WASH SKIN THOROUGHLY AFTER HANDLING. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING.

8. Exposure controls and personal protection

www.rxmarine.com

FOR RESPIRATORY PROTECTION USE NIOSH-APPROVED CANNISTER RESPIRATOR IN THE ABSENCE OF ADEQUATE ENVIRONMENTAL CONTROLS AT POINT OF USE. USE NITRILE RUBBER GLOVES, AND CHEMICAL EYE GOGGLES. VENTILATION LOCAL EXHAUST

9. Physical and chemical properties

www.rxmarine.com

BOILING POINT:	315 F @ 1 ATM
VAPOR PRESSURE:	12.5 @ 20 C
VAPOR DENSITY:	4.6
SPECIFIC GRAVITY:	.939 @ 20 C
MELTING POINT:	N/A

EVAPORATION RATE:	N/A
SOLUBILITY IN WATER:	100%
WATER REACTIVE:	NONE
APPEARANCE AND ODOR:	COLORLESS LIQUID WITH MILD ODOR.

10. Stability and reactivity

www.rxmarine.com

STABLE. AVOID STRONG OXIDIZING AGENTS, CARBON MONOXIDE AND VARIOUS HYDROCARBONS, ETC. HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

11. Toxicological information

www.rxmarine.com

NONE

12. Ecological information

www.rxmarine.com

NONE

13. Disposal considerations

www.rxmarine.com

DISPOSE OF CONTAMINATED PRODUCT AND MATERIALS USED IN CLEANING UP SPILLS OR LEAKS IN A MANNER APPROVED FOR THIS MATERIAL. CONSULT APPROPRIATE FEDERAL, STATE AND LOCAL REGULATORY AGENCIES TO ASCERTAIN PROPER DISPOSAL PROCEDURES.

NOTE: EMPTY CONTAINERS CAN HAVE RESIDUES, GASES AND MIST, AND ARE SUBJECT TO PROPER WASTE DISPOSAL AS ABOVE.

14. Transport information

www.rxmarine.com

CLASS 55 FOR GROUND TRANSPORTATION.

15. Regulatory information

www.rxmarine.com

NONE Section

16. Other information

www.rxmarine.com

DO NOT CUT, GRIND, WELD OR DRILL ON OR NEAR THIS CONTAINER.

CONTAINERS, EVEN THOSE THAT HAVE BEEN EMPTIED, WILL RETAIN PRODUCT RESIDUE AND VAPORS. ALWAYS OBEY HAZARD WARNINGS AND HANDLE EMPTY CONTAINERS AS IF THEY WERE FULL.

NFPA RATING: HEALTH 2 / FLAMMABILITY 3 / REACTIVITY 0 / SPECIAL NONE

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.