

1. Product and Company Identification

www.rxmarine.com

Product Name Floor WAX ON
Product Type RXSOL-41-8639-025

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333/ 5555 / 9999 / 27611360 / 27815540
Fax +91 22 2781 1318 ::::AOH :0091 9322594669
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Synthetic Polymer in an aqueous dispersion

3. Hazards Identification

www.rxmarine.com

POTENTIAL HEALTH EFFECTS:

There are no known health effects expected from the use of this product.

ROUTE(S) OF ENTRY: Skin and eye contact with liquid.

CARCINOGENICITY:

NTP: No

IARC: No

OSHA: No

4. First Aid Measures

www.rxmarine.com

SKIN: Remove contaminated clothing and shoes. Wash with soap or mild detergent and large amounts of water. Do not use solvents or thinners.

EYES: Hold eyes open and flush for at least 15 minutes with large amounts of water. Consult physician if irritation occurs.

INGESTION: Do not induce vomiting. Give two glasses of water to dilute stomach contents. Never give anything by mouth to an unconscious person. Consult physician immediately.

INHALATION: No inhalation hazards are anticipated for this product

5. Fire-fighting Measures

www.rxmarine.com

FLASH POINT: Not applicable

EXTINGUISHING MEDIA: .Alcohol foam, carbon dioxide, dry powder, or water spray.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus and full protective clothing.

6. Accidental Release Measures

www.rxmarine.com

SPILL AND LEAK PROCEDURES: Contain spills onto inert absorbent and place in suitable containers.

7. Handling and Storage

www.rxmarine.com

STORAGE: Store closed containers in cool, dry area away from heat, direct sunlight, oxidizing agents, and strong acids and alkalis.

HANDLING: Avoid skin and eye contact. Do not eat, drink or smoke in area.

8. Exposure controls and personal protection

www.rxmarine.com

ENGINEERING CONTROLS: Use in a well ventilated area.

RESPIRATORY PROTECTION: Not required.

SKIN PROTECTION: Clothing suitable to prevent skin contact. Use butyl rubber gloves. Check suitability recommendations by protective equipment manufacturers, especially towards chemical breakthrough resistance.

EYE PROTECTION: Safety goggles with side shields.

9. Physical and chemical properties

www.rxmarine.com

PHYSICAL FORM:	Liquid
ODOR:	Odorless
BOILING POINT:	212 oF (100oC)
VAPOR PRESSURE:	23 mbar @25 oC
SOLUBILITY IN WATER	Miscible
DENSITY	1.0 g/ml

10. Stability and reactivity

www.rxmarine.com

CHEMICAL STABILITY: Stable.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, and other potentially toxic fumes.

POLYMERIZATION: Will not occur under regular conditions of use.

INCOMPATIBILITIES: Avoid strong acids, bases, and oxidizing agents.

11. Toxicological information

www.rxmarine.com

Believe to be practically non toxic.

12. Ecological information

www.rxmarine.com

Avoid contamination of ground water or waterways. Do not discharge into sewers.

13. Disposal considerations

www.rxmarine.com

Incinerate or dispose of in accordance with Federal, State or Local regulations.

14. Transport information

www.rxmarine.com

DOT SHIPPING NAME: Not regulated.

15. Regulatory information

www.rxmarine.com

All components of this product are on the TSCA Inventory.

SARA Title III:

To the best of our knowledge this product contains no toxic chemicals subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 372. Note: Entries under this section cover only those regulations typically addressed in the MSDS generating process, such as, TSCA, and EPCRA/SARA Title III.

16. Other information

www.rxmarine.com

HAZCOM LABEL:

CAUTION:

PROLONGED OR REPEATED CONTACT MAY CAUSE SKIN IRRITATION

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy.

BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not applicable N/D = Not determined N/E = Not established

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.