

1. Product and Company Identification

www.rxmarine.com

Product Name Tiles Grout Alkaline Cleaner
Product Type **RXSOL-41-8880-025**

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333/ 5555 / 9999 / 27611360 / 27815540
Fax +91 22 2781 1318 ::::AOH :0091 9322594669
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

| PRINCIPLE HAZARDOUS INGREDIENTS | OSHA Pel | TLV |
|-----------------------------------|----------|---------|
| Butoxy Ethanol (Cas #111-76-2) | 2Mg/Mo | 2 Mg/M3 |
| Sodium Hydroxide (Cas #1310-73-2) | 50 ppm | |
| Glycol Ether DB (Cas #112-34-5) | N/E | |

3. Hazards Identification

www.rxmarine.com

Route(s) of entry

Eyes: yes

Skin: yes

Inhalation: yes

Ingestion: yes

Health Hazards:

Eyes - May cause irritation

Skin - May cause irritation

Inhalation - May cause irritation

Ingestion - May cause irritation

Carcinogenicity:NPT? no OSHA? no IARC Monograph? no

4. First Aid Measures

www.rxmarine.com

Eyes: Flush with water for 15 minutes. If irritation occurs get medical attention

Skin: Flush thoroughly with soap and water. If irritation occurs get medical attention

Inhalation: Move to fresh air. If irritation occurs get medical attention

Ingestion: Get immediate medical attention

5. Fire-fighting Measures

www.rxmarine.com

Flash Point: Non flammable

Extinguishing Media: Use media appropriate for surrounding material involved in fire

Special Fire Fighting Procedures: None

Unusual Fire and Explosion Hazards: Wear self contained breathing apparatus. Contact with extreme heat may generate toxic fumes

Stability: Stable

Chemical Incompatibility: None known

Hazardous Decomposition or Byproducts: Oxides of Carbon and Phosphorus

Hazardous Polymerization: Will not occur

Conditions to Avoid: Extreme heat

6. Accidental Release Measures

www.rxmarine.com

7. Handling and Storage

www.rxmarine.com

Respiratory Protection: None normally required

Protective Clothing: None normally required

Eye Protection: Splash proof goggles recommended

Ventilation: Use ventilation assist as needed

Storage: Store in cool dry area away from strong acids. Keep container closed when not in use

8. Exposure controls and personal protection

www.rxmarine.com

9. Physical and chemical properties

www.rxmarine.com

Boiling Point (oF)

N/A

| | |
|----------------------------|---------------------------------------|
| Vapor Pressure (mmHg.) | N/A |
| Vapor Density (AIR=1) | N/A |
| Solubility in Water | Complete |
| Appearance & Odor | Yellow liquid with slight citrus odor |
| Specific Gravity(H2O=1) | 1.015 |
| Percent Volatile by Volume | N/A |
| PH (1% Solution) | N/A |

10. Stability and reactivity

www.rxmarine.com

11. Toxicological information

www.rxmarine.com

12. Ecological information

www.rxmarine.com

13. Disposal considerations

www.rxmarine.com

Absorb with chemical absorbent material and sweep up for disposal or contain and collect for reuse. Mop or dry wipe remainder. Rinse final traces with water. Neutralize pH to 6-9 using suitable acidic material. All disposal must be in accordance with all federal, state and local regulations.

14. Transport information

www.rxmarine.com

15. Regulatory information

www.rxmarine.com

16. Other information

www.rxmarine.com

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. RX MARINE MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not Applicable N/D = Not Determined N/E = Not Established