

1. Product and Company Identification

www.rxmarine.com

Product Name Professional Heavy Duty Sealer
Product Type RXSOL-41-8899-025

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333+/ 5555 / 9999 / 27611360 / 27815540
Fax +91 22 2781 1318 :::AOH :0091 9322594669
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Components

| Material | CAS Number | % |
|-------------------------|------------|-----|
| PNB Glycol Ether | 5131-66-8 | |
| Mixed Fluoroalkyl Salts | | |
| Water | 7732-18-5 | >70 |

3. Hazards Identification

www.rxmarine.com

Potential Health Effects

Inhalation: may cause respiratory irritation. Inhalation of large amounts of respirable particles may be toxic to the lungs.

Eye :contact may cause eye irritation with discomfort, tearing, or blurring of vision.

Skin contact : may cause skin irritation with discomfort or rash.

Ingestion : may cause nausea and vomiting. Repeated ingestion

of large amounts may cause liver damage. Carcinogenicity Information

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

4. First Aid Measures

www.rxmarine.com

First Aid

INHALATION

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

SKIN CONTACT

Flush skin with water after contact. Wash contaminated clothing before reuse.

EYE CONTACT

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

INGESTION

If swallowed, do not induce vomiting. Immediately give 2 glasses of water. Never give anything by mouth to an unconscious person. Call a physician.

5. Fire-fighting Measures

www.rxmarine.com

Flammable Properties

Non-flammable.

Extinguishing Media

Water, Foam, Dry Chemical, CO₂.

Fire Fighting Instructions

Evacuate personnel to a safe area. Wear self-contained breathing apparatus (SCBA) and full protective equipment.

6. Accidental Release Measures

www.rxmarine.com

Safeguards (Personnel)

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Spill Clean Up

Soak up with sawdust, sand, oil dry or other absorbent material.

Shovel or sweep up.

7. Handling and Storage

www.rxmarine.com

Handling (Personnel)

Avoid inhalation. Avoid contact with eyes, skin or clothing.

Wash thoroughly after handling. Wash clothing after use.

Handling (Physical Aspects)

Keep container tightly closed. Storage

Store in a cool, dry place.

Avoid freezing or extended storage in high temperatures.

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Controls

Keep container tightly closed. Use only with adequate ventilation. Vent heated extruder or dryer fumes outside work area. Do not aerosolize.

In spray applications, use airless type pressure spray equipment at less than 60 psi, and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray.

Personal Protective Equipment

EYE/FACE PROTECTION

Wear safety glasses, or where splash potential exists wear chemical splash goggles.

RESPIRATORS

Where the potential exists for airborne exposure, wear NIOSH approved respiratory protection.

PROTECTIVE CLOTHING

Where there is potential for skin contact, have available and wear as appropriate impervious gloves, apron or smock.

Exposure Guidelines

Exposure Limits

DuPont(TM) StoneTech(R) Professional Heavy Duty Sealer

PEL (OSHA) : None Established

TLV (ACGIH) : None Established

9. Physical and chemical properties

www.rxmarine.com

| | |
|---------------------|-----------------|
| Solubility in Water | Soluble |
| pH | 8-9 |
| Odor | (mild), Sweet. |
| Form | Liquid. |
| Color | (light), Amber. |
| Specific Gravity | 1.01 |

10. Stability and reactivity

www.rxmarine.com

Chemical Stability

Stable.

Incompatibility with Other Materials

Incompatible with strong alkaline compounds, acids and oxidizing agents.

Decomposition

Thermal decomposition may produce carbon monoxide, carbon dioxide, nitrogen oxides, hydrogen fluoride and acrid smoke.

Polymerization

Polymerization will not occur.

11. Toxicological information

www.rxmarine.com

12. Ecological information

www.rxmarine.com

13. Disposal considerations

www.rxmarine.com

Waste Disposal

Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

14. Transport information

www.rxmarine.com

Shipping Information

Not Regulated as a hazardous material by DOT, IMO, or IATA.

15. Regulatory information

www.rxmarine.com

U.S. Federal Regulations

TSCA Inventory Status : In compliance with TSCA Inventory requirements for commercial purposes.

VOC =