

## 1. Product and Company Identification

www.rxmarine.com

Product Name **Ultra Clean Industrial**  
Product Type RXSOL-41-8925-025

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333/ 5555 / 9999 / 27611360 / 27815540  
Fax +91 22 2781 1318 :::AOH :0091 9322594669  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Hazardous Ingredient	CAS OSHA PEL	OSHA HAZARD
Tetrapotassium Pyrophosphate	7320-34-5 N/E	Irritant

## 3. Hazards Identification

www.rxmarine.com

### Emergency Overview

**Appearance:** Clear Liquid **Odor:** Citrus Scent **Flashpoint:** >212°F

**Hazard:** Irritant

**Eye Contact:** May cause temporary eye irritation; injury to eye tissue unlikely

**Skin Contact:** Frequent or prolonged contact may cause temporary irritation. Skin contact may aggravate an existing dermatitis condition.

**Inhalation:** May cause slight temporary irritation.

**Ingestion:** Small amounts swallowed incidental to normal handling operations are not likely to cause injury; swallowing amounts larger than that may cause temporary injury.

**HMIS Hazard Rating:** Health 1 Flammability 0 Reactivity 0

## 4. First Aid Measures

www.rxmarine.com

**Eye Contact:** Immediately irrigate with flowing water continuously for 15 minutes. If irritation persists consult medical personnel.

**Skin Contact:** Wash with soap and water. If irritation persists consult medical personnel.

**Inhalation:** Move to fresh air. If irritation persists consult medical personnel.

**Ingestion:** If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If injured party is conscious, give two glasses of water. Seek medical attention.

## 5. Fire-fighting Measures

www.rxmarine.com

**Flashpoint:** >212°F (closed cup) **Upper Flammable Limit (% by volume):** N/D  
**Autoignition Temperature:** N/D **Lower Flammable Limit (% by volume):** N/D

**General Hazard:** Irritant

**Fire Fighting Procedures:** Wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

**Hazardous Decomposition Products:** During a fire, smoke may contain the original material in addition to unidentified toxic and/or irritating compounds. Hazardous combustion products may include and are not limited to carbon dioxide and carbon monoxide.

## 6. Accidental Release Measures

www.rxmarine.com

Keep all unnecessary personnel away. Eliminate sources of ignition. Prevent additional discharge of material. Prevent material from entering sewers, watercourses, or low areas. Contain and absorb spilled material with sand or earth. Do not use combustible materials such as sawdust. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

7. Handling and Storage

www.rxmarine.com

Store out of reach of children; keep container closed; store in a cool well-ventilated place away from strong oxidizing or alkaline products. Avoid contact with skin and eyes. Use in a well-ventilated area; do not breathe vapours. Wash hands thoroughly after handling.

## 8. Exposure controls and personal protection

www.rxmarine.com

**Engineering Controls:** Normal room ventilation is satisfactory for limited use.

**Eye Protection:** Safety glasses

**Skin Protection:** Use gloves impervious to this material when prolonged or frequently repeated contact could occur.

**Respiratory:** No respiratory protection should be needed.

**Exposure guidelines:** N/E

## 9. Physical and chemical properties

www.rxmarine.com

Appearance/Physical State:	Clear Liquid
Vapor Pressure:	N/D
Boiling Point:	212°F
Density:	8.8 lbs. /gal.
Solubility in Water:	Soluble
Odor:	Citrus scent
Vapor Density:	N/D
Freezing Point:	N/D
Concentrate pH:	12.4 - 12.8
RTU pH:	10.7 - 11.3

## 10. Stability and reactivity

www.rxmarine.com

**Chemical stability:** Stable

**Incompatibility with other substances:** Strong oxidizing or alkaline agents

**Reactivity:** None known

**Hazardous Decomposition Products:** Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified thermal decomposition products from this product or its packaging.

## 11. Toxicological information

www.rxmarine.com

**Route of Entry:** Eye contact, and Skin absorption/contact

---

Effects of Acute Overexposure to Product:

**Eye Contact:** May cause temporary eye irritation, redness, tearing, and blurred vision

**Skin Contact:** May cause temporary skin irritation, defatting and dermatitis

**Inhalation:** Inhalation of mist or vapour may cause temporary respiratory irritation; temporary central nervous system effects including dizziness, weakness, fatigue, nausea, and headache.

**Ingestion:** May cause gastrointestinal temporary irritation with nausea, vomiting and diarrhoea  
aspiration into the lungs can cause chemical pneumonitis.

Effects of Chronic Overexposure to Product:

**Exposure limits:** N/D for a mixture

**Teratogenicity:** None

**Reproductive toxicity:** None

**Sensitization to Product:** None known

**Mutagenicity:** None

**Carcinogenicity:** None

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Please refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting information.

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Dispose of in accordance with federal, state and local regulations. Prevent run-off to sewers.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

**Shipping paper description:** None

**Labeling:** None

**Markings:** None

**Placard:** None

**Packaging:** Strong outer packaging. UN specification packaging not required.

**Note:** Applies only to ground shipments. Additional compliance steps are required for air shipments;  
ship in accordance with 49 CFR parts 100 - 185.

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

**TSCA:** All chemicals used in this product are listed

**CERCLA:** No

**SARA Title III:** Under the provisions of Title III, Sections 311/312 of the Superfund Amendments and Reauthorization Act, this product is classified into the immediate health hazard category.

The chemicals used in this product may be subject to the provisions of the Community Right-to-Know Act (40 CFR 370 - 374).

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

**DISCLAIMER OF LIABILITY :** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Product Name                    **UltraClean Industrial**  
Product Type                    RXSOL-41-8925-025

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Phone                                +91 22 65113333/ 5555 / 9999 / 27611360 / 27815540  
Fax                                    +91 22 2781 1318 ::::AOH :0091 9322594669  
Email                                [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

[www.rxmarine.com](http://www.rxmarine.com)

Hazardous Ingredient	CAS	OSHA PEL	OSHA HAZARD
Tetrapotassium Pyrophosphate	7320-34-5	N/E	Irritant

## 3. Hazards Identification

[www.rxmarine.com](http://www.rxmarine.com)

### Emergency Overview

**Appearance:** Clear Liquid **Odor:** Citrus Scent **Flashpoint:** >212°F

**Hazard:** Irritant

**Eye Contact:** May cause temporary eye irritation; injury to eye tissue unlikely

**Skin Contact:** Frequent or prolonged contact may cause temporary irritation. Skin contact may aggravate an existing dermatitis condition.

**Inhalation:** May cause slight temporary irritation.

**Ingestion:** Small amounts swallowed incidental to normal handling operations are not likely to cause injury; swallowing amounts larger than that may

cause temporary injury.

**HMIS Hazard Rating:** Health 1 Flammability 0 Reactivity 0

## 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

**Eye Contact:** Immediately irrigate with flowing water continuously for 15 minutes. If irritation persists consult medical personnel.

**Skin Contact:** Wash with soap and water. If irritation persists consult medical personnel.

**Inhalation:** Move to fresh air. If irritation persists consult medical personnel.

**Ingestion:** If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If injured party is conscious, give two glasses of water. Seek medical attention.

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

**Flashpoint:** >212°F (closed cup) **Upper Flammable Limit (% by volume):** N/D

**Autoignition Temperature:** N/D **Lower Flammable Limit (% by volume):** N/D

**General Hazard:** Irritant

**Fire Fighting Procedures:** Wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

**Hazardous Decomposition Products:** During a fire, smoke may contain the original material in addition to unidentified toxic and/or irritating compounds. Hazardous combustion products may include and are not limited to carbon dioxide and carbon monoxide.

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

Keep all unnecessary personnel away. Eliminate sources of ignition. Prevent additional discharge of material. Prevent material from entering sewers, watercourses, or low areas. Contain and absorb spilled material with sand or earth. Do not use combustible materials such as sawdust. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

Store out of reach of children; keep container closed; store in a cool well-ventilated place away from strong oxidizing or alkaline products. Avoid contact with skin and eyes. Use in a well-ventilated area; do not breathe vapors. Wash hands thoroughly after handling.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

**Engineering Controls:** Normal room ventilation is satisfactory for limited use.

**Eye Protection:** Safety glasses

**Skin Protection:** Use gloves impervious to this material when prolonged or frequently repeated contact could occur.

**Respiratory:** No respiratory protection should be needed.

**Exposure guidelines:** N/E

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

Appearance/Physical State:	Clear Liquid
Vapor Pressure:	N/D
Boiling Point:	212°F
Density:	8.8 lbs. /gal.
Solubility in Water:	Soluble
Odor:	Citrus scent
Vapor Density:	N/D

---

Freezing Point:	N/D
Concentrate pH:	12.4 - 12.8
RTU pH:	10.7 - 11.3

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

**Chemical stability:** Stable

**Incompatibility with other substances:** Strong oxidizing or alkaline agents

**Reactivity:** None known

**Hazardous Decomposition Products:** Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified thermal decomposition products from this product or its packaging.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

**Route of Entry:** Eye contact, and Skin absorption/contact

Effects of Acute Overexposure to Product:

**Eye Contact:** May cause temporary eye irritation, redness, tearing, and blurred vision

**Skin Contact:** May cause temporary skin irritation, defatting and dermatitis

**Inhalation:** Inhalation of mist or vapor may cause temporary respiratory irritation; temporary central nervous system effects including dizziness, weakness, fatigue, nausea, and headache.

**Ingestion:** May cause gastrointestinal temporary irritation with nausea, vomiting and diarrhea  
aspiration into the lungs can cause chemical pneumonitis.

Effects of Chronic Overexposure to Product:

**Exposure limits:** N/D for mixture

**Teratogenicity:** None

**Reproductive toxicity:** None

**Sensitization to Product:** None known

**Mutagenicity:** None

**Carcinogenicity:** None

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Please refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting information.

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Dispose of in accordance with federal, state and local regulations. Prevent run-off to sewers.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

**Shipping paper description:** None

**Labeling:** None

---

**Markings:** None

**Placard:** None

**Packaging:** Strong outer packaging. UN specification packaging not required.

**Note:** Applies only to ground shipments. Additional compliance steps are required for air shipments; ship in accordance with 49 CFR parts 100 - 185.

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

**TSCA:** All chemicals used in this product are listed

**CERCLA:** No

**SARA Title III:** Under the provisions of Title III, Sections 311/312 of the Superfund Amendments and Reauthorization Act, this product is classified into the immediate health hazard category.

The chemicals used in this product may be subject to the provisions of the Community Right-to Know Act (40 CFR 370 - 374).

If reporting requirements are met, please contact the Environmental, Health and Safety (EHS) Manager for information regarding this product.

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.