

## 1. Product and Company Identification

www.rxmarine.com

Product Name Sealant Fungicide  
Product Type **RXSOL-41-9001-025**

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 27815540  
Fax +91 22 2781 1318 :::AOH :0091 9322594669  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

### Non-hazardous:

Pigmented Latex emulsion coating comprised of water, pigments, fillers, additives and latex emulsion resin.

### Hazardous:

Chemical Name	CAS#	Percent	Exposure Limits
3 - Proprietary biocide2	N/A		

Note: Normal application procedures pose no hazard since titanium dioxide is wetted and encapsulated, but grinding or sanding dried films of this product may yield respirable titanium dioxide dust. Control exposures to less than 0.1 mg/m<sup>3</sup> using NIOSH-approved dust filter respirators.

Note: Per 29CFR 1910.1200 (g) (2) (1) (C) (2), only hazardous substances present in excess of 1.0% by weight (or 0.1% for carcinogens) must be listed on an MSDS.

## 3. Hazards Identification

www.rxmarine.com

### Emergency Overview:

**Product Description:** This product is a pigmented liquid.

### Health Hazards:

**Eyes:** May cause slight irritation.

**Skin:** Substance may cause slight skin irritation.

**Inhalation:** May cause irritation of respiratory tract.

**Ingestion:** Ingestion may cause gastrointestinal irritation, nausea, and vomiting.

**Flammability Hazards:** This product is not flammable. If this product is involved in a fire, the decomposition products generated will include irritating vapors and gases and some carbon monoxide.

**Reactivity Hazards:** This product is not reactive.

**Environmental Hazards:** Although release of this product to the environment is not expected to cause significant adverse effect, all releases should be avoided.

## 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

**Eyes:** Immediately flush eyes with plenty of water for at least 15 minutes and consult physician.

**Skin:** Wash skin thoroughly with soap and water. If drenched with product, remove and wash clothing before reuse.

**Ingestion:** Ingestion If victim is conscious give 2 glasses of water. Call a physician.

Inhalation: N/A

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

**Product is non-combustible.**

Flash point:	Autoignition Temperature:
F: Not flammable	F: Not Established
C: Not Established	C: Not Established

Extinguishing Media:  
Use extinguishing media appropriate for surrounding fire

Water Spray	OK
Carbon Dioxide	OK
Foam	OK
Dry Chemical	OK
Halon	OK
Other	Any [ABC] Class

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

**Accidental Release Measures:**

Personal Precautions: Do not get in eyes. Do not take internally. Avoid skin contact. Prevent prolonged or repeated breathing of vapor or spray mists. Keep unnecessary people away. Floor may be slippery, use care to avoid falling.

Ventilate the area. Remove with inert absorbent.

**Environmental Precautions:** Keep spills and cleaning run-offs out of municipal sewers and open bodies of water. Comply with local, state and national regulations.

## 7. Handling and Storage

www.rxmarine.com

### Handling and Storage:

**Storage:** Store in a cool, dry place

Keep closure tight and containers upright to prevent leakage.

Precautionary labeling: ☒KEEP FROM FREEZING☒.

## 8. Exposure controls and personal protection

www.rxmarine.com

### Precautions:

Use only with adequate ventilation.

Avoid contact with skin and eyes. Avoid breathing vapor and spray mist.

Wash hands after using.

Work Hygienic Practices: Avoid contact with skin. Do not get in eyes. Do not take internally. Avoid breathing vapors or spray mists.

Ventilation: Use in well-ventilated areas. General exhaust acceptable if the exposure to materials in Section 2 is maintained below applicable exposure limits.

Refer to OSHA Standards 1910.94, 1910.107, 1910.108.

Respiratory Protection: If personal exposure cannot be controlled below applicable limits by ventilation, wear a properly fitted organic vapor/particulate respirator approved by NIOSH/MSHA for protection against materials in Section 2.

When sanding or abrading the dried film, wear a dust/mist respirator approved by NIOSH/MSHA for dust which may be generated from this product, underlying paint, or the abrasive.

Eye Protection: Use approved safety eyewear including side shields, chemical goggles or face shields.

Skin Protection: Wear neoprene or rubber gloves to prevent skin contact if prolonged skin contact is likely. Wash hands before eating, smoking or using the wash room.

## 9. Physical and chemical properties

www.rxmarine.com

Appearance:	Viscous	Viscosity @ 77°F:	54 Kreb
	liquid		Units ± 0.5
Odor:	Slight odor	---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---

**10. Stability and reactivity** [www.rxmarine.com](http://www.rxmarine.com)

**Stability:** Stable

**Incompatibility:** (Material to Avoid): Avoid contact with strong oxidizing agents (e.g. nitric acid, permanganates), etc.

Hazardous Decomposition or By-Products: Some carbon monoxide.

**Hazardous Polymerization:** Will not occur

**11. Toxicological information** [www.rxmarine.com](http://www.rxmarine.com)

Toxicological Information:  
 No Data Available

**12. Ecological information** [www.rxmarine.com](http://www.rxmarine.com)

Ecological Information:  
 No Data Available

**13. Disposal considerations** [www.rxmarine.com](http://www.rxmarine.com)

**Waste Disposal Method:**  
 Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. If incinerating, do so

in an approved facility, and do not incinerate closed container. Dispose of in accordance with Federal, State/Provincial, and Local regulations regarding pollution.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

### U.S. Department of Transportation

Proper Shipping Name: Non-Hazardous Water-Based Paint

**Hazard Class:** ☐Not Regulated☐

Label Statement: ☐Keep From Freezing☐

Class 55 Non-Hazardous Water-Based Paint

Canada (TDG)

Not Regulated for Transportation.

IMO

Not Regulated for Transportation.

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

### U.S. Federal Regulations:

**TSCA (TOXIC SUBSTANCE CONTROL ACT):** All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** Releases of this material to air, land, or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.

**SARA TITLE III:** No ingredients in this product are subject to SARA 313 (40 CFR 372.65C) Supplier Notification.

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):** Components of this product are on the California Proposition 65 lists.

**NOTES:** (\*)This proprietary biocide is listed as a carcinogen under California

Proposition 65, however, a risk assessment was conducted by the biocide manufacturer and it was determined that when this product is used in accordance with label directions, exposure and thus risk is below the level which requires a Proposition 65 warning.

Titanium Dioxide is subject to the reporting requirements of Section 313 of the Emergency Planning and Community-Right-To-Know Act of 1986 and of 40 CFR 372.

**CANADA DSL:** All components are listed or exempt.

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.  
To comply with New Jersey DOH Right-To-Know labeling law (NJAC 8:59 ¶ 5.1 & 5.2)

CAS. No.: CHEMICAL INGREDIENTS

7732-18-5 Water

12174-11-7 Magnesium aluminum silicate

25265-77-4 2,2,4 - Trimethyl - 1, 3 - pentenediol  
monoisobutyrate

57-55-6 Propylene glycol

Not Available + Latex resin solids

(+) Contents Partially Unknown

### HMIS HAZARD RATING

Health 1 Flammability 0 Physical Hazard 0 Personal  
Protection A

HAZARD INDEX: 0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Severe

### PERSONAL PROTECTION CODE:

A=Safety glasses

**DISCLAIMER OF LIABILITY :** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.