1. Product and Company Identifaction

www.rxmarine.com

Product Name

Sodium Bisulfite Product Type

Company Details:

RX MARINE INTERNATIONAL 105, A wing, BSEL, TECH PARK. VASHI, NEW BOMBAY 400703 INDIA

Phone +91 22 65113333+91 22 65113333 / 5555 / 9999 / 27611360

Fax +91 22 2781 1318+91 22 2781 1318 :::AOH :0091 98212143670091

9821214367

Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

CAS# **Chemical Name** Percent

763-90-5 Sodium bisulflte 38.0 - 42.0

Toxicological Data on ingredients: sodium bisulfate: ORAL (LD50): Acute: 200MG/KG (Rat)

3. Hazards Identification

www.rxmarine.com

Eye Contact Irritant skin contact Irritant

inhalation It inhaled remove to fresh air, if not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Get medical attention.

DO NOT induce vomiting unless directed to do so by medical personnel. Nev Ingestion

give anything by mouth to an unconscious person

Carcinogenic effect NA

MUTAGENIC EFFECTS: Mutagenic for bacteria and / or yearst

4. First Aid Measures

Serious Skin Contact

www.rxmarine.com

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at **Eye Contact**

minutes.Cold water may be used.Get medical attention.

Skin Contact In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emallent.

contamineted clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medial a

Get medical attention.

Inhalation

It inhaled remove to fresh air,if not breathing, give artificial respiration. If breathing is difficult, give oxygen. Ge

attention.

Serious Inhalation Not available.

Ingestion DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unc

person. If large quantities of this material are swallowed, call a physician immediately. Loosen light clothing such as

tie belt or waistband.

Serious Ingestion Not available.

5. Fire-fighting Measures

www.rxmarine.com

Flammability of the Product

Auto-Ignition Temperature

Flash Points

Not applicable.

Products of Combustion

Not available.

Fire Hazards in Presence of Various Substances

Not applicable.

Explosion Hazards in Presence of Various Substances Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available

Fire Fighting Media and InstructionsNot applicable. **Special Remarks on Explosion Hazards:**Not available.

6. Accidental Release Measures

www.rxmarine.com

Small Spill Use appropriate tools to put the spilled solid in a covenient waste disposal container. Finish cleaning by spreading wat

contaminated surface and dispose of accroding to local and regional authority requirements.

Large Spill

Use a stovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water

contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not pre

concentration level above TLV. Check TLV on the MSDS and with local authorities.

7. Handling and Storage

www.rxmarine.com

Precautions

Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear respiratory eqipment. If ingested, seek medical advice immediately and show the container or the label. Avoid con skin and eyes, keep away from incompatibles such as oxidizing agents, alkalis.

Storage

Keep container tightly closed. Keep Container in a cool, well-ventilated area.

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airbome levels below record

exposure limits. If user operations generate dust, fume or mist , use ventilation to keep exposure to airborne cont

below the exposure limit.

Personal Protection

Personal Protection in case of a

Large Spill"

Splash goggles. Lab coat, Dust respirator. Be sure to use an approved / certifiled respirator or equivalent Gloves. Splash goggles. Full suit. Dust respirator. Boots Gloves. A self contained breathing apparatus should be used

inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE hand

product.

Exposure Limits TWA 5 (mg/m3) from OSHA (PEL) inhalation Consult local authorities for acceptable exposure limits.

9. Physical and chemical properties

www.rxmarine.com

Technical Specification :::

Formula NaHSO3 Molecular Weight 104 Sodium Bisulfite, wt% (Na2S2O5) 38.0 - 42.0 Sodium Sulfate, wt% ? 3.5%

Solubility (10 % Aquous Soln) V. S. Hazy to clear solution.

pH Value of 5% Solution 3.5 to 4.5 Specific Gravity @ 25° C 1.310 2 1.370 Density, lbs/gal @ 25° C 10.9 - 11.3

Description Sodium Bisulfite 40% Solution (NaHSO3) is a pale yellow liquid.

Standard Packing 50 Kg. / 250 kg HM HDPE Barrel

10. Stability and reactivity

www.rxmarine.com

Stability The product is stable.

Not available. **Instability Temperature**

Conditions of Instability Incompatible materials

Incompatibility with various Reactive with oxidizing agents, acids.

Corrosivity

substances

Non - corrosive in presence of glass. Slowly oxidized to sulfate on exposure to air.

Special Remarks on Reactivity

Special Remarks on Corrosivity Not available. **Polymerization** Will not occur.

11. Toxicological information

www.rxmarine.com

Routes of Entry Inhalation, Ingestion.

Acute oral toxicity (LD50): 2000 mg/kg [Rat]. **Toxicity to Animals**

Chronic Effects on Humans CARCINOGENIC EFFECTS : 3 (Not classifiable for human.) by IARC.

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast.

May cause damage to the following organs: lungs, skin.

Other Toxic Effects on Humans

Hazardous in case of skin contact (irritant), of ingestion, of inhalation.

Special Remarks on Toxicity to

Animals

Not available

Special Remarks on Chronic Effects May affect genetic material (mutagenic).

on Humans

Special Remarks on other Toxic

Effects on Humans

May cause cancer based on animal test data. No human data found. Acute Potential Health Effects:

Skin Causes skin irritation.

Eyes. Causes eye irritation.

Inhalation: Can cause respiratory tract irritation with cough, Wheezing, and Shortness of breath. It can produce anap or other hypersensivity reactions in some sensitized individuals.

Ingestion: May be harmful if swallowed. It may cause nausea, vomiting ,diarrhea, abdominal pain, gastric. Extrem amounts may affect behavior / central nervous system and may produce central nervous system stimulation, irritation and may also cause, cyanosis, respiratory depression, apnea, circulatory disturbances, hypotension and cardle collapse. May cause asthmatic reaction in sensitized individuals.

Chronic Potential Health Effects:

Inhalation: Prolonged or repeated inhalation may cause bronchitis to develop with cough, phlegm, and/or sho

breath. It can cause an asthma-like allergy or other hypersensivity reactions such as anaphylaxis, ang bronchoconstriction, flushing, diaphoresis, urtiacaria, tachycardia, and hypotension in sensitized individuals. exposures may cause shortness of breath. Wheezing, cough, and/or chest tightness.

Skin: Protonged or repeated skin contact can cause dermatitis.

Ingestion: Prolonged or repeated ingestion may affect the liver, and blood

12. Ecological information

www.rxmarine.com

Ecotoxicity Not available. **BOD5 and COD** Not available.

Products of Biodegradation Possibly hazardous short term degradation product are not likely. However, long term degradation products may arise.

Toxicity of the Products of

The products of degradation are less toxic than the product itself.

Biodegradation

Special Remarks on the Products of Not available.

Biodegradation

13. Disposal considerations

www.rxmarine.com

Waste Disposal Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14. Transport information

www.rxmarine.com

DOT Classification Not a DOT controlled material (United States).

IdentificationNot applicable.Special Provisions for TransportNot applicable.

15. Regulatory information

www.rxmarine.com

Federal and state Regulations:

Connecticut hazardous material survey: Sodium bisulfite

Illinoistoxic substances disclosure to employee act: Sodium bisulfite

Illinois chemical safety act: Sodium bisulfite

New York release reporting list: Sodium bisulfite

Pennsylvania RTK: Sodium bisulfite

Minnesota: Sodium bisulfite

Massachuselts RTK: Sodium bisulfite

Massachuseltts spill list: Sodium bisulfite

New Jersey: Sodium bisulfite

New Jersey spill list: Sodium bisulfite

Louisianp spill reporting: Sodium bisulfite

Califomia Director's List of Hazardous Substances: Sodium bisulfite

TSCA 8(b) inventory Sodium bisulfite	
TSCA 8(a) PAIR : Sodium bisulfite	
TSCA 8(d) H and S data reporting : Sodium bisulfite: Effective date :1/26/94; Sunset date : 6/30/98	
CERCLA: Hazardous substances: Sodium bisulfite: 5000 lbs. (2268 kg)	
Other Regulations:	
OSHA Hazardous by definition of Hazard Communication Standard (29 CFR 1910,1200).	
EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.	
Other Classifications:	
WHMIS (Canada): CLASS D-2B: Material causing other toxic effects (TOXIC)	
DSCL (EEC):	
R22- Harmful if swallowed.	
R31- Contact with acids liberates toxic gas.	
S25- Avoid contact with eyes.	
S46- If swallowed, seek medical advice immediately and show this container or label.	
HMIS (U.S.A.):	
Health Hazard :2	
Fire Hazard :0	
Reactivity:0	
Personal Protection :E	
National Fire Protection ASsociation (U.S.A.):	
Health: 2	
Flammability:0	
Reactivity:0	
Specific hazard:	
Protective Equipment:	
Gloves	
Lab coat	
Dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.	
Splash goggles.	
46 Other information	
16. Other information www.rxmarine.c	om

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of

merchantability

or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without

any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control

and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense

arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product.

If the product is used as a component in another product, this MSDS information may not be applicable.