

## 1. Product and Company Identification

www.rxmarine.com

Product Name Carbon Dioxide Absorbent  
Part Number [RXSOL-81-8197-025](#)

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Kolkata, Chennai, Visakhapatnam, Fujairah

Phone +91 22 27815541 / 42  
Fax +91 22 2781 1318+91 22 2781 5543 :::AOH 0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	Concentration	CAS Number
Calcium Hydroxide	50 - 100 %	1305 - 62 -0
Sodium Hydroxide	0.1 - 1 %	1310 - 73- 2
Potassium Hydroxide	2.0 - 5.0 %	1310- 58 -3

## 3. Hazards Identification

www.rxmarine.com

Odour	Charastic Order
Appearance	Granular, Off white or pink depends on specification
Contact with eyes	Risk of serious damage to eyes (R41).
Contact with skin	Mildly irritating to skin.
Inhalation	Vapours or dust may cause irritation of eyes, nose and respiratory tract.
Ingestion	NA.

## 4. First Aid Measures

www.rxmarine.com

Contact with skin	Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water.
Contact with eyes	If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes. Seek medical advice if necessary.
Ingestion	Never give anything by mouth to an unconscious person. Give plenty of water to drink. Seek medical advice if necessary.
Inhalation	Seek immediate medical advice. If symptoms develop, supply fresh air. If required, provide artificial respiration and medical treatment.
General	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

## 5. Fire-fighting Measures

www.rxmarine.com

- Non combustible
- Carbon oxides may be formed
- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions

## 6. Accidental Release Measures

www.rxmarine.com

Personal Precautions	Wear protective clothing as per section 8.
Environmental Precautions	No special precautions are required for this product.
Immediate Actions	Shut off source of leak if safe to do so.
Clean Up Actions	Absorb spillage in suitable inert material. Flush spill area with copious amounts of water.
Special Precautions	NA

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

Handling	The usual precautions for handling chemicals should be observed Eyewash bottles should be available
Storage	Keep only in the original container in a cool, well ventilated place (S3/9/49) Protect from exposure to light

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

Exposure Limits	Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.
Personal Protection	Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product. Protective work clothes should be worn to prevent skin contact and should be impermeable and resistant to the product.
Occupational exposure controls	In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory device that is independent of circulating air. Use an approved dust mask.



Goggles

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

Odour	Charastic Order
Appearance	Granular, Off white or pink depends on specification
pH (1 % Solution)	Basic
Boiling point	NA
Melting Point	580°C (1076°F) based on data for: Calcium hydroxide. Weighted average: 554.93°C (1030.9°F)
Odor Threshold	NA
Water/Oil Dist. Coeff	Not available.
Specific gravity (water=1)	Weighted average: 2.22
Vapor Pressure:	Not applicable.
Vapor Density	Not applicable.
Volatility	Not applicable.
Solubility	Slightly soluble in cold water. Insoluble in diethyl ether.

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

Stability	The product is stable
Instability Temperature	NA
Conditions of Instability	Incompatible materials, water
Incompatibility with various substances	Reactive with metals, acids, moisture. Slightly reactive to reactive with oxidizing agents, reducing agents, organic materials
Corrosivity	Highly corrosive in presence of aluminum, of zinc. Non-corrosive in presence of glass, of stainless steel(316).
Special Remarks on Reactivity	Incompatible with maleic anhydride, phosphorous, nitroethane, nitromethane, nitroparaffins, nitropropane, polychlorinated potassium nitrate. When chlorinated phenols are heated for analytical purposes with calcium hydroxide-potassium chlorinated benzodioxins analogous to extremely toxic tetrachlorodibenzodioxin may be formed. Readily absorbs CO2

calcium carbonate. (Calcium hydroxide). When dissolved in water or alcohol or when the solution is treated with a generated. Reacts violently with acids, halogens, halogenated hydrocarbons, maleic anhydride, organic anhydrides, isoxalides, epichlorhydrin, aldehydes, alcohols, glycols, phenols, cresols, caprolactum solution. Also incompatible with (nitrobenzene, nitromethane, nitrogen trichloride), organic materials, acid anhydrides, acid chlorides, magnesium tetrahydrofuran, chlorine dioxide, maleic dicarbide, sugars. When wet attacks metals such as aluminum, tin, lead, and zinc hydroxide)

Special Remarks on Corrosivity  
Polymerization

When wet, attacks metals such as aluminum, tin, lead, and zinc, producing flammable hydrogen gas. Severe corrosive to copper and bronze. (Potassium hydroxide)  
Will not occur.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

Routes of Entry	Absorbed through skin. Inhalation. Ingestion.
Toxicity to Animals	Acute oral toxicity (LD50): 273 mg/kg [Rat]. (Potassium hydroxide).
Chronic Effects on Humans	Mutagenic for mammalian somatic cells. [Potassium hydroxide]. Mutagenic for mammalian somatic cells. [Sodium hydroxide]. Contains material which may cause damage to the following organs: mucous membranes, upper respiratory tract, skin, and eyes.
Other Toxic Effects on Humans	Hazardous in case of skin contact (irritant), of eye contact (corrosive), of ingestion, of inhalation (lung corrosive). Slightly hazardous in case of skin contact (corrosive, permeator).
Special Remarks on Toxicity to Animals	Not Available
Special Remarks on other Toxic Effects on Humans	Acute Potential Health Effects: Skin: Causes skin irritation. Alkalies penetrate skin slowly. The extent of damage depends on the duration of contact. Eyes: Causes severe irritation of the eyes. Can cause "Lime Burns" of the eye. Clumps may form in the recesses of the eye, releasing calcium hydroxide over a long period of time. Severe burns of the cornea with possible damage to the corneal nerves can occur. Ingestion: Causes gastrointestinal tract irritation with vomiting, diarrhea, severe pain. Vomiting of blood and desquamated mucosal lining. May cause delayed gastrointestinal burns and perforation (gastric or esophageal) with abdominal pain and rapid fall in blood pressure. Inhalation: Causes severe irritation of the respiratory tract (nose, throat, and mucous membranes with coughing, wheezing and/or shortness of breath. Material is destructive to tissue of the mucous membranes of the upper respiratory tract. Chronic Potential Health Effects: Prolonged or repeated skin contact may produce severe irritation. (Calcium hydroxide)

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Ecotoxicity	NA
BOD5 & COD	NA
Persistence and Biodegradability	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise. Products of Biodegradation: The products of degradation are less toxic than the product itself.
Special Remarks on the Products of Biodegradation	Not Available
Other Adverse Effects	Presents little or no hazard to the environment

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Classification	EU Waste class: -
Disposal considerations	Do not discharge into drains or the environment, dispose to an authorised waste collection point Disposal should be in accordance with local, state or national legislation

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

- Not classified as hazardous for transport in any mode IATA, ROAD, SEA

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

**Federal and State Regulations:** Illinois toxic substances disclosure to employee act: Calcium hydroxide; Sodium hydroxide Illinois chemical safety act: Sodium hydroxide New York release reporting list: Potassium hydroxide; Sodium hydroxide Rhode Island RTK hazardous substances: Calcium hydroxide; Sodium hydroxide Pennsylvania RTK: Calcium hydroxide; Potassium hydroxide; Sodium hydroxide Florida: Potassium hydroxide Minnesota: Calcium hydroxide; Potassium hydroxide; Sodium hydroxide Massachusetts RTK: Calcium hydroxide; Potassium hydroxide; Sodium hydroxide New Jersey: Calcium hydroxide; Potassium hydroxide; Sodium hydroxide; Soda Lime Louisiana spill reporting: Sodium hydroxide

**WHMIS (Canada):**

CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

**DSCL (EEC):**

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

**HMIS (U.S.A.):**

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

**National Fire Protection Association (U.S.A.):**

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

**Protective Equipment:**

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

**??WHMIS (Canada):**

CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

**DSCL (EEC):**

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

**HMIS (U.S.A.):**

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

**National Fire Protection Association (U.S.A.):**

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

**Protective Equipment:**

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

WHMIS (Canada):  
CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

**DSCL (EEC):**

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

**HMIS (U.S.A.):**

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

**National Fire Protection Association (U.S.A.):**

Health: 2

Flammability: 0

Reactivity: 2

---

Specific hazard:

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

WHMIS (Canada):  
CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

DSCL (EEC):

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

WHMIS (Canada):  
CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

DSCL (EEC):

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

WHMIS (Canada):  
CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

DSCL (EEC):

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

WHMIS (Canada):  
CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

DSCL (EEC):

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

---

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

WHMIS (Canada):  
CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

DSCL (EEC):

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

WHMIS (Canada):  
CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

DSCL (EEC):

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

WHMIS (Canada):  
CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

DSCL (EEC):

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

---

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles. WHMIS (Canada):

CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

DSCL (EEC):

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles. WHMIS (Canada):

CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

DSCL (EEC):

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles. WHMIS (Canada):

CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

DSCL (EEC):

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles. WHMIS (Canada):

CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

DSCL (EEC):

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles. WHMIS (Canada):

CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive solid.

DSCL (EEC):

R34- Causes burns. R41- Risk of serious damage to eyes. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 2

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

Specific hazard:

Protective Equipment:

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall **Rx Marine International** be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if **Rx Marine International** has been advised of the possibility of such damages.*

**DISCLAIMER OF LIABILITY** :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.