

1. Product and Company Identification

www.rxmarine.com

Product Name **Morpholine 10% Solution**
Part Number **RXSOL-40-1382-210**

Synonym: **Tetrahydro-2H-1,4-oxazine**
Chemical Formula: **C4H9NO**

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999 / 27815540-42
Fax +91 22 2781 1318 :::AOH : 0091 9821214367
Email mail@rxmarine.com; 123@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	Concentration	CAS Number	EC Number	R Phrases*	Sym Xn.
Morpholine	10%	110-91-8	203-815-1.	10 / 20	Xn.
Distilled Water	90%	7732-18-5	231-791-2	-----	---

*See Section 16

3. Hazards Identification

www.rxmarine.com

Physical hazards	Corosive skin and eye in Contact
Health hazards	Harmful if swallowed
Environmental Hazards	Aquatic Chronic 2 - H411
Potential Acute Health Effects	Hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation. Corrosive on contact. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and skin. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, coughing, choking, or shortness of breath. Inflammation of the eye is characterized by redness, watering, and inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.
Potential Chronic Health Effects	Hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation. C EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DE TOXICITY: Not available. The substance is toxic to lungs, mucous membranes. Repeated or prolonged exposure to produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent at infection. Repeated or prolonged inhalation of vapors may lead to chronic respiratory irritation.

4. First Aid Measures

www.rxmarine.com

Contact with skin	If the chemical got onto the clothed portion of the body, remove the contaminated clothes as quickly as possible, pr hands and body. Place the victim under a deluge shower. If the chemical got on the victim's exposed skin, such as t and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to cle creases and groin. Cold water may be used. If irritation persists, seek medical attention. Wash contaminated clothing t
Contact with eyes	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least water may be used. Get medical attention immediately.
Ingestion	Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indica material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a c

Inhalation

waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention. Allow the victim to rest in a well ventilated area. Evacuate the victim to a safe area as soon as possible. Loosen tight collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform resuscitation. **WARNING:** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation if material is toxic, infectious or corrosive. Seek immediate medical attention

5. Fire-fighting Measures

www.rxmarine.com

Flammability of the Product	:	Non-flammable
Auto-Ignition Temperature	:	Not applicable.
Flash Points	:	Not applicable.
Flammable Limits	:	Not applicable.
Products of Combustion	:	These products are carbon oxides (CO, CO ₂ ...).
Fire Hazards in Presence of Various Substances	:	Not Available
Explosion Hazards in Presence of Various Substances	:	Risks of explosion of the product are not available. Risk of explosion in presence of static discharge is not available.
Fire Fighting Media and Instructions	:	Not applicable.
Special Remarks on Fire Hazards	:	SMALL FIRE: Use DRY chemical extinguisher. Use alcohol foam, water spray or water jet in order to prevent autoignition or explosion.
Special Remarks on Explosion Hazards	:	Not Available

6. Accidental Release Measures

www.rxmarine.com

Personal Precautions

Wear protective clothing as per section 8.

Environmental Precautions

Avoid discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable absorbent material. The product contains substances which are water-soluble and may spread in water systems. The product contains substances which may spread in the atmosphere

Immediate Actions

Shut off source of leak if safe to do so.

Small Spill

Corrosive solid. Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate container.

Large Spill

Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other combustible material. Do not get water inside container. Do not touch spilled material. Use water spray curtain to prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance if necessary. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

7. Handling and Storage

www.rxmarine.com

Handling

Keep container dry. Keep away from heat. Keep away from sources of ignition. Ground all equipment containing conductive material. Do not breathe gas/fumes/vapour/spray. Never add water to this product. In case of insufficient ventilation, use appropriate respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes

Storage

Materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material.

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Control	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their recommended limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.
Personal Protection	Splash goggles. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent.
Personal Protection in case of Large Spill	Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid direct contact with the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
Exposure Limits	TWA: 20 CEIL: 30 (ppm) TWA: 70 CEIL: 105 (mg/m ³) Consult local authorities for acceptable exposure limits.

9. Physical and chemical properties

www.rxmarine.com

Odour	:	Amine like. (Slight.)
Taste	:	Not Available
Appearance	:	Clear Liquid
Molecular Weight	:	87.12 g/mole
pH (1% soln/water)	:	Not Available
Boiling Point	:	128.19°C (262.7°F)
Melting Point	:	-4.9°C (23.2°F)
Critical Temperature	:	Not available.
Specific Gravity	:	0.99- 1.00
Vapor Pressure	:	Not available.
Vapor Density	:	Vapor Density: 3 (Air = 1)
Volatility	:	11% (v/v).
Odor Threshold	:	0.1 ppm
Water/Oil Coeff	:	Not available.
Ionicity (in Water):	:	Not available.
Solubility	:	Easily soluble in cold water

10. Stability and reactivity

www.rxmarine.com

Stability	:	The product is stable.
Instability Temperature	:	Not available.
Conditions of Instability	:	Not Available.
Incompatibility Other	:	Not Available.
Corrosivity	:	Non-corrosive in presence of
Special Remarks on Reactivity	:	Not Available.
Polymerization	:	No

11. Toxicological information

www.rxmarine.com

Routes of Entry	Dermal contact. Eye contact. Inhalation. Ingestion
Toxicity to Animals	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE

	toxicity (LD50): 525 mg/kg [Mouse]. Acute dermal toxicity (LD50): 500 mg/kg [Rabbit]. Acute toxicity of the vapor ppm 4 hour(s) [Rat].
Chronic Effects on Humans	The substance is toxic to lungs, mucous membranes.
Other Toxic Effects on Humans	Hazardous in case of skin contact (irritant, permeator), of ingestion, of inhalation.
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.

12. Ecological information

www.rxmarine.com

Ecotoxicity	Not Available
Mobility	Completely soluble in water
BOD5 and COD	Not available
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise
Special Remarks on the Products of Biodegradation	Not Available

13. Disposal considerations

www.rxmarine.com

Disposal considerations	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
-------------------------	--

14. Transport information

www.rxmarine.com

- **DOT Classification:** NA
- **Identification:** Morpholine Solution
- **Special Provisions for Transport:** Not available.

15. Regulatory information

www.rxmarine.com

Federal and State Regulations	Pennsylvania RTK: Morpholine Massachusetts RTK: Morpholine TSCA 8(b) inventory: Morpholine
Other Regulations	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).
HMIS (U.S.A.):	Health Hazard: 3 Fire Hazard: 0 Reactivity: 0 Personal Protection: h
National Fire Protection Association	Health: 3 Flammability: 0 Reactivity: 0 Specific hazard: NA
Protective Equipment:	Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate ventilation is inadequate. Splash goggles.

16. Other information

www.rxmarine.com

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information. In the event shall **Rx Marine International** be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential damages arising, even if **Rx Marine International** has been advised of the possibility of such damages.*

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. We assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use, or disposal of the product prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.