

## 1. Product and Company Identification

www.rxmarine.com

Product Name Magnesium Nitrate  
Part Number RXSOL-94-1912-025

### Company Details:

**RX MARINE INTERNATIONAL**  
**105, A wing , BSEL , TECH PARK.**  
**VASHI ,NEW BOMBAY 400703 INDIA**

Stock point : Kandla , Mumbai, Chennai, Kolkata, Visakhapatnam, Fujairah, Muscat Barka, Kanya, Canada

Phone +91 22 27815541 / 42 / 43  
Fax +91 22 2781 1318 :::AOH :0091 9821214367  
Email [123@rxmarine.com](mailto:123@rxmarine.com)  
Website [www.rxmarine.com](http://www.rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Name of Substance	Cas Number
Magnesium Nitrate	13446-18-9

## 3. Hazards Identification

www.rxmarine.com

Signal Word Warning  
Hazard Statements This substance is not classified as dangerous according to European Union legislation.  
Precautionary statements - prevention P262 Do not get in eyes, on skin, or on clothing.  
Precautionary statements - response None Known

## 4. First Aid Measures

www.rxmarine.com

Skin Contact	In case of contact, immediately flush skin with plenty of water with mild soap and emollient. Remove contaminated clothing and shoes. Cool the skin. Dry the skin and reuse. Thoroughly clean shoes before reuse. Get medical attention if necessary.
Eye Contact	After eye contact: rinse out with plenty of water with the eyelids open. Get medical attention from an ophthalmologist if necessary.
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.
Ingestion:	Do not induce vomiting. Obtain medical attention. If vomited, do not vomit. Lie on left side (head-down position, if possible) to maintain airway. Get medical attention. Treat symptomatically.
Notes to Physician	Treat symptomatically

## 5. Fire-fighting Measures

www.rxmarine.com

Flammability	May be combustible at high temperature.
Flash Point	Not applicable.
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Hazardous combustion products	Not combustible. Development of hazardous combustion gases or vapours possible in the event of fire cause evolution of: nitrous gases, nitrogen oxides.
Protective Equipment	Use personal protective equipment.
Specific Hazards Arising from the Chemical	Not considered to be a significant fire risk.

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

Spillage	Oxidizing material. Stop leak if without risk. Avoid contact with paper, oil, clothing...). Keep substance damp using water. Prevent entry into sewers, basements or confined areas. Call for assistance on disposal.
Personal Protection	Advice for non-emergency personnel: Avoid inhalation. In case of emergency procedures, consult an expert. Advice for emergency responders: see section 8.
Environmental Precaution	Do not let product enter drains.
Methods and materials for containment and cleaning	Cover drains. Collect, bind, and pump off spills. Observe label (7 and 10). Take up dry. Dispose of properly. Clean up as directed.

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

Handling	Do not ingest. Do not breathe dust. Avoid contact with eyes. In case of insufficient ventilation, wear suitable respiratory protection. Advise immediately and show the container or the label. Keep away from sources of ignition. Keep away from confined spaces. a fire risk, evaporate the residue under a fume hood. .
Storage	Keep container tightly closed. Keep container in a cool, dry place, away from alkalis, reducing agents and combustibles. See NFPA 43A, Code for the Storage and Handling of Flammable and Combustible Liquids, store above 23°C (73.4°F).
Advice on general occupational hygiene	Advice on safe handling Observe label precautions. Change clothes after working with substance.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

Engineering Control	Use process enclosures, local exhaust ventilation, or other engineering controls to keep exposure levels below recommended exposure limits. If user operates in poorly ventilated areas, use local exhaust ventilation to keep exposure to airborne contaminants below recommended exposure limits.
Personal Protection	<b>Eye/face Protection</b> : Wear appropriate protective equipment as described by OSHA's eye and face protection regulation 29 CFR 1910.133 or European Standard EN166. Tightly fitting safety goggles. <b>Skin and body protection</b> : Wear appropriate protective clothing to prevent skin exposure. <b>Respiratory Protection</b> : Follow the OSHA regulation 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH approved respirator if recommended exposure limits are exceeded or if irritation or other symptoms are experienced.
Other Protection Measure	Handle in accordance with good industrial hygiene and safety practices.



## Gloves Suit

### 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

Form	Solid
Colour	White
Odour	Odourless
Odor Threshold	No Information Available
pH	5 - 7
Melting Point	89 °C
Boiling Point	Not Applicable
Flash Point	Does Not Flash
Evaporation Rate	Not Applicable
Flammability (solid, gas)	No Data Available
Explosive limits	No Data Available
Vapour pressure	Not Applicable
Vapour Density	Not Applicable
Specific Gravity	1.46 (Water = 1)
Partition coefficient	No data available
Explosive properties	None
Solubility	Soluble in water. 420 g / L at 20°C
Decomposition temperature	Decomposition temperature > 90 °C Elimination of water of crystallisation 330 °C

### 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

Recativity	Explosible
Stability	Product is stable.
Possibility of hazardous reaction	Risk of explosion with: Esters organic combustible substances, oxidisable substances, Strong acids, Pow phosphorus.Exothermic reaction with: Dimethylformamide, Reducing agents
Conditions to avoid	Strong Heating
Incompatible materials	No Information available
Hazardous Polymerization	Hazardous polymerization does not occur.

### 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

Rout Of Entry	Eye contact. Inhalation. Ingestion
Toxicity to Animal	Acute oral toxicity (LD50): 5440 mg/kg [Rat].
Toxic Effects on Humans	May cause damage to the following organs: blood, kidneys, lungs, gastrointestinal tract.
Special Remarks on other Toxic	Also irritating to mucous membranes. May affect lungs and central nervous system. Excessive amounts of magnes

Effects on Humans: central nervous system depression, and may also affect the heart. Other Chronic Effects: May cause methemoglobinemia characterized by chocolate-brown colored blood, headache, weakness, dizziness, breath shortness, cyanosis, rapid unconsciousness and possible death. Repeated exposure may cause kidney damage and digestive tract abnormalities. 1. delayed.

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Eco Toxicity No information available.  
COD and BOD 5 Not Available  
Products of Biodegradation: No Information available  
Mobility in soil No Information available  
Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.  
Other adverse effects Discharge into the environment must be avoided.

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Waste treatment Method Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original packaging and do not mix with other waste. Handle uncleaned containers like the product itself

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

DOT Not classified as dangerous in the meaning of transport regulations.

IATA Not classified as dangerous in the meaning of transport regulations.

IMDG Not classified as dangerous in the meaning of transport regulations.

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

Federal and State Regulation No products were found.  
Other Regulation OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).  
WHMIS (Canada) CLASS C: Oxidizing material.  
DSCG (EEC) R8- Contact with combustible material may cause fire. R36/37/38- Irritating to eyes, respiratory system and skin. S2- Harmful to the environment.  
S10- Store in a well-ventilated place.

HMIS  
Health Hazard : 2  
Fire Hazard : 1  
Reactivity : 0  
Personal Protection : E

---

Fire :	
Health Hazard	: 2
Fire Hazard	: 1
Reactivity	: 0
Specific Hazard	:

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

### Other Information

The information above is believed to be accurate and available to us. However, we make no warranty of accuracy, implied, with respect to such information, and we do not warrant that we should make their own investigations to determine the accuracy for particular purposes. In no event shall we be liable for any damages, for lost profits or any special, indirect, incidental, or consequential damages arising, even if **Rx Marine International** has been advised in writing that such information is incorrect.

**DISCLAIMER OF LIABILITY** :The information in this MSDS is believed to be reliable. However, the information is provided as a guide only and regarding its correctness. The conditions or methods of use are beyond our control and may be beyond our knowledge. We do not assume responsibility and expressly disclaim liability for any way connected with the handling, storage, use or disposal of this product and is to be used only for this product. If the product is used for any other purpose, the MSDS information may not be applicable.