

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-60-6604-069

Product Type Bismuth Metal Powder

Revised date

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone +91 22 27815541 / 42

Fax +91 22 2781 1318 :::AOH :0091 9821214367

Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Substances

Formula : Bi

Molecular weight : 208.98 g/mol

CAS-No. : 7440-69-9

No components need to be disclosed according to the applicable regulations.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3. Hazards Identification

www.rxmarine.com

3.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable solids (Category 1), H228

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H228 Flammable solid.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P370 + P378 In case of fire: Use dry powder or dry sand to extinguish.

Supplemental Hazard none

Statements

3.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. Fire-fighting Measures

www.rxmarine.com

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. Accidental Release Measures

www.rxmarine.com

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7.1 Precautions for safe handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition -

No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Flammable solid hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure controls and personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

Body Protection

Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If the full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. Physical and chemical properties

www.rxmarine.com

9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: Dark purple to grey to black

b) Odour No data available

c) Odour Threshold No data available

d) pH No data available No data available

e) Melting point/freezing Melting point/range: 271 °C - lit.
point

f) Initial boiling point and

boiling range 1,560 °C - lit.

g) Flash point No data available

h) Evaporation rate No data available

i) Flammability (solid, gas) The substance or mixture is a flammable solid with the category 1

j) Upper/lower No data available

flammability or

explosive limits

k) Vapour pressure No data available

l) Vapour density No data available

m) Relative density 9.8 g/mL at 25 °C

n) Water solubility No data available

o) Partition coefficient n- No data available

octanol/water

p) Auto-ignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data available

s) Explosive properties No data available

t) Oxidizing properties No data available

9.2 Other safety information

No data available

10. Stability and reactivity

www.rxmarine.com

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known.

In the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 2,000 mg/kg(Bismuth Powder)

(OECD Test Guideline 401)

Skin corrosion/irritation

No data available(Bismuth Powder)

Serious eye damage/eye irritation

No data available(Bismuth Powder)

Respiratory or skin sensitisation

No data available(Bismuth Powder)

Germ cell mutagenicity

No data available(Bismuth Powder)

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available(Bismuth Powder)

Specific target organ toxicity - single exposure

No data available(Bismuth Powder)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available(Bismuth Powder)

Additional Information

RTECS: EB2600000

12. Ecological information

www.rxmarine.com

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available(Bismuth Powder)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

13. Disposal considerations

www.rxmarine.com

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. Transport information

www.rxmarine.com

14.1 UN number

ADR/RID: 3089 IMDG: 3089 IATA: 3089

14.2 UN proper shipping name

ADR/RID: METAL POWDER, FLAMMABLE, N.O.S. (Bismuth Powder)

IMDG: METAL POWDER, FLAMMABLE, N.O.S. (Bismuth Powder)

IATA: Metal powder, flammable, n.o.s. (Bismuth Powder)

14.3 Transport hazard class(es)

ADR/RID: 4.1 IMDG: 4.1 IATA: 4.1

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

ADR - Packing instructions : P001

ADR - Limited Quantity : 1 L

ADR - Tunnel code : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and

E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : ACETIC ACID,

UN N° : 2789

IMO-IMDG - Class or division : 8 : Corrosive substance. (3 : Flammable liquid.)

IMO-IMDG - Packing group : II

IMO- IMDG - Packing instructions : P001

IMO-IMDG - Limited quantities : 1 L

IMO-IMDG - Marine pollution : No

EMS-Nr : F-E S-C

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : ACETIC ACID

UN N° : 2789

IATA - Class or division : 8 : Corrosive substance. (3 : Flammable liquid.)

IATA - Packing group : II

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing : 851

instruction

- Passenger and Cargo - Maximum : 1 L

Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 855

- Cargo only - Maximum Quantity/ : 30 L

Packing

15. Regulatory information

www.rxmarine.com

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN

PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification,

labelling and packaging of substances and mixtures, amending and repealing Directives

67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used

only as a guide. The information in this document is based on the present state of our knowledge and is

applicable to the product with regard to appropriate safety precautions. It does not represent any

guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held

liable for any damage resulting from handling or from contact with the above product. See

www.cdhfinechemical.com for additional terms and conditions

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.