1. Product and Company Identifaction

www.rxmarine.com

Product Name RXSOL-60-6605-497

Product Type SODIUM DICHROMATE (DIHYDRATE) AR

Revised date

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Stock Point: Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone +91 22 27815541 / 42

Fax +91 22 2781 1318 :::AOH :0091 9821214367

Email <u>mail@rxmarine.com</u>

2. Composition / Information on ingredients

www.rxmarine.com

Substance / Preparation : Sodium dichromate dihydrate

CAS No:007789-12-0

Substance.

Substance name Contents CAS No

Sodium dichromate dihydrate: 100 % 7789-12-0

Contains no other components or impurities which will influence the classification of the

product.

3. Hazards Identification

www.rxmarine.com

3.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification: O; R8

Carc. Cat. 2; R45

Muta. Cat. 2; R46

Repr. Cat. 2; R60-61

T+; R26

T; R25-R48/23

Xn; R21

C; R34

Xn; R42/43

N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards: Carcinogenicity - Category 1B - Danger (CLP: Carc. 1B) H350

Reproductive toxicity - Fertility - Category 1B - Danger (CLP: Repr. 1B) H360

Reproductive toxicity - Unborn Child - Category 1B - Danger (CLP: Repr. 1B) H360

Specific Target Organ Toxicity - Repeated exposure - Category 1 - Danger (CLP:STOT

RE 1) H372

Acute toxicity, Oral - Category 3 - Danger (CLP: Acute Tox. 3) H301

Skin sensitisation - Category 1 - Warning (CLP: Skin Sens. 1) H317

Serious eye damage - Category 1 - Danger (CLP: Eye Dam. 1) H318

Skin corrosion - Category 1B - Danger (CLP: Skin Corr. 1B) H314

Acute toxicity, Inhalation - Category 2 - Danger (CLP: Acute Tox. 2) H330

Respiratory sensitization - Category 1 - Danger (CLP: Resp. Sens. 1) H334

Germ cell mutagenicity - Category 1B - Danger (CLP: Muta. 1B) H340

Acute toxicity, dermal - Category 4 - Warning (CLP : Acute Tox. 4) H312

Physical hazards: Oxidizing solids - Category 1 - Danger (CLP: Ox. Sol. 1) H271

Environmental hazards: Hazardous to the aquatic environment - Acute hazard -

Category 1 - Warning (CLP : Aquatic Acute 1) H400

Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (

CLP: Aquatic Chronic 1) H410

3.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s): T+: Very toxic

 $N: \mbox{\it Dangerous}$ for the environment

O: Oxidizing

R Phrase(s): R45: May cause cancer.

R46: May cause heritable genetic damage.

R60 : May impair fertility.

R61: May cause harm to the unborn child.

R8: Contact with combustible material may cause fire.

R21: Harmful in contact with skin.

R25: Toxic if swallowed.

R26: Very toxic by inhalation.

R34: Causes burns.

R42/43: May cause sensitization by inhalation and skin contact.

R48/23: Toxic: danger of serious damage to health by prolonged exposure through

inhalation.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

S Phrase(s): S53: Avoid exposure - obtain special instructions before use.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show

the label when possible).

S60: This material and its container must be disposed of as hazardous waste.

S61: Avoid release to the environment. Refer to special instructions/Safety data sheets.

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms

Signal words: Danger

Hazard statements: H271: May cause fire or explosion; strong oxidizer.

H330: Fatal if inhaled.

H314 : Causes severe skin burns and eye damage.

H301: Toxic if swallowed.

H350: May cause cancer.

H340: May cause genetic defects.

H360F: May damage fertility.

H312: Harmful in contact with skin.

H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317: May cause an allergic skin reaction.

H372: Causes damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

H360D: May damage the unborn child.

Precautionary statements

🛚 General : P201: Obtain special instructions before use.

Prevention: P210: Keep away from heat, sparks, open flames or hot surfaces. No

smoking.

P284: Wear respiratory protection.

P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment.

P220: Keep away from clothing - combustible materials.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing should not be allowed out of the workplace.

Response: P371+P380+P375: In case of major fire and large quantities: Evacuate area.

Fight

fire remotely due to the risk of explosion.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P308+P313: If exposed or concerned: get medical advice.

P391: Collect spillage.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position

comfortable for breathing.

P303+P361+P353: IF ON SKIN (or hair): Remove immediately all contaminated

clothing. Rinse skin with water/shower.

P306+P360: IF ON CLOTHING: Rinse immediately contaminated clothing and skin

with plenty of water before removing clothes.

P333+P313: If skin irritation or rash occurs: Get medical advice.

P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER or

doctor.

P363: Wash contaminated clothing before reuse.

P314: Get medical advice if you feel unwell.

P370+P378: In case of fire: Use for extinction.

🛚 Storage: P403+P233: Store in well-ventilated place. Keep container tightly closed.

P405: Store locked up.

🛽 Disposal considerations : P501: Dispose of this material and its container to hazardous

or special waste collection point, in accordance with local, regional, national and/or

international regulation.

Special labelling: Restricted to professional users. (Substances which appear in Part 3 of

Annex VI to Regulation (EC) No 1272/2008)

3.3. Other hazards

Other hazards: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

4. First Aid Measures

www.rxmarine.com

4.1. Description of first aid measures

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor. Specific treatment is urgent (see on this label). If experiencing respiratory symptoms:

Skin contact: Immediately call a POISON CENTER or doctor. If skin irritation or rash occurs: Get medical advice. Wash with plenty of soap and water. Wash contaminated clothing before reuse. Remove/Take off immediately all contaminated clothing. Specific treatment (see on this label). IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

Eye contact: Rinse cautiously with water for several minutes. Immediately call a POISON CENTER or doctor. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion: Do NOT induce vomiting. Rinse mouth. Specific treatment (see on this label).

Immediately call a POISON CENTER or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use: May cause cancer. May cause genetic defects.

Causes damage to organs through prolonged or repeated exposure. Fatal if inhaled.

Causes severe skin burns and eye damage. Causes serious eye damage. May damage fertility. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May damage the unborn child. Swallowing a small quantity of this material will result in serious health hazard. Repeated exposure to this material can result in absorption through skin causing significant health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

General information: P308+P313: If exposed or concerned: get medical advice. Never

give anything by mouth to an unconscious person. If exposed or concerned : get medical

advice.

5. Fire-fighting Measures

www.rxmarine.com

5.1. Extinguishing media

Suitable extinguishing media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

Surrounding fires: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Flammable class: May cause fire or explosion; strong oxidizer.

Hazardous combustion products: Under fire conditions, hazardous fumes will be

present. Thermal decomposition generates: Corrosive vapours.

5.3. Advice for fire-fighters

Protection against fire: Do not enter fire area without proper protective equipment,

including respiratory protection.

Special procedures: Exercise caution when fighting any chemical fire. Avoid (reject)

fire-fighting water to enter environment. In case of major fire and large quantities:

Evacuate area. Fight fire remotely due to the risk of explosion.

6. Accidental Release Measures

www.rxmarine.com

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders: Equip cleanup crew with proper protection.

Ventilate area.

Special precautions: No naked lights. No smoking.

May cause fire or explosion; strong oxidizer. For non-emergency personnel:

Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions: Prevent entry to sewers and public waters. Notify

authorities if product enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods: On land, sweep or shovel into suitable containers. Minimize

generation of dust. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and Storage

www.rxmarine.com

7.1. Precautions for safe handling

Handling: Obtain special instructions before use. Wash contaminated clothing before reuse. Do not breathe dust, fume, gas, mist, vapours, spray. Contaminated work clothing should not be allowed out of the workplace. Take any precaution to avoid mixing with combustibles. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not eat, drink or smoke when using this product. Eliminate all ignition sources if safe to do so. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

Technical protective measures: Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep in

fireproof place. Keep container tightly closed.

Storage regulation: Comply with applicable regulations.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

Heat sources. Combustible material.

7.3. Specific end use(s)

Specific end use(s): None.

8. Exposure controls and personal protection

www.rxmarine.com

8.1. Exposure controls

Personal protection: Avoid all unnecessary exposure.

🛚 Respiratory protection : Wear respiratory protection.

[] Hand protection : Wear protective gloves.

🛚 Skin protection : Wear suitable protective clothing.

2 Eye protection: Chemical goggles or face shield.

🛚 Others : When using, do not eat, drink or smoke. Wear fire, flame resistant, retardant

clothing.

8.2. Control parameters

Occupational Exposure Limits: No data available.

9. Physical and chemical properties

www.rxmarine.com

9.1. Information on basic physical and chemical properties

Physical state at 20 °C: Solid.

Odour threshold: No data available.

pH value: Not applicable.

Melting point [°C]: 91 °C

Decomposition point [°C]: N/A

Critical temperature $[^{\circ}C]$: N/A

Auto-ignition temperature [°C]: N/A

Flammability (solid, gas): N/A

Flash point [°C]: N/A

Boiling point [°C]: N/A

Initial boiling point [°C]: N/A

Final boiling point [°C]: N/A

Evaporation rate: N/A

Vapour pressure [20°C] : N/A

Vapour pressure mm/Hg: N/A

Vapour density: 10

Density [g/cm3]: 2,35

Relative density, gas (air=1): N/A

Relative density, liquid (water=1): N/A

Solubility in water [% weight] : Soluble in water (73

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility: 3.5-4.0

Viscosity at 40°C [mm2/s]: N/A

9.2. Other information

Explosive properties: N/A

Explosion limits - upper [%]: N/A

Explosion limits - lower [%]: N/A

Oxidising properties: May cause fire or explosion; strong oxidizer.

10. Stability and reactivity

www.rxmarine.com

10.1. Reactivity

Reactivity: Not established.

10.2. Chemical stability

Chemical stability: Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Not established.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Extremely high or low temperatures. Heat. Sparks.

Overheating. Open flame.

10.5. Incompatible materials

Materials to avoid: Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.

Thermal decomposition generates: Corrosive vapours.

11.1. Information on toxicological effects

Acute toxicity

? Inhalation : Fatal if inhaled.

2 Dermal: Harmful in contact with skin.

Ingestion : Toxic if swallowed.

Corrosion: Causes severe skin burns and eye damage. Causes serious eye damage.

Irritation: Based on available data, the classification criteria are not met.

Sensitization: May cause allergy or asthma symptoms or breathing difficulties if

inhaled. May cause an allergic skin reaction.

Mutagenicity: May cause genetic defects.

Carcinogenicity: May cause cancer.

Toxic for reproduction: May damage fertility. May damage the unborn child.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Causes damage to organs through prolonged or repeated

exposure.

Aspiration hazard: Based on available data, the classification criteria are not met.

12. Ecological information

www.rxmarine.com

12.1. Toxicity

Toxicity information: Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

 $Persistence \hbox{--} degradability: May \ cause \hbox{long-term adverse effects in the environment.}$

12.3. Bioaccumulative potential

Bioaccumulative potential: Not established.

12.4. Mobility in soil

Mobility in soil: Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be

identified as PBT substance or vPvB substance according to Annex XIII of Regulation

REACH.

12.6. Other adverse effects

Environmental precautions: Avoid release to the environment.

13. Disposal considerations

www.rxmarine.com

13.1. Waste treatment methods

General: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Hazardous waste due to potential risk of explosion. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions: Hazardous waste due to toxicity.

14. Transport information

www.rxmarine.com

14.1. Land transport (ADR-RID)

Proper shipping name: Oxidizing solid, toxic, n.o.s.

UN N°: 3087

H.I. nr: 665

ADR - Class: 5.1(6.1)

Labelling - Transport: 5.1 : Oxidizing substances.6.1 : Toxic substances.

ADR - Classification code: TO2

ADR - Group: I I

ADR - Packing instructions: P002

ADR - Limited Quantity: 0

ADR - Tunnel code: C/E: Tank carriage: Passage forbidden through tunnels of category

C, D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name: Oxidizing solid, toxic, n.o.s.

UN N°: 3087

IMO-IMDG - Class or division: 5.1 : Oxidizing substances. (6.1 : Toxic substances.)

IMO-IMDG - Packing group: I I

IMO- IMDG - Packing instructions: P002

IMO-IMDG - Limited quantities: None

IMO-IMDG - Marine pollution: Yes

EMS-Nr: F-A S-Q

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name: Oxidizing solid, toxic, n.o.s.

UN N°: 3087

IATA - Class or division: 5.1 : Oxidizing substances. (6.1 : Toxic substances.)

IATA - Packing group: I I

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing: 665

instruction

- Passenger and Cargo - Maximum: 1 kg

Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction: 672

- Cargo only - Maximum Quantity/: 15 kg

Packing

ERG-Nr: 6X

15. Regulatory information

www.rxmarine.com

15.1. Safety, health and environmental regulations/legislation specific for the

substance or mixture

Safety, health and environmental: Ensure all national/local regulations are observed.

regulations/legislation specific for the substance or mixture

REACH Restrictions - Annex XVII: With the exception of those listed below:

The components of this product are not subject to restrictions.

Annex XVII

REACH Authorisation - Annex XIV: The components of this product are not subject

to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment: It has not been carried out.

16. Other information

www.rxmarine.com

Abbreviations and acronyms: PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used: REGULATION (EC) No 1272/2008 OF THE EUROPEAN

PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification,

labelling and packaging of substances and mixtures, amending and repealing Directives

67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information: None.

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation

(CE) Nº 1272/2008

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable