

## 1. Product and Company Identification

[www.rxmarine.com](http://www.rxmarine.com)

Product Name [RXSOL-60-6605-504](#)  
Product Type SODIUM DITHIONITE PURIFIED  
Revised date

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone +91 22 27815541 / 42  
Fax +91 22 2781 1318 :::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

[www.rxmarine.com](http://www.rxmarine.com)

Substance / Preparation : Sodium dithionite

CAS No :7775-14-6

Substance.

Substance name Contents CAS No

Sodium dithionite : 100 % 7775-14-6

Contains no other components or impurities which will influence the classification of the product.

## 3. Hazards Identification

[www.rxmarine.com](http://www.rxmarine.com)

### 3.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : R7

Xn; R22

R31

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4)

H302Physical hazards : Oxidizing solids - Category 3 - Warning (CLP : Ox. Sol. 3) H272

### 3.2. Label elements

Symbol(s) : Xn : Harmful

R Phrase(s) : R7 : May cause fire.

R22 : Harmful if swallowed.

R31 : Contact with acids liberates toxic gas.

S Phrase(s) : S2 : Keep out of the reach of children.

S7/8 : Keep container tightly closed and dry

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 : After contact with skin, wash immediately with

S43 : In case of fire, use .

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms

Signal words : Warning

Hazard statements : H272 : May intensify fire; oxidizer.

H302 : Harmful if swallowed.

Precautionary statements

☒ General : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

☒ Prevention : P210: Keep away from heat, sparks, open flames or hot surfaces. ☒ No smoking.

P280: Wear protective gloves, protective clothing, eye protection, face protection.

P220: Keep away from combustible materials.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

☒ Response : P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.

P370+P378: In case of fire: Use for extinction.

☒ Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 3.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT

## 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

Ingestion : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.

Call a POISON CENTER or doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Swallowing a small quantity of this material will result in serious health hazard.

### 4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

### 5.2. Special hazards arising from the substance or mixture

Flammable class : May intensify fire; oxidizer.

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

### 5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment,

---

including respiratory protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject)

fire-fighting water to enter environment. Fight fire remotely due to the risk of explosion

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

Special precautions : No naked lights. No smoking. May intensify fire; oxidizer.

For non-emergency personnel : Evacuate unnecessary personnel.

### 6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

### 7.1. Precautions for safe handling

Handling : Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Take any precaution to avoid mixing with combustibles.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Proper grounding procedures to avoid static electricity should be followed.

### 7.2. Conditions for safe storage, including any incompatibilities

---

Storage : Keep only in the original container in a cool, well ventilated place. Keep

container closed when not in use. Keep in fireproof place.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

Heat sources. Combustible material.

### 7.3. Specific end use(s)

Specific end use(s) : None.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

### 8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

☐ Respiratory protection : Wear approved mask.

☐ Hand protection : Wear protective gloves.

☐ Eye protection : Chemical goggles or safety glasses.

☐ Others : When using, do not eat, drink or smoke.

### 8.2. Control parameters

Occupational Exposure Limits : No data available.

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Odour threshold : No data available.

pH value : Not applicable.

Melting point [°C] : 300 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : N/A

---

Flash point [°C] : N/A

Boiling point [°C] : N/A

Initial boiling point [°C] : N/A

Final boiling point [°C] : N/A

Evaporation rate : N/A

Vapour pressure [20°C] : N/A

Vapour pressure mm/Hg : N/A

Vapour density : 3,6

Density [g/cm3] : 2,19

Relative density, gas (air=1) : N/A

Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Soluble in water

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : 7 - 9

Viscosity at 40°C [mm2/s] : N/A

#### 9.2. Other information

Explosive properties : N/A

Explosion limits - upper [%] : N/A

Explosion limits - lower [%] : N/A

Oxidising properties : May intensify fire; oxidizer.

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

### 10.1. Reactivity

Reactivity : Highly reactive material.

### 10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

### 10.4. Conditions to avoid

---

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Heat. Sparks.

Overheating. Open flame.

#### 10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

### 11.1. Information on toxicological effects

#### Acute toxicity

☒ Inhalation : Based on available data, the classification criteria are not met.

☒ Dermal : Based on available data, the classification criteria are not met.

☒ Ingestion : Harmful if swallowed. .

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

### 12.1. Toxicity

Toxicity information : Not established.

### 12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

---

### 12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

### 12.4. Mobility in soil

Mobility in soil : Not established.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

### 12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

### 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

### 14.1. Land transport (ADR-RID)

Proper shipping name : SODIUM DITHIONITE (SODIUM HYDROSULPHITE)

UN N° : 1384

H.I. nr : 40

ADR - Class : 4.2

Labelling - Transport : 4.2 : Substances liable to spontaneous combustion.

ADR - Classification code : S4

ADR - Group : II

ADR - Packing instructions : P410



---

ADR - Limited Quantity : 0

ADR - Tunnel code : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : SODIUM DITHIONITE (SODIUM HYDROSULPHITE)

UN N° : 1384

IMO-IMDG - Class or division : 4.2 : Substances liable to spontaneous combustion.

IMO-IMDG - Packing group : II

IMO- IMDG - Packing instructions : P410

IMO-IMDG - Limited quantities : None

IMO-IMDG - Marine pollution : No

EMS-Nr : F-A S-J

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : SODIUM DITHIONITE (SODIUM HYDROSULPHITE)

UN N° : 1384

IATA - Class or division : 4.2 : Substances liable to spontaneous combustion.

IATA - Packing group : II

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing : 467

instruction - Passenger and Cargo - Maximum : 15 kg

Quantity/Packing IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 470

- Cargo only - Maximum Quantity/ : 50 kg

Packing ERG-Nr : 4L

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed. regulations/legislation specific for the substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to

restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

#### 15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER OF LIABILITY :** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable

## 1. Product and Company Identification

[www.rxmarine.com](http://www.rxmarine.com)

Product Name	RXSOL-60-6605-488
Product Type	SODIUM CHLORITE FLAKES 80%
Revised date	

#### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone	+91 22 27815541 / 42
Fax	+91 22 2781 1318 ::::AOH :0091 9821214367
Email	<a href="mailto:mail@rxmarine.com">mail@rxmarine.com</a>

## 2. Composition / Information on ingredients

[www.rxmarine.com](http://www.rxmarine.com)

2.1. Substance : SODIUM CHLORITE 80%

CAS No : 7758-19-2

Substance.

Contains no other components or impurities which will influence the classification of the product.

2.2. Mixture

Not applicable

## 3. Hazards Identification

[www.rxmarine.com](http://www.rxmarine.com)

3.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272

Category 2

Acute toxicity (oral), H301

Category 3

Acute toxicity (dermal), H310

Category 1

Acute toxicity H330

(inhalation:dust,mist)

Category 1

Skin corrosion/irritation, H314

Category 1

Hazardous to the aquatic H400

environment ☐ Acute

Hazard, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

---

Symbol(s) : O : Oxidizing

T : Very toxic

C: Corrosive

N : Dangerous for the environment

R Phrase(s) :R8 : Contact with combustible material may cause fire.

R20: Harmful by inhalation.

R24/25: Toxic in contact with skin and if swallowed.

R32: Contact with acids liberates very toxic gas.

R36/37/38: Irritating to eyes, respiratory system and skin.

S Phrase(s) : S17 : Keep away from combustible material.

S26 : In the case of contact with eyes, rinse immediately with plenty of water and seek

medical advice

S27: Take off immediately all contaminated clothing

S36 : Wear suitable protective clothing.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the

label where possible).

### 3.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Extra labelling to displayExtra classification(s) to display

Hazard pictograms

Signal word : Danger

Hazard statements : H272 - May intensify fire; oxidiser

H301 - Toxic if swallowed

H310+H330 - Fatal in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage

H400 - Very toxic to aquatic life

Precautionary statements : P220 - Keep/Store away from clothing/ /combustible

materials

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - [In case of inadequate ventilation] wear respiratory protection

P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

---

---

### 3.3. Other hazards

No additional information available

## 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice. First-aid measures after skin contact : Take off contaminated clothing. Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention. First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. If you feel unwell, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : Fatal if inhaled.

Symptoms/injuries after skin contact : Fatal in contact with skin.

Symptoms/injuries after ingestion : Toxic if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : May intensify fire; oxidiser.

---

Explosion hazard : Explosive when mixed with combustible material. Heating may cause

an explosion. Hazardous decomposition products in

case of fire : Thermal decomposition generates : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Very toxic to aquatic life.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Large spills: scoop solid spill into closing containers.

### 6.4. Reference to other sections

No additional information available

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

---

Storage conditions : Keep container tightly closed. Store in original container. Store in a

dry place. Incompatible products : Oxidizing agent. Strong bases. Strong acids.

### 7.3. Specific end use(s)

No additional information available

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

### 9.1. Information on basic physical and chemical properties

Odour threshold : No data available

pH : 10 - 11

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

---

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Solubility : Water: Appreciable (> 10%) Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : ? 0.07 vol %

## 9.2. Other information

No additional information available

# 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

## 10.1. Reactivity

May cause or intensify fire; oxidizer.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Highly reactive material. Contact with acids liberates very toxic gas.

## 10.4. Conditions to avoid

Direct sunlight. Heat. Water, humidity.

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

No additional information available

# 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

## 11.1. Information on toxicological effects



---

Acute toxicity : Oral: Toxic if swallowed. Dermal: Fatal in contact with skin.

Inhalation:dust/mist: Fatal if inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 10 - 11

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 10 - 11

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms

: Harmful if swallowed. Toxic in contact with skin.

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## 13. Disposal considerations

www.rxmarine.com

### 13.1. Waste treatment methods

Product/Packaging disposal

Recommendations : Dispose of contents/container to ...

Ecology - waste materials : Hazardous waste due to toxicity.

## 14. Transport information

www.rxmarine.com

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 1496

UN-No. (IMDG) : 1496

UN-No.(IATA) : 1496

UN-No.(ADN) : 1496

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM CHLORITE

Proper Shipping Name (IMDG) : SODIUM CHLORITE

Proper Shipping Name (IATA) : SODIUM CHLORITE

Proper Shipping Name (ADN) : SODIUM CHLORITE

Proper Shipping Name (RID) : SODIUM CHLORITE

Transport document description (ADR) : UN 1496 SODIUM CHLORITE, 5.1, II, (E)

, ENVIRONMENTALLY HAZARDOUS Transport document description (IMDG) : UN 1496 SODIUM CHLORITE, 5.1, II, MARINE POLLUTANT/ENVIRONMENTALLY

HAZARDOUS

Transport document description (IATA) : UN 1496 SODIUM CHLORITE, 5.1, II,

ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN) : UN 1496 SODIUM CHLORITE, 5.1, II,

ENVIRONMENTALLY HAZARDOUS

Transport document description (RID) : UN 1496 SODIUM CHLORITE, 5.1, II,

ENVIRONMENTALLY HAZARDOUS

---

#### 14.3. Transport hazard class(es)

ADR : Transport hazard class(es) (ADR) : 5.1

Danger labels (ADR) : 5.1

IMDG :Transport hazard class(es) (IMDG) : 5.1

Danger labels (IMDG) : 5.1

IATA : Transport hazard class(es) (IATA) : 5.1

Hazard labels (IATA) : 5.1

ADN : Transport hazard class(es) (ADN) : 5.1

Danger labels (ADN) : 5.1

RID : Transport hazard class(es) (RID) : 5.1

Danger labels (RID) : 5.1

#### 14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

#### 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No

supplementary information available

#### 14.6. Special precautions for user

- Overland transport

Classification code (ADR) : O2

Limited quantities (ADR) : 1kg

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP2

Portable tank and bulk container

instructions (ADR) : T3

Portable tank and bulk container special

provisions (ADR) : TP33

---

---

Tank code (ADR) : SGAN

Tank special provisions (ADR) : TU3

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Special provisions for carriage - Packages

(ADR) : V11

Special provisions for carriage - Loading,

unloading and handling (ADR) : CV24

Hazard identification number (Kemler No.) : 50

Orange plates : Tunnel restriction code (ADR) : E

EAC code : 1Y

- Transport by sea

Limited quantities (IMDG) : 1 kg

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P002

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B2, B4

Tank instructions (IMDG) : T3

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-H EmS-No. (Spillage) : S-Q

Stowage category (IMDG) : A

Segregation (IMDG) : SG38, SG49

MFAG-No : 143

- Air transport

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y544

PCA limited quantity max net quantity

(IATA) :

2.5kg

PCA packing instructions (IATA) : 558

PCA max net quantity (IATA) : 5kg

CAO packing instructions (IATA) : 562

CAO max net quantity (IATA) : 25kg

ERG code (IATA) : 5L

---

---

- Inland waterway transport

Classification code (ADN) : O2

Limited quantities (ADN) : 1 kg

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : O2

Limited quantities (RID) : 1kg

Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

Mixed packing provisions (RID) : MP2

Portable tank and bulk container

instructions (RID) : T3

Portable tank and bulk container special

provisions (RID) : TP33

Tank codes for RID tanks (RID) : SGAN

Special provisions for RID tanks (RID) : TU3

Transport category (RID) : 2

Special provisions for carriage ☐ Packages

(RID) : W11

Special provisions for carriage ☐ Loading

and unloading (RID) : CW24

Colis express (express parcels) (RID) : CE10

Hazard identification number (RID) : 50

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

15.1. Safety, health and environmental regulations/legislation specific for

---

the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Sodium chlorite is not on the REACH Candidate List

Sodium chlorite is not on the REACH Annex XIV List

#### 15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water

(Classification according to VwVwS, Annex 2; WGK No 487)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous

Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not

allowed to use the product Pregnant/breastfeeding women working with the product must

not be in direct contact with the product

#### 15.2. Chemical safety assessment

No additional information available

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its

correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

8.1. Control parameters No additional information available 8.2. Exposure controls Hand protection : protective gloves Eye protection : Chemical goggles or safety glasses Skin and body protection : Wear suitable protective clothing Respiratory protection : Wear respiratory protection

8.1. Control parameters No additional information available 8.2. Exposure controls Hand protection : protective gloves Eye protection : Chemical goggles or safety glasses Skin and body protection : Wear suitable protective clothing Respiratory protection : Wear respiratory protection

## 1. Product and Company Identification

[www.rxmarine.com](http://www.rxmarine.com)

Product Name [RXSOL-60-6605-488](#)  
Product Type SODIUM CHLORITE FLAKES 80%  
Revised date

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone +91 22 27815541 / 42  
Fax +91 22 2781 1318 ::::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

[www.rxmarine.com](http://www.rxmarine.com)

2.1. Substance : SODIUM CHLORITE 80%

CAS No : 7758-19-2

Substance.

Contains no other components or impurities which will influence the classification of the product.

2.2. Mixture

Not applicable

#### 3.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272

Category 2

Acute toxicity (oral), H301

Category 3

Acute toxicity (dermal), H310

Category 1

Acute toxicity H330

(inhalation:dust,mist)

Category 1

Skin corrosion/irritation, H314

Category 1

Hazardous to the aquatic H400

environment ☒ Acute

Hazard, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Symbol(s) : O : Oxidizing

T : Very toxic

C: Corrosive

N : Dangerous for the environment

R Phrase(s) :R8 : Contact with combustible material may cause fire.

R20: Harmful by inhalation.

R24/25: Toxic in contact with skin and if swallowed.

R32: Contact with acids liberates very toxic gas.

R36/37/38: Irritating to eyes, respiratory system and skin.

S Phrase(s) : S17 : Keep away from combustible material.

S26 : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice



---

S27: Take off immediately all contaminated clothing

S36 : Wear suitable protective clothing.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

### 3.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Extra labelling to display Extra classification(s) to display

Hazard pictograms

Signal word : Danger

Hazard statements : H272 - May intensify fire; oxidiser

H301 - Toxic if swallowed

H310+H330 - Fatal in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage

H400 - Very toxic to aquatic life

Precautionary statements : P220 - Keep/Store away from clothing/ /combustible materials

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - [In case of inadequate ventilation] wear respiratory protection

P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician

### 3.3. Other hazards

No additional information available

## 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice. First-aid measures after skin contact : Take off contaminated clothing.

Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.

---

First-aid measures after eye contact : Remove contact lenses, if present and easy to do.

Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Rinse mouth.

Do not induce vomiting. If you feel unwell, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : Fatal if inhaled.

Symptoms/injuries after skin contact : Fatal in contact with skin.

Symptoms/injuries after ingestion : Toxic if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

#### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : May intensify fire; oxidiser.

Explosion hazard : Explosive when mixed with combustible material. Heating may cause an explosion. Hazardous decomposition products in case of fire : Thermal decomposition generates : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

#### 6.1. Personal precautions, protective equipment and emergency procedures

---

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Very toxic to aquatic life.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth

as soon as possible. Large spills: scoop solid spill into closing containers.

#### 6.4. Reference to other sections

No additional information available

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ...

thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Store in original container. Store in a

dry place. Incompatible products : Oxidizing agent. Strong bases. Strong acids.

#### 7.3. Specific end use(s)

No additional information available

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

#### 8.1. Control parameters

No additional information available

---

## 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

### 9.1. Information on basic physical and chemical properties

Odour threshold : No data available

pH : 10 - 11

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Solubility : Water: Appreciable (> 10%) Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxi