

1. Product and Company Identification

www.rxmarine.com

Product Name SODIUM BOROHYDRIDE
Part Number RXSOL-60-6605-480

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400
Fax +91 22 27612100 ::AOH :0091 9821214367
Email mail@rxmarine.com
Website www.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Substances SODIUM BOROHYDRIDE

Mixtures

Component	CAS-No	EC-No.	Weight %
Sodium borohydride	16940-66-2	241-004-4	>95 %

3. Hazards Identification

www.rxmarine.com

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Substances and mixtures which in contact with water emit flammable gases (Category 1), H260

Acute toxicity, Oral (Category 3), H301

Skin corrosion (Sub-category 1B), H314

Serious eye damage (Category 1), H318

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Reproductive toxicity (Category 1B), H360FD

For the full text of the H-Statements mentioned in this Section, see Section 16.

Label Elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements

H260	In contact with water releases flammable gases which may ignite spontaneously
H301	Toxic if swallowed.
H314.	Causes severe skin burns and eye damage.
H360 F	FD May damage fertility. May damage the unborn child.

Precautionary statements

P201	Obtain special instructions before use.
P231 + P232	Handle and store contents under inert gas. Protect from moisture.
P260	Do not breathe dusts or mists.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ Hearing protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P402 + P404	Store in a dry place in a closed container

Supplemental Hazard Information (EU)

EUH014 Reacts violently with water.

Reduced Labelling (480 min)

Splash contact	Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: >480 min
----------------	--

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® (splash contact). The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Body Protection	Flame retardant antistatic protective clothing.
Respiratory Protection	Required when dusts are generated. Recommended Filter type: Filter P 3 (acc. to DIN 3181) for solid and liquid particles of toxic and very toxic substances. The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.
Environmental Exposure Controls	Do not let product enter drains. Risk of explosion

9. Physical and chemical properties

www.rxmarine.com

Appearance	White
Physical State	Solid
Odor	Amine-like
Odor Threshold	No data available
pH: approx	11 10 g/l aq. solution
Melting Point	>360 °C
Vapor Pressure	< 1 hPa at 25 °C - OECD Test Guideline 104
Vapor Density	1.3
Viscosity Dynami	No data available
Specific Gravity	1.50
Viscosity Kinematic	No data available
Lower Explosive Limit	3.02 vol %
Upper Explosive Limit	No data available
Decomposition Temperature	400 °C
Volatility	No data available
Density	1.074
Bulk Density	powder: 400 kg/m ³ / granules: 510 kg/m ³
Water/Oil Dist. Co ef	No data available
Ionicity (in Water)	No data available
Boiling Point/Range	> 400 °C at ca. 1.013 hPa - OECD Test Guideline 103
Flash Point	69 °C
Specific Gravity	No data available
Auto-Ignition Temperature	220 °C
Water Solubility:	Reacts violently with water
Molecular Weight	37.83 g/mol
Molecular Formula	NaBH ₄

10. Stability and reactivity

www.rxmarine.com

Reactivity	Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. Reacts violently with water
Chemical stability	Sensitive to moisture. Water reactive. Hygroscopic.
Possibility of hazardous reactions	Risk of explosion with: Water, Alcohols (generation of hydrogen) Copper, Nickel, in finely distributed formaluminium chloride, metallic salts, phenol, Strong oxidizing agents, polymerisable substances, hydrogen peroxide, Powdered metals, acids Risk of ignition or formation of inflammable gases or vapours with: carbon/soot Exothermic reaction with: phosphoric acid, conc. sulfuric acid, Dimethylformamide.
Conditions to avoid	Incompatible products. Excess heat. Exposure to moist air or water. Exposure to moisture. Temperatures above 60°C
Incompatible materials	Strong oxidizing agents, Aldehydes, Ketones, Acids, Aluminium
Hazardous decomposition products	Oxides of boron, Hydrogen, Thermal decomposition can lead to release of irritating gases and vapors, Sodium oxides

11. Toxicological information

www.rxmarine.com

Acute toxicity	LD50 Oral - Rat - female \approx 56.57 mg/kg (OECD Test Guideline 425) Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. LC50 Inhalation - Rat - male - 4 h - > 1.3 mg/l Remarks: (highest concentration to be prepared) (ECHA) Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages: damage of respiratory tract LD50 Dermal - Rabbit - male - 4.000 - 8.000 mg/kg Remarks: (External MSDS) Skin - Rabbit (OECD Test Guideline 404) Remarks: (Test in mixture) Causes serious eye damage. Risk of corneal clouding Sensitisation test: - Guinea pig Result: negative Remarks: (External MSDS)
Skin corrosion/irritation	No data available
Serious Eye damage/eye irritation	No data available
Respiratory or Skin sensitization	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	May damage the unborn child. May damage fertility
Specific target organ toxicity - single exposure	No data available
Specific target organ toxicity - repeated exposure	No data available
Aspiration hazard	No data available

Additional Information

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Decomposition of the substance with tissue moisture. After absorption: CNS disorders Headache Other information The following applies to boron compounds in general: resorption is followed by nausea and vomiting, agitation, spasms, CNS disorders, cardiovascular disorders. Other dangerous properties cannot be excluded. Handle in accordance with good industrial hygiene and safety practice

12. Ecological information

www.rxmarine.com

Toxicity

Toxicity to fish	LC50 Danio rerio (zebra fish): > 100 mg/l; 96 h (External MSDS)
Toxicity daphnia and other aquatic invertebrates	No data available
Toxicity to algae	No data available
Toxicity to bacteria	EC50 activated sludge: > 100 mg/l OECD Test Guideline 209
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	No data available

Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
Bioaccumulate potentia	No data available
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Other adverse effects:	Forms toxic mixtures in water, dilution measures notwithstanding. Discharge into the environment must be avoided

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not Relevant. **13. Disposal considerations** www.rxmarine.com

Waste treatment method: Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

14. Transport information

www.rxmarine.com

UN No	Land transport (ADR/RID)	Air transport (IATA)	Sea transport (IMDG)
UN number	UN1426		
Proper shipping name	4.3		
Class	I		
Environmentally hazardous	-	-	-
Special precautions for user	Yes	Yes	Yes
	Tunnel		EmS F-G S-O
	Restriction Code		
	E		

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the substance or mixture	National legislation
Chemical safety assessment:	Storage Class 4.3 For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Other Information: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the

information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

No data available

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.