

1. Product and Company Identification

www.rxmarine.com

Product Name **RXSOL-20-2038-210**
Product Type **LEAD CLEANER / INHIBITOR REMOVER**

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Kolkata, Visakhapatnam, Chennai Ennore, Fujairah, Muscat

Phone +91 22 27815541 / 42
Fax +91 22 2781 1318 ::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	Concentration	CAS Number	EC Number	R Phrases*
FattyAlcohol Ethoxylate	10-15	34398-01-1	500-084-3	41
2-,2(butoxyethoxy)ethanol	20-30	112-34-5	203-961-6	36
Proprietary Blend	40-60	-----	-----	---

*See Section 16

3. Hazards Identification

www.rxmarine.com

Chemical characterization
Description Mixture of substances listed below with nonhazardous additions. Cleansing agent
Dangerous components non-ionic surfactants Xn, Xi; R 22-41 10-25 % CAS: 111-76-2
Einecs 203-905-0 2-butoxyethanol Xn, Xi; R 20/21/22-36/38 2.5-10%

4. First Aid Measures

www.rxmarine.com

General Information Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; observation for at least 48 hours after the accident.
After inhalation Supply fresh air; consult doctor in case of complaints.
After skin contact Generally the product does not irritate the skin.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Call for a doctor immediately

5. Fire-fighting Measures

www.rxmarine.com

Suitable extinguishing agents CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Protective equipment No special measures required.

6. Accidental Release Measures

www.rxmarine.com

Person-related safety precautions Wear protective clothing.
Measures for environmental protectio Dilute with plenty of water.

Measures for cleaning/collecting

Do not allow to enter sewers/ surface or ground water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Dispose contaminated according to item 13.Ensure adequate ventilation.Dispose Of The Material Collected According To Regulations.

7. Handling and Storage

www.rxmarine.com

Handling

Information for safe handling

Store in cool, dry place in tightly closed receptacles..Prevent formation of aerosols.

Information about fire- and explosion protection

No special measures required.

Storage

Requirements to be met by storerooms and receptacles

No special requirements.

Information about storage in one common storage facility

Not required.

Further information about storage conditions

None.

8. Exposure controls and personal protection

www.rxmarine.com

Additional information about design of technical facilities: No further data; see item 7.

☐ Ingredients with limit values that require monitoring at the workplace:

111-76-2 2-butoxyethanol

WEL Short-term value: 50 ppm

Long-term value : 25 ppm

☐ Additional information : The lists valid during the making were used as basis.

☐ Personal protective equipment:

☐ General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

☐ Respiratory protection : Not required.

☐ Protection of hands : Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

☐ Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

☐ Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

☐ Eye protection : Safety glasses

☐ Body protection : Protective work clothing

9. Physical and chemical properties

www.rxmarine.com

General Information

Form

Fluid

Colour

Clear

Odour

Characteristic

☐ Change in condition

Melting point/Melting range

Undetermined.

Boiling point/Boiling range

171°C

☐ Ignition temperature

240°C

☐ Self-igniting

Product is not selfigniting.

☐ Danger of explosion

Product does not present an explosion hazard.

☐ Explosion limits

Lower

1.1 Vol %

Upper

10.6 Vol %

☐ Vapour pressure at 20°C

23 hPa

☐ Density at 20°C

1.01 g/cm³

☐ Solubility in / Miscibility with water

Fully miscible.

☐ pH-value at 20°C

> 7

10. Stability and reactivity

www.rxmarine.com

Thermal decomposition / conditions to be avoided
Dangerous reactions No dangerous reactions known.
Dangerous decomposition products

No decomposition if used according to specifications.-
Carbon monoxide and carbon dioxide.

11. Toxicological information

www.rxmarine.com

Acute toxicity
on the skin
on the eye
Sensitization
Additional toxicological information
Classification Guidelines for Preparations as issued in the latest version

Primary irritant effect:
No irritant effect.
No irritating effect.
No sensitizing effects known.
The product shows the following dangers according to the calculation method of the General

Harmful

12. Ecological information

www.rxmarine.com

General notes

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground surface or sewage system. Danger to drinking water if even small quantities leak into the ground.

13. Disposal considerations

www.rxmarine.com

Product Recommendation
Uncleaned packaging Recommendation
Recommended cleansing agents

Must not be disposed together with household garbage. Do not allow product to reach sewerage system.
Disposal must be made according to official regulations.
Water, if necessary together with cleansing agents.

14. Transport information

www.rxmarine.com

☐ Land transport ADR/RID (cross-border)
☐ ADR/RID class : -
☐ Maritime transport IMDG:
☐ IMDG Class : -
☐ Marine pollutant : No
☐ Air transport ICAO -TI and IATA-DGR :
☐ ICAO/IATA Class : -

15. Regulatory information

www.rxmarine.com

Labelling according to EU guidelines

The product has been classified and marked in accordance with EU Directives / Ordinances on Hazardous Substances and Dangerous Materials.

Code letter and hazard designation of product
Risk phrases
Safety phrases

Xn Harmful
22 Harmful if swallowed.
23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer)
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Wear suitable protective clothing, gloves and eye/face protection.
60 This material and its container must be disposed of as hazardous waste.

National regulations
Water hazard class

Water hazard class 2 (Self-assessment): hazardous for water.

16. Other information

www.rxmarine.com

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. ☐ Relevant R-phrases. 20/21/22 Harmful by inhalation, in contact with skin and if swallowed. 22 Harmful if swallowed. 36/38 Irritating to eyes and skin. 41 Risk of serious damage to eyes.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.