

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-20-2054-210
Product Type METALLIC BRIGHTENER - Eco RUST CLEAN

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333 / 5555 / 9999 / 27611360
Fax +91 22 2781 1318 ::::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Phosphoric Acid (10-30 7664-38-2 231-633-2 34 C) and 2-(butoxyethoxy)ethanol (1-5 112-34-5 203-961-6 36 Xi)
Non classified ingredients 20-60 remaining which is not in the list of hazardous materials.

3. Hazards Identification

www.rxmarine.com

Odour Odourless.
Appearance Liquid, pale yellow, soluble in water.
Contact with eyes Can cause damage to the eyes.
Contact with skin Causes burns (R34).
Inhalation Vapours or aerosols may cause irritation of eyes, nose and respiratory tract, Can cause damage to the lungs.
Ingestion The ingestion of significant quantities may cause damage to digestive system.

4. First Aid Measures

www.rxmarine.com

Inhalation After inhalation medical attention require
Skin Contact In case of contact with skin , wash immediately with plenty of water and soap Remove contaminated clothes.
Eye Contact Flush with running water for at least 15 minutes Immediately medical attention require.
Ingestion seek medical attention , try to drink more plenty of fresh water.

5. Fire-fighting Measures

www.rxmarine.com

Non combustible product
Suitable Not known , on direct exposure to heat dangerous emission of gas of COx SOx can be released
Not suitable Not applicable
Special Not applicable
Protection of fire Fighter Not applicable
Precaution for fire-fighters Wear protective equipment with breathing apparatus.

6. Accidental Release Measures

www.rxmarine.com

Environmental Precaution Direct flow into drainage system, surface or ground water is prohibited. First of all neutralize with alkaline material for pH balancing between 6-10.
Cleaning Method Flush Spill Area with Water and avoid contact with skin and eye.

7. Handling and Storage

www.rxmarine.com

Condition to Avoid	Non flammable but avoid direct heating
Materials to Avoid	Do not subject to ALKALINE medium.
Handling	Keep Container Tightly Closed
NOTE	Eyewash facilities require at workplace

The product causes corrosion on skin and mucous membranes Pl. Note that In case of discharge of acidic or alkaline products into the sewerage system the range of 6-10 since higher or lower pH values may damage the sewerage system or impair biological dosage treatment plants. So that for maintaining pH we h basic medium neutraliser . For example if pH is less than 6 basic neutraliser is required and if pH is more than 10 acidic nature neutraliser is required. guideline pl. Visit our technical website www.rxmarine.com

☑ Dilute in water (always use plastic jar and RXSOL should be added to water never add water to RXSOL.)

8. Exposure controls and personal protection

www.rxmarine.com

Personal protection:

Respiratory System Protection	Approved respirator must be worn when spraying
Eye Protection	Strictly wear eye protection
Hand protection	wear PVC chemical resistance protective gloves

9. Physical and chemical properties

www.rxmarine.com

Appearance	Clear brownish liquid
Density	g/cm ³ at 15°C: 1.5
pH	10% solution 1.5-2.5
Flash Point	Not applicable
Compatibility	
Metal	Concentrate and long touch may corrode.
Rubber	No known effect

10. Stability and reactivity

www.rxmarine.com

Hazardous Decomposition Products	Do not occur if stored and used as directed. In FIRE combustion CO, CO ₂ , NH ₃ , SOX etc hazardous gas produced
NOTE	AVOID CONTACT WITH ALKALINE SUBJECT.

11. Toxicological information

www.rxmarine.com

Skin Irritation	Cause severe irritation
Eye Irritat	Cause severe irritation
Sensitization	Cause Sensitizing
Chronic Toxicity	Not Identified
Carcinogenicity	No.

12. Ecological information

www.rxmarine.com

RXSOL MB 1011 is degradable , and due to highly acidic in nature must be neutralized as per guidance and ingredients used in it. Direct contact is Harmful to aquatic organism.

13. Disposal considerations

www.rxmarine.com

As per guide line of local rules and regulation and before disposal and neutralization pl. refer 07 article.

14. Transport information

www.rxmarine.com

Transport over land ADR/RID	1805 8/11c 8/11c
Transport over inland waterways ADN/ADNR	
Transport over sea IMDG	8
Transport by air ICAO/IATA	8/1805
Phosphoric acid sea	EMS 8-08, MFAG 700 PG III

15. Regulatory information

www.rxmarine.com

Classification and labelling according to 4. Novelle Gefahrstoff-Verordnung

Symbols of danger	C Corrosive
Ingredients	Phosphoric acid
R-phrases	R34 : Cause burns
S-phrases	S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical. advice. S45 : In case of feel unwell, seek medical advice immediately
National prescriptions	
Water hazard class (WGK)	2 (self classification on the basis of component assessments or analogy conclusions without addition/subtraction of po biodegradability etc.)

16. Other information

www.rxmarine.com

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our product in view of safety requirements and is not intended to guarantee any particular properties.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.