Product Name

Part Number

Company Details:

RX MARINE INTERNATIONAL 105, A wing, BSEL, TECH PARK. VASHI, NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

+91 22 20871200 - 1400 Phone

+91 22 27612100 :::AOH :0091 9821214367 Fax

mail@rxmarine.com Email Website www.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Ingredient: Paraffin Wax

3. Hazards Identification

www.rxmarine.com

Signal Word

Potential Acute Health Effects

Potential Chronic Health Effects CARCINOGENIC EFFECTS : Not available.

MUTAGENIC EFFECTS : Not available.

TERATOGENIC EFFECTS :Not available.

DEVELOPMENTAL TOXICITY : Not available.

Repeated or prolonged exposure is not known to aggravate medical

condition

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if Hazard Statements

inhaled.

H410 Very toxic to aquatic life with long lasting effects.

P280 Wear protective gloves.P305 + P351 + P338 Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. P262 Do not Precautionary statements - response

> get in eyes, on skin, or on clothing. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing. P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a POISON CENTER/doctor. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

Supplemental Hazard Statements None

Other hazards This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

General advice

First aiders need to protect themselves. Show this material safety data

sheet to the doctor in attendance.

If inhaled After inhalation fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

Eve Contact After eye contact: rinse out with plenty of water. Remove contact lenses. Swallowed If swallowed: give water to drink (two glasses at most). Seek medical

advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a

10% slurry) and consult a doctor as quickly as possible.

Skin Contact In case of skin contact: Take off immediately all contaminated clothing.

Rinse skin with water/ shower. Call a physician immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an

anti-bacterial cream. Seek medical attention.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration.

If breathing is difficult, give oxygen. Get medical attention. Serious

Inhalation: Not available.

Ingestion Do NOT induce vomiting unless directed to do so by medical personnel.

> Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if

symptoms appear. Serious Ingestion: Not available.

Notes to Physician Treat symptomatically

Most important symptoms and effects, both acute and delaye The most important known symptoms and effects are described in the

labelling

5. Fire-fighting Measures

www.rxmarine.com

Flammability May be combustible at high temperature.

363°C (685.4°F) Auto-Ignition Temperature

Flash Point CLOSED CUP Higher than 93.3°C (200°F).

OPEN CUP 198.89°C (390°F) - 218.33 C (425 F).

Flammable Limits Not available.

Products of Combustion These products are carbon oxides (CO, CO2). Fire Hazards in Presence of Various Substances: Slightly flammable to flammable in presence of heat. Non-flammable in presence of shocks. Explosion Hazards in Presence of

Various Substances: Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available. Fire Fighting Media and Instructions: SMALL FIRE: Use DRY chemical powder. LARGE FIRE:

Use water spray, fog or foam. Do

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are

given. Special hazards arising from the substance or mixture Carbon oxides Zinc/zinc oxides Not combustible. Ambient fire may

liberate hazardous vapours. Further information Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent

fire extinguishing water from contaminating surface water or the ground water system.

Fire may cause the evolution of Sulphur oxides, nitrogen oxides.

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective

clothing.

Protective Equipment Use personal protective equipment.

Has a fire-promoting effect due to the release of oxygen.

Ambient fire may liberate hazardous vapours.

Hazardous combustion

products

Advice for firefighters

Specific Hazards Arising from the Chemical

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Small Spill

Large Spill

Personal Protection

Environmental Precaution Methods and materials for Containment and cleaning Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Absorb with an inert material and put the spilled material in an appropriate waste disposalIf the product is in its solid form: Use a shovel to put the material into a convenient waste disposal container. If the product is in its liquid form: Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.

Do not let product enter drains.

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

7. Handling and Storage

www.rxmarine.com

Handling

Storage

Advice on safe handling

Advice on protection against fire and explosion

Hygiene measures

Precautions

Storage conditions

Storage class

Specific end use(s)

Advice on general occupational hygiene

Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals

Keep container tightly closed. Keep container in a cool, well-ventilated area. Sensitive to light. Store in light-resistant containers. Air Sensitive

Work under hood. Do not inhale substance/mixture.

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents.

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class (TRGS 510) 6.1B Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Control

Personal Protection

Eye/face protection

Body Protection Skin protection

Respiratory protection

Other Protection Measure Control of environmental exposure





Gloves Suit

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Splash goggles, Lab coat, Gloves.Personal Protection in Case of a Large Spill: Splash goggles, Full suit, Boots, Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product. Exposure Limits: Not available.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Protective clothing

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Recommended Filter type Filter B-(P3) The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Handle in accordance with good industrial hygiene and safety practice.

Do not let product enter drains.

9. Physical and chemical properties

www.rxmarine.com

Physical state

Colour

Odour Taste

Molecular Weight Odor Threshold

pН

Melting Point Boiling Point

Critical Temperature

Flash Point

Evaporation Rate

Flammability (solid, gas)

Solid Slabs

White

No data available Not available. 117,42 g/mol Not Applicable

Not Applicable

55-65 °C - (ECHA), (Lit.)

NA

Not available.

NA

Not Applicable

The product is not flammable.

Explosive limits No Data Available
Upper/lower flammability or explosive limits No data available

Autoignition temperature The substance or mixture is not classified as self heating.

Decomposition temperature

Vapour pressure

No data available

No Data Available

Density

1,85 g/cm3 at 25 °C - lit.

Vapour Density NA

VolatilityNot available.Odor ThresholdNot availableSpecific Gravity0.895 (Water = 1)Partition coefficientNo data available

Explosive properties None

Water Solubility 0,0047 g/l at 20 °C
Ignition temperature No information available.

10. Stability and reactivity

www.rxmarine.com

Reactivity No data available

Chemical Stability The product is chemically stable under standard ambient conditions (room

temperature).

Instability Temperature Not available.

Conditions of Instability Excess heat

Possibility of hazardous reactions Generates dangerous gases or fumes in contact with Acids A risk of

explosion and/or of toxic gas formation exists with the following substancesCarbon dioxide (CO2) Risk of explosion with: magnesium Risk of ignition or formation of inflammable gases or vapours with: Fluorine

Violent reactions possible with: Strong oxidizing agents

Conditions to avoid no information available

Incompatibility with various substances Reactive with oxidizing agents.

Corrosivity Special Remarks on Reactivity: Air and light sensitive. On exposure to

air, especially when impure, it oxidizes and acquires a yellow to brown color and rancid odor. Also incompatible with perchloric acid, and

powdered aluminum.

Special Remarks on Corrosivity

Polymerization

Not available.

Will not occur

Hazardous Polymerization In the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

Routes of Entry Absorbed through skin. Eye contact.

Acute toxicity No data available Symptoms: Possible symptoms:, mucosal irritations

Dermal: No data available

Toxicity to Animals Acute oral toxicity (LD50): 25000 mg/kg [Rat].

Skin corrosion/irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)
Respiratory or skin sensitization Maximization Test - Guinea pig Result: Not a skin sensitizer.

Serious eye damage/eye irritation Remarks: Mixture causes serious eye damage.

Rout Of Entry Inhalation. Ingestion.

Toxicity to Animal WARNING THE LC50 VALUES HEREUNDER ARE ESTIMATED

ON THE Acute oral toxicity (LD50) 689 mg/kg [Rat].

Toxic Effects on Human May cause damage to the following organs: upper respiratory tract. Other

Toxic Effects on Humans: Hazardous in case of skin contact (irritant, sensitizer), of ingestion, of inhalation (lung irritant, lung sensitizer).

Germ cell mutagenicity Maximization Test - Guinea pig Result: Not a skin sensitizer.

Reproductive toxicity

Specific target organ toxicity - single exposure

Special Remarks on other Toxi Effects on Humans:

Additional Information

Assessment

Endocrine disrupting properties

Other Toxic Effects on Humans

No data available

No data available

Acute Potential Health Effects: Skin: Causes skin irritation. May cause skin sensitization, an allergic reation, which becomes evident upon reexposure to this material. Eyes: Causes eye irritation. Ingestion: Causes gastrointestinal (digestive) tract irritation with nausea, vomiting, and diarrhea. May be harmful if swallowed. Inhalation: Causes respiratory tract irritation. May cause chemical pneumonitis and pulmonary edema, inflammation, edema of bronchi and larynx. Chronic Potential Health Effects: Repeated or prolonged skin exposure may cause allergic reactions in sensitive individuals. Repeated or prolonged exposure by inhalation may affect respiration and metabolism.

Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: DK2625000 burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Damage to the eyes. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidenc

Slightly hazardous in case of skin contact (irritant, permeator), of ingestion, of inhalation. Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Human: passes the placental barrier, detected in maternal milk. May cause cancer based on animal test data. No human data found. May affect genetic material (mutagenic). Special Remarks on other Toxic Effects on Humans: Acute Potential Health Effects: Skin: Causes skin irritation. Eyes: May cause eye irritation. Ingestion: May cause digestive tract irritation. It is expected to be a low hazard for usual industrial handling. Inhalation: May cause respiratory tract irritation. It is expected to be a low hazard to usual industrial handling. Note: According the Registery of Toxic Effects of Chemicals, when Oleic acid was administered to rats and mice through intravenous injection, behavior and respiration were affected.

12. Ecological information

www.rxmarine.com

Persistence and degradability

Toxicity

Toxicity to fish

Toxicity to daphnia and other aquatic invertebrates

Toxicity to algae

Eco Toxicity COD and BOD 5 Products Biodegradation

Mobility in soil

No data available

Mixture No data available

static test NOEC - Oryzias latipes (Orange-red killifish) - 0,31 mg/l - 96 h (OECD Test Guideline 203) static test LC50 - Oryzias latipes (Orangered killifish) - 1,038 mg/l - 96 h (OECD Test Guideline 203)

static test EC50 - Daphnia magna (Water flea) - 3,35 mg/l - 48 h (OECD Test Guideline 202)

static test EC50 - Pseudokirchneriella subcapitata - 0,322 mg/l - 72 h (OECD Test Guideline 201) static test NOEC - Pseudokirchneriella subcapitata - 0,09 mg/l - 72 h (OECD Test Guideline 201)

Not Available

Not Available

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise. Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic. Special Remarks on the Products of Biodegradation: Not available.

No Information available

Biodegradability Not readily biodegradable. Remarks: The methods for

determining the biological degradability are not applicable to inorganic

substances.

Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties The substance/mixture does not contain components considered to have

> endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher

This substance/mixture contains no components considered to be either Assessment

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects No data available

13. Disposal considerations

www.rxmarine.com

Product See www.retrologistik.com for processes regarding the return of

chemicals and containers, or contact us there if you have further

questions.

Waste Disposal Waste must be disposed of in accordance with federal, state and local

environmental control regulations.

Waste treatment Method See www.retrologistik.com for processes regarding the return of

chemicals and containers, or contact us there if you have further

questions.

14. Transport information

www.rxmarine.com

ADR/RID: 1713 IMDG: 1713 IATA: 1713 UN number

UN proper shipping name ADR/RID: ZINC CYANIDE

IMDG: ZINC CYANIDE

IATA: Zinc cyanide

ADR/RID: 6.1 Transport hazard class(es)

IMDG: 6.1

IATA: 6.1

ADR/RID: I IMDG: I IATA: I Packaging group

Environmental hazards ADR/RID: yes IMDG Marine pollutant: yes IATA: no

15. Regulatory information

www.rxmarine.com

Federal and State Regulations

Rhode Island RTK hazardous substances: Oleic acid Pennsylvania RTK: Oleic acid TSCA 8(b) inventory: Oleic acid

substance or mixture

Safety, health and environmental regulations/legislation specific for the This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous

DSCL (EEC)

R8- Contact with combustible material may cause fire. R20/22- Harmful by inhalation and if swallowed. R36/37/38- Irritating to eyes, respiratory system and skin. R42/43- May cause sensitization by inhalation and skin contact. S22- Do not breathe dust. S24- Avoid contact with skin. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37- Wear suitable gloves.

Other regulations

Chemical Safety Assessment

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.