

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-60-6605-010
Product Type MONOTHIOGLYCEROL 98%
Revised date

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone +91 22 27815541 / 42
Fax +91 22 2781 1318 :::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Substance / Preparation : MONOTHIOGLYCEROL 98%

CAS No : 96-27-5

Substance.

Contains no other components or impurities which will influence the classification of the product.

3. Hazards Identification

www.rxmarine.com

3.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : T+; R26

Xi; R36/37/38

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract
irritation - Category 3 - Warning (CLP : STOT SE 3) H335

Acute toxicity, Inhalation - Category 2 - Danger (CLP : Acute Tox. 2) H330

Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315

3.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s) : T+ : Very toxic

Xi : Irritant

R Phrase(s) : R26 : Very toxic by inhalation.

R36/37/38 : Irritating to eyes, respiratory system and skin.

S Phrase(s) : S22 : Do not breathe dust.

S24/25 : Avoid contact with skin and eyes.

S36 : Wear suitable protective clothing.

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms:

Signal words : Danger

Hazard statements : H330 : Fatal if inhaled.

H319 : Causes serious eye irritation.

H315 : Causes skin irritation.

H335 : May cause respiratory irritation.

Precautionary statements

☒ Prevention : P284: Wear respiratory protection.

P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

☒ Response : P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P332+P313: If skin irritation occurs : Get medical advice.

P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

P363: Wash contaminated clothing before reuse.

☒ Storage : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P405: Store locked up.

☒ Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

3.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT

substance or vPvB substance according to Annex XIII of Regulation REACH

4. First Aid Measures

www.rxmarine.com

4.1. Description of first aid measures

Inhalation : Specific treatment is urgent (see on this label). Immediately call a POISON CENTER or doctor. Remove to fresh air and keep at rest in a position comfortable for breathing.

Skin contact : Specific treatment (see on this label). Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation occurs : Get medical advice.

Eye contact : Rinse cautiously with water for several minutes. Get medical advice.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists

: Ingestion : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Fatal if inhaled.

Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible)

5. Fire-fighting Measures

www.rxmarine.com

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment

6. Accidental Release Measures

www.rxmarine.com

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and Storage

www.rxmarine.com

7.1. Precautions for safe handling

Handling : Do not breathe dust, fume, gas, mist, vapours, spray.

Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

Wash thoroughly after handling. Wash thoroughly after handling.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Special precautions : Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls and personal protection

www.rxmarine.com

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure

. ☒ Respiratory protection : Wear respiratory protection.

☒ Hand protection : Wear protective gloves.

☒ Skin protection : Wear suitable protective clothing.

☒ Eye protection : Chemical goggles or safety glasses

. ☒ Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available..

9. Physical and chemical properties

www.rxmarine.com

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Odour : Stench odour Odour threshold : No data available

. pH value : No data available.

Melting point [°C] : No data available.

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : N/A

Flash point [°C] : 113 °C

Boiling point [°C] : 118 °C

Initial boiling point [°C] : N/A

Final boiling point [°C] : N/A

Evaporation rate : N/A

Vapour pressure [20°C] : N/A

Vapour pressure mm/Hg : N/A

Vapour density : N/A

Density [g/cm³] : 1,247

Relative density, gas (air=1) : N/A

Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Slightly soluble in Solubility in water : N/A Log Pow octanol / water at 20°C : No data available. Solubility : N/A

Viscosity at 40°C [mm²/s] : N/A

9.2. Other information

Explosive properties : N/A

Explosion limits - upper [%] : N/A

Explosion limits - lower [%] : N/A

Oxidising properties : No data available

.

10. Stability and reactivity

www.rxmarine.com

10.1. Reactivity

Reactivity : Highly reactive material.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Contact with water liberates toxic gas.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

11. Toxicological information

Routes of Entry

: Absorbed through skin. Dermal contact. Eye contact. Ingestion.

Toxicity to Animals

: Acute oral toxicity (LD50): 670 mg/kg [Rat]. Acute dermal toxicity (LD50): 699.3 mg/kg [Rabbit].

Chronic Effects on Humans: Not available.

Other Toxic Effects on Humans:

Hazardous in case of skin contact (irritant, permeator), of inhalation. Slightly hazardous in case of ingestion.

Special Remarks on Toxicity to Animals:

Not available.

Special Remarks on Chronic Effects on Humans:

May affect genetic material (mutagenic). May cause adverse reproductive effects based on animal test data. No human data found

Special Remarks on other Toxic Effects on Humans:

Potential Health Effects:

Skin: Prolonged or repeated exposure may cause severe skin irritation. A single prolonged exposure may result in the material being absorbed in harmful amounts.

Prolonged or repeated skin contact which causes the material to be absorbed through the skin may affect the thyroid. Eyes: May cause moderate eye irritation. Corneal injury is unlikely.

Inhalation: Mists may cause irritation of the upper respiratory tract (nose and throat).

Symptoms may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Ingestion: Single dose oral toxicity is considered to be low. Small amounts swallowed incidental to normal handling operations are not likely to cause injury; swallowing amounts larger than that may cause injury. May cause nausea and vomiting. May affect behavior/central nervous system (convulsions, ataxia).

Prolonged or repeated ingestion may affect thyroid.

12. Ecological information

www.rxmarine.com

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation

:Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are less toxic than the product itself.

Special Remarks on the Products of Biodegradation: Not available.

13. Disposal considerations

www.rxmarine.com

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Hazardous waste due to toxicity

14. Transport information

www.rxmarine.com

14.1. Land transport (ADR-RID)

Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.

UN N° : 2810

H.I. nr : 60

ADR - Class : 6.1

Labelling - Transport : 6.1 : Toxic substances.

ÉL ADR - Classification code : T1

T1 ADR - Group : III

ADR - Packing instructions : P001 R001 LP001

ADR - Limited Quantity : 5 L

ADR - Tunnel code :

E : Passage forbidden through tunnels of category E

14.2. Sea transport (IMDG) [English only]

Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.

UN N° : 2810

IMO-IMDG - Class or division : 6.1 : Toxic substances.

IMO-IMDG - Packing group : III

IMO-IMDG - Packing instructions : P001 LP01

IMO-IMDG - Limited quantities : 5

L IMO-IMDG - Marine pollution : No

EMS-Nr : F-A S-A

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.

UN N° : 2810

IATA - Class or division : 6.1 : Toxic substances.

IATA - Packing group : III

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing : 655

instruction

- Passenger and Cargo - Maximum : 60 L

Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 663

- Cargo only - Maximum Quantity/ : 220 L

Packing IATA - Limited Quantities : 2 L

ERG-Nr : 6L

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed.

regulations/legislation specific for the substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

www.rxmarine.com

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None

. In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.