

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-60-6604-629
Product Type GENTIAN VIOLET AR
Revised date

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone +91 22 27815541 / 42
Fax +91 22 2781 1318 :::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

2.1. Substances : GENTIAN VIOLET AR

CAS-No. : 548-62-9

Substance.

Contains no other components or impurities which will influence the classification of the product.

3. Hazards Identification

www.rxmarine.com

3.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H302

Category 4

Serious eye damage/eye irritation, H318

Category 1

Carcinogenicity, H351

Category 2

Hazardous to the aquatic environment ☑ Chronic Hazard, H410

Category 1

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Adverse physicochemical, human health and environmental effects

No additional information available

3.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to displayExtra classification(s) to display

Symbol(s) : T : Very toxic

N : Dangerous for the environment

R Phrase(s) : R22: Harmful if swallowed.

R40: Possible risk of very serious irreversible effects.

R41: Risk of serious damage to eyes.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effect in the aquatic environment.

S Phrase(s) : S22: Do not breath dust.

S26: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advise.

S61: Avoid release to the environment . refer to special instruction/safety data sheets.

S36/37/39 : Wear suitable protective clothing and gloves & eye/face protecting.

Hazard pictograms

Signal word : Danger

Hazard statements : H302 - Harmful if swallowed.

H318 - Causes serious eye damage.

H351 - Suspected of causing cancer.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements : P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

3.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex

4. First Aid Measures

www.rxmarine.com

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash with plenty of water/ . Wash contaminated clothing before reuse. Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes . Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Harmful if swallowed.

Chronic symptoms : Suspected carcinogen.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting Measures

www.rxmarine.com

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

6. Accidental Release Measures

www.rxmarine.com

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Very toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

7. Handling and Storage

www.rxmarine.com

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Do not breathe vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Store in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

8. Exposure controls and personal protection

www.rxmarine.com

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

9. Physical and chemical properties

www.rxmarine.com

9.1. Information on basic physical and chemical properties

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 173 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Solubility : Water: Soluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

10. Stability and reactivity

www.rxmarine.com

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Air contact. Direct sunlight. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

11. Toxicological information

www.rxmarine.com

11.1. Information on toxicological effects

Acute toxicity: Oral: Harmful if swallowed.

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful if swallowed.

12. Ecological information

www.rxmarine.com

12.1. Toxicity

Ecology - water : May cause long lasting harmful effects to aquatic life.

12.2. Persistence and degradability

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex

XIII

12.6. Other adverse effects

No additional information available

13. Disposal considerations

www.rxmarine.com

13.1. Waste treatment methods

Product/Packaging disposal

Recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

www.rxmarine.com

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3077

UN-No. (IMDG) : 3077

UN-No. (IATA) : 3077

UN-No. (ADN) : 3077

UN-No. (RID) : 3077

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S.

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, solid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S.

Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S.

Transport document description (ADR) : UN 3077 ENVIRONMENTALLY
HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III,

(-)

Transport document description (IMDG) : UN 3077 ENVIRONMENTALLY
HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III,
MARINE POLLUTANT

Transport document description (IATA) : UN 3077 Environmentally hazardous
substance, solid, n.o.s., 9, III

Transport document description (ADN) : UN 3077 ENVIRONMENTALLY

HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

Transport document description (RID) : UN 3077 ENVIRONMENTALLY

HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR- Transport hazard class(es) (ADR) : 9

Danger labels (ADR) : 9

IMDG- Transport hazard class(es) (IMDG) : 9

Danger labels (IMDG) : 9

IATA- Transport hazard class(es) (IATA) : 9

Hazard labels (IATA) : 9

ADN- Transport hazard class(es) (ADN) : 9

Danger labels (ADN) : 9

RID- Transport hazard class(es) (RID) : 9

Danger labels (RID) : 9

14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport- Classification code (ADR) : M7

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5kg

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions (ADR) : TP33

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage ☒ Packages (ADR) : V13

Special provisions for carriage ☒ Bulk (ADR) : VC1, VC2

Special provisions for carriage - Loading, unloading and handling (ADR) : CV13

Hazard identification number (Kemler No.) : 90

Orange plates :

Tunnel restriction code (ADR) : -

EAC code : 2Z

Transport by sea- Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP02, P002

Special packing provisions (IMDG) : PP12

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : BK1, BK2, BK3, T1

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-F

Stowage category (IMDG) : A

Stowage and handling (IMDG) : SW23

MFAG-No : 171

Air transport- PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y956

PCA limited quantity max net quantity (IATA): 30kgG

PCA packing instructions (IATA) : 956

PCA max net quantity (IATA) : 400kg

CAO packing instructions (IATA) : 956

CAO max net quantity (IATA) : 400kg

Special provisions (IATA) : A97, A158, A179, A197

ERG code (IATA) : 9L

Inland waterway transport- Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T* B**

Equipment required (ADN) : PP, A

Number of blue cones/lights (ADN) : 0

Additional requirements/Remarks (ADN) : * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. *** Only in the case of transport in bulk.

Rail transport- Classification code (RID) : M7

Special provisions (RID) : 274, 335, 375, 601

Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions (RID) : TP33

Tank codes for RID tanks (RID) : SGAV, LGBV Transport category (RID) : 3

Special provisions for carriage ☑ Packages (RID) : W13

Special provisions for carriage ☑ Bulk (RID): VC1, VC2

Special provisions for carriage - Loading, unloading and handling (RID): CW13, CW31

Colis express (express parcels) (RID) : CE11

Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. Regulatory information

www.rxmarine.com

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-

ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ?

0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] is

on the REACH Candidate List

CRYSTAL VIOLET AR/ACS FOR MICROSCOPY is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, severe hazard to water (Classification

according to AwSV; ID No. 8394)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous

Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : CRYSTAL VIOLET AR/ACS FOR

MICROSCOPY is listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen ☐ Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen ☐

Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen ☐ Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not

allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.