

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-60-6604-380
Product Type CUPROUS CHLORIDE
Revised date

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone +91 22 27815541 / 42
Fax +91 22 2781 1318 :::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

2.1. Substance: CUPROUS CHLORIDE

CAS No : 7758-89-6

Substance.

Contains no other components or impurities which will influence the classification of the product.

3. Hazards Identification

www.rxmarine.com

3.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H302

Category 4

Hazardous to the aquatic environment ☑ Chronic Hazard, H410

Category 1

Classification according to Directive 67/548/EEC or 1999/45/EC

Adverse physicochemical, human health and environmental effects

No additional information available

3.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to

displayExtra classification(s) to display

Symbol(s) : Xn: Harmful

N : Dangerous for the environment

R Phrase(s) : R22: Harmful if swallowed.

S Phrase(s) : S22: Do not breath dust.

Hazard pictograms :

Signal word : Warning

Hazard statements : H302 - Harmful if swallowed

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements :

P273 - Avoid release to the environment

P501 - Dispose of contents/container to ...

3.3. Other hazards

No additional information available

4. First Aid Measures

www.rxmarine.com

4.1. Description of first aid measures

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

5. Fire-fighting Measures

www.rxmarine.com

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

6. Accidental Release Measures

www.rxmarine.com

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

7. Handling and Storage

www.rxmarine.com

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

8. Exposure controls and personal protection

www.rxmarine.com

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

9. Physical and chemical properties

www.rxmarine.com

9.1. Information on basic physical and chemical properties

Odour threshold : No data available

pH : 5 at 50 g/l at 20 °C

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 430 °C

Freezing point : No data available

Boiling point : 1490 °C

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 0.975 mm Hg at 546°C

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 4.14 g/cm³

Solubility : Water: 0.62 g/100ml

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

10. Stability and reactivity

www.rxmarine.com

10.1. Reactivity

No additional information available

10.2. Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

11. Toxicological information

www.rxmarine.com

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

Skin corrosion/irritation : Not classified

pH: 5 at 50 g/l at 20 °C

Serious eye damage/irritation : Not classified

pH: 5 at 50 g/l at 20 °C

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful if swallowed.

12. Ecological information

www.rxmarine.com

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

CUPROUS CHLORIDE (7758-89-6)

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

13. Disposal considerations

www.rxmarine.com

13.1. Waste treatment methods

Product/Packaging disposal

Recommendations : Dispose of contents/container to ...

14. Transport information

www.rxmarine.com

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2802

UN-No. (IMDG) : 2802

UN-No.(IATA) : 2802

UN-No.(ADN) : Not regulated

UN-No. (RID) : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : COPPER CHLORIDE

Proper Shipping Name (IMDG) : COPPER CHLORIDE

Proper Shipping Name (IATA) : COPPER CHLORIDE

Proper Shipping Name (ADN) : Not regulated

Proper Shipping Name (RID) : Not regulated

Transport document description (ADR) : UN 2802 COPPER CHLORIDE, 8, III, (E),
ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG) : UN 2802 COPPER CHLORIDE, 8, III,
MARINE POLLUTANT/ENVIRONMENTALLY
HAZARDOUS

Transport document description (IATA) : UN 2802 COPPER CHLORIDE, 8, III,
ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR- Transport hazard class(es) (ADR) : 8

Danger labels (ADR) : 8

IMDG- Transport hazard class(es)

(IMDG) : 8 Danger labels (IMDG) : 8

IATA- Transport hazard class(es) (IATA) : 8

Hazard labels (IATA) : 8

ADN- Transport hazard class(es) (ADN) : Not regulated

RID- Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : Not regulated

Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport- Classification code (ADR) : C2

Limited quantities (ADR) : 5kg

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T1

Portable tank and bulk container special provisions (ADR) : TP33

Tank code (ADR) : SGAV Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage Bulk (ADR) : VC1, VC2, AP7

Hazard identification number (Kemler No.) : 80

Orange plates :

Tunnel restriction code (ADR) : E

EAC code : 2X

Transport by sea -Limited quantities (IMDG) : 500 g

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-B

Stowage category (IMDG) : A

MFAG-No : 154

Air transport- PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y845

PCA limited quantity max net quantity (IATA) : 5kg

PCA packing instructions (IATA) : 860

PCA max net quantity (IATA) : 25kg

CAO packing instructions (IATA) : 864

CAO max net quantity (IATA) : 100kg

ERG code (IATA) : 8L

Inland waterway transport- Not regulated

Rail transport- Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. Regulatory information

www.rxmarine.com

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CUPROUS CHLORIDE is not on the REACH Candidate List

CUPROUS CHLORIDE is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (KBwS-Beschluss; WGK No 358)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

16. Other information

www.rxmarine.com

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.