

## 1. Product and Company Identification

www.rxmarine.com

Product Name Cationic POLYMER  
Part Number RXSOL-37-9103-220

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Fujairah, Chennai, Visakhapatnam, Kolkata, Kandla, Muscat, Nairobi

Phone +91 22 27815541 / 42  
Fax +91 22 2781 1318 ::::AOH :0091 9821214367  
Email [123@rxmarine.com](mailto:123@rxmarine.com)  
Website [www.rxmarine.com](http://www.rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Name of Substance	Cas Number	Wight %
Polyaluminiumchloride hydroxide silicate	1327-41-9	30 - 60%
Polydiallyldiemethyl Amoniumchloride	26062-79-3	10 - 25%
Proprietary Blend of Cationic Polymer Liquid	.....	30-40%

## 3. Hazards Identification

www.rxmarine.com

Signal Word	Irritant
Hazard Statements	H290 May be corrosive to metals. H318 Causes serious eye damage
Precautionary statements - prevention	P280 Wear protective gloves/protective clothing/eye protection/face protection. P234 Keep only in original container.
Precautionary statements - response	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor/physician/first aider. P390 Absorb spillage to prevent material damage.

## 4. First Aid Measures

www.rxmarine.com

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.
Ingestion:	Do not induce vomiting. Obtain medical attention.If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
Notes to Physician	Treat symptomatically

## 5. Fire-fighting Measures

www.rxmarine.com

Flammability	Non-flammable.
Flash Point	Not applicable.
Suitable extinguishing media	No information available
Hazardous combustion products	Non combustible.
Protective Equipment	Use personal protective equipment.
Specific Hazards Arising from the Chemical	Not considered to be a significant fire risk. Acids may react with metals to produce hydrogen, a highly flammable and explosive gas.

## 6. Accidental Release Measures

www.rxmarine.com

Small Spillage	Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements
Personal Protection	Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.
Environmental Precaution	Do not let product enter drains.
Methods and materials for containment and cleaning	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts

## 7. Handling and Storage

www.rxmarine.com

Handling	Do not ingest. Do not breathe dust. Avoid contact with eyes. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not store above 25°C (77°F). Packing : Only packagings which are approved (e.g. acc. to ADR) may be used.
Advice on general occupational hygiene	Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

## 8. Exposure controls and personal protection

www.rxmarine.com

Engineering Control	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Personal Protection	Eye/face Protection : Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Skin and body protection : Wear appropriate protective gloves and clothing to prevent skin exposure. Respiratory Protection : Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator exposure limits are exceeded or if irritation or other

## Other Protection Measure



Gloves Suit

symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

Form	Liquid
Colour	Clear
Odour	No Information Available
Odor Threshold	No Information Available
pH	1 - 2
Freezing Point	-25 °C
Boiling Point	100 - 120 °C / 2534 °F @ 760 mmHg
Flash Point	Not Applicable
Evaporation Rate	Not Applicable
Flammability (solid, gas)	No Data Available
Explosive limits	No Data Available
Vapour pressure	No Data Available
Vapour Density	Not Applicable
Relative density Information	1.10 - 1.30 at 25 °C
Partition coefficient	No data available
Explosive properties	None
Solubility	Soluble in water

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

Recativity	None known, based on information available
Stability	Product is stable.
Possibility of hazardous reactions	No known hazardous reactions.
Conditions to avoid	To avoid thermal decomposition, do not overheat. Incompatible products. Exposure to moist air or water.
Incompatible materials	Strong oxidizing agents, Alaklinr materials.
Hazardous Polymerization	Hazardous polymerization does not occur.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

Acute toxicity	LD50 Oral	LD50 Dermal	LC50 Inhal.
	13000 mg/kg[2]	>2000 mg/kg ( Rabbit )	Not listed.
Skin corrosion/irritation	Corrosion : None. Mild Erritation		
Toxic Effects on Humans	Hazardous in case of ingestion, of inhalation. Slightly hazardous in case of		

Special Remarks on Chronic Effects on Humans

skin contact (irritant).

Special Remarks on other Toxic Effects on Humans:

May cause adverse reproductive effects (male and female effects on fertility and effects on newborns and fetotoxicity) based on animal data Human: passes the placental barrier, detected in maternal milk.

Repeated or prolonged exposure to acids may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Gastrointestinal disturbances may also occur.

Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Eco Toxicity

Not Available

COD and BOD 5

Not Available

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Mobility in soil

Will likely be mobile in the environment due to its water solubility.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

Other adverse effects

Discharge into the environment must be avoided.

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Waste treatment Method

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

DOT

UN Number

UN3264

Proper shipping name

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(polyaluminiumchloridehydroxysilicate solution)

Hazard Class

8

Packing group

III

TDG

UN Number

UN3264

Proper shipping name

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(polyaluminiumchloridehydroxysilicate solution)

Hazard Class

8

Packing group

III

IATA

UN Number	UN3264
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (polyaluminiumchloridehydroxysilicate solution)
Hazard Class	8
Packing group	III

IMDG/IMO

UN Number	UN3264
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (polyaluminiumchloridehydroxysilicate solution)
Hazard Class	8
Packing group	III

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

Federal and State Regulation	TSCA 8(b) inventory: Water
Other Regulation	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).
WHMIS (Canada)	: Corrosive Liquid
DSCL (EEC)	R34- Causes burns. S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of [***] S37/39- Wear suitable gloves and eye/face protection. S38- In case of insufficient ventilation, wear suitable respiratory equipment.

HMIS	
Health Hazard	: 3
Fire Hazard	: 0
Reactivity	: 0
Personal Protection	: E

Fire :	
Health Hazard	: 3
Fire Hazard	: 0
Reactivity	: 0
Specific Hazard	: E

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied,

---

with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if RX Marine International has been advised of the possibility of such damages.

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.