

## 1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-81-8197-220

Product Type CO2 absorber

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Kolkata, Mumbai, Chennai, Visakhapatnam, Gandhidham, Fujairah, Muscat, Nairobi

Phone +91 22 65113333 / 5555 / 9999 / 27611360

Fax +91 22 2781 1318 ::AOH :0091 9821214367

Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

| Chemical Name                       | CAS Number | %     |
|-------------------------------------|------------|-------|
| 2-(2-Aminoethoxy)ethanol            | 929-06-6   | 40-50 |
| Proprietary Blend of CO2 Absorbents | -          | 50-60 |

## 3. Hazards Identification

www.rxmarine.com

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Physical state      | Liquid.                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Odor                | Amine-like.                                                                                                                                                                                                                                                                                                                                                                                                                       |
| OSHA/HCS status     | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).                                                                                                                                                                                                                                                                                                                               |
| Emergency overview  | DANGER!<br>CAUSES EYE AND SKIN BURNS. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE.<br>Corrosive to eyes and skin. Causes burns. Do not breathe vapor or mist. Do not get in eyes or on skin or clothing. Use only in well-ventilated areas. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling. Aspiration hazard if swallowed. Can enter lungs and cause damage. |
| GENERAL INFORMATION | Read the entire MSDS for a more thorough evaluation of the hazards.                                                                                                                                                                                                                                                                                                                                                               |

## 4. First Aid Measures

www.rxmarine.com

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye contact        | Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.                                                                                                                                                                                                                                                                                                                                                                                                          |
| Skin contact       | Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.                                                                                                                                                                                                                                                                                                      |
| Inhalation         | Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest. Provide artificial respiration if not breathing. If breathing is irregular or if respiratory arrest occurs, provide artificial respiration by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt, or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Inhalation         | Get medical attention immediately. Wash out mouth with water. Move exposed person to fresh air. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. Chemical burns must be treated promptly by a physician. Never give mouth-to-mouth to an unconscious person.                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Notes to physician | Symptomatic and supportive therapy as needed. Following severe exposure medical follow-up should be monitored for at least 48 hours.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## 5. Fire-fighting Measures

www.rxmarine.com

|                                                |                                                                                                                                                                                                                                                                |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flash point                                    | Closed cup: 127°C (260.6°F)                                                                                                                                                                                                                                    |
| Flammable limits                               | Lower: 2.6%<br>Upper: 11.7%                                                                                                                                                                                                                                    |
| Products of combustion                         | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides                                                                                                                                            |
| Extinguishing media                            |                                                                                                                                                                                                                                                                |
| Suitable                                       | Use an extinguishing agent suitable for the surrounding fire.                                                                                                                                                                                                  |
| Not suitable                                   | None known.                                                                                                                                                                                                                                                    |
| Special exposure hazards                       | In a fire or if heated, a pressure increase will occur and the container may burst. Promptly isolate the scene by removing the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire fighters | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full facepiece in positive pressure mode.                                                                                                      |

## 6. Accidental Release Measures

www.rxmarine.com

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions      | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Do not enter confined spaces without proper ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.                                                                                                                                                                                                                                                                                                                                    |
| Environmental precautions | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Methods for cleaning up   | Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spilled material in sealed containers. Absorb on inert material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in container for disposal in accordance with local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material must be disposed of as hazardous waste. Do not reuse the absorbent material as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal. |

## 7. Handling and Storage

www.rxmarine.com

|          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Handling | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited while the material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not touch or enter confined spaces without proper ventilation. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use appropriate respiratory protection. Keep in the original container or an approved alternative made of suitable material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Storage  | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area away from incompatible materials (see section 10) and food and drink. Separate from acids. Keep container tightly closed and ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not use damaged containers. Use appropriate containment to avoid environmental contamination.                                                                                                                                                                                                                   |

## 8. Exposure controls and personal protection

www.rxmarine.com

|                      |                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Preventive Measures  | Conditions of use, adequacy of engineering or other control measures, and actual exposures will dictate the need for specific control measures and devices at your workplace.                                                                                                                                                                                     |
| Engineering controls | Use local exhaust ventilation to maintain airborne concentrations below the TLV. Suitable respiratory equipment should be used in the event of insufficient ventilation or where operational procedures demand it. For guidance on engineering control measures refer to the ACGIH current edition of 'Industrial Ventilation, a manual of Recommended Practice.' |

|                     |                                                                                                                                                                                                                                                                                            |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal protection |                                                                                                                                                                                                                                                                                            |
| Eyes                | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to liquid splashes, mists or dusts.                                                                                                                                   |
| Skin                | Personal protective equipment for the body should be selected based on the task being performed and the risks involved approved by a specialist before handling this product.                                                                                                              |
| Respiratory         | Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the limits of the selected respirator. |
| Hands               | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling if a risk assessment indicates this is necessary.                                                                                                                      |

9. Physical and chemical properties

www.rxmarine.com

General information

|                                                        |                                     |
|--------------------------------------------------------|-------------------------------------|
| Appearance                                             |                                     |
| Physical state                                         | Liquid.                             |
| Color                                                  | Clear.                              |
| Odor                                                   | Amine-like.                         |
| Odor threshold                                         | Not available.                      |
| Important health, safety and environmental information |                                     |
| pH                                                     | 11.8                                |
| Boiling point                                          | 222.5 to 223.8°C (432.5 to 434.8°F) |
| Melting point                                          | -12.5°C (9.5°F)                     |
| Flash point                                            | Closed cup: 127°C (260.6°F)         |
| Oxidizing properties                                   | None                                |
| Vapor pressure                                         | 8.7 mg/m3                           |

Sensitizer

| Product/ingredient name  | Route of exposure |
|--------------------------|-------------------|
| 2-(2-Aminoethoxy)ethanol | skin              |

Chronic toxicity

| Product/ingredient name  | Test                      |
|--------------------------|---------------------------|
| 2-(2-Aminoethoxy)ethanol | Sub-acute<br>NOAEL Dermal |

| Mutagenicity | Test |
|--------------|------|
|--------------|------|

OECD 471 Bacterial  
Reverse Mutation TestOECD 476 In vitro  
Mammalian Cell Gene  
Mutation Test

EPA OPPTS

OECD 474 Mammalian  
Erythrocyte Micronucleus  
Test

## Potential acute health effects

## Ingestion

Aspiration hazard if swallowed. Can enter lungs and cause damage. May cause burns to mouth, throat and stomach.

## Inhalation

May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system

## Eyes

Corrosive to eyes. Causes burns.

## Skin

Corrosive to the skin. Causes burns.

## Potential chronic health effects

## Chronic effects

No known significant effects or critical hazards.

## Target organs

None known.

## Carcinogenicity

No known significant effects or critical hazards.

## Mutagenicity

No known significant effects or critical hazards.

## Teratogenicity

No known significant effects or critical hazards.

## Fertility effects

No known significant effects or critical hazards.

## Developmental effects

No known significant effects or critical hazards.

**12. Ecological information**

|                          |                   |                             |                  |              |
|--------------------------|-------------------|-----------------------------|------------------|--------------|
| Aquatic ecotoxicity      |                   |                             |                  |              |
| Product/ingredient name  | Test              | Result                      | Species          | Exposure     |
| 2-(2-Aminoethoxy)ethanol |                   | Acute EC50 190 mg/L         | Daphnia          | 48 hours     |
|                          |                   | Acute IC50 160 mg/L         | Algae            | 72 hours     |
|                          |                   | Acute LC50 460 mg/L         | Fish             | 96 hours     |
| Biodegradability         |                   |                             |                  |              |
| Product/ingredient name  | Test              | Result                      | Dose             | Inoculum     |
| 2-(2-Aminoethoxy)ethanol | OECD              | 1 % - Not readily - 28 days | 3 mg/L           | Marine water |
| Product/ingredient name  | Aquatic half-life | Photolysis                  | Biodegradability |              |
| 2-(2-Aminoethoxy)ethanol |                   |                             | Not readily      |              |
| Product/ingredient name  | LogPow            | BCF                         | Potential        |              |
| 2-(2-Aminoethoxy)ethanol | 1.2               |                             | low              |              |

Environmental effects                      Not readily biodegradable. This product shows a low bioaccumulation potential.

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Waste disposal                      The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

| Regulatory information | UN number | Proper shipping name     | Class | PG* | Label | Additional info                                                                                                    |
|------------------------|-----------|--------------------------|-------|-----|-------|--------------------------------------------------------------------------------------------------------------------|
| DOT Classification     | UN3055    | 2-(2-Aminoethoxy)ethanol | 8     | III |       |                                                                                                                    |
| TDG Classification     | UN3055    | 2-(2-Aminoethoxy)ethanol | 8     | III |       |                                                                                                                    |
| IMDG Class             | UN3055    | 2-(2-Aminoethoxy)ethanol | 8     | III |       | Emergency sch (EmS)                                                                                                |
| IATA-DGR Class         | UN3055    | 2-(2-Aminoethoxy)ethanol | 8     | III |       | F-A, S-B<br>Passenger and AircraftQuantity limitation: 5 L<br>Packaging inst 818<br>Cargo Aircraft Quantity limita |

\*\*\*The transport regulations may change in the different countries. Check for the appropriate regulations in the country of transport or usage of this product.\*\*\*

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

|                                                                      |                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| United States<br>HCS Classification                                  | Corrosive material                                                                                                                                                                                                                                                                         |
| U.S. Federal regulations<br>CERCLA: Hazardous substances<br>SARA 313 | United States inventory (TSCA 8b): This material is listed or exempted.<br>No ingredients listed.<br>No ingredients listed.                                                                                                                                                                |
| California Prop 65                                                   | This product does not contain nor is it manufactured with ozone depleting substances.<br>This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute. |
| Canada<br>WHMIS (Canada)<br>CEPA (DSL)                               | Class E: Corrosive material<br>This material is listed or exempted.                                                                                                                                                                                                                        |

This product has been classified in accordance with the hazard criteria of the CPR (Controlled Products Regulations) and this MSDS (Material Safety Data Sheet) contains all the information required by the CPR.

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

|                                                   |                                                                                               |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------|
| Label requirements                                | CAUSES EYE AND SKIN BURNS. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. |
| Hazardous Material<br>Information System (U.S.A.) | Health 3<br><br>Fire hazard 1<br>Reactivity 0                                                 |
| National Fire Protection<br>Association (U.S.A.)  | Health 3<br><br>Flammability 1<br>Instability 0                                               |

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE. THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.

---

Indicates information that has changed from previously issued version.

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.