

1. Product and Company Identification

www.rxmarine.com

Product Name

Aniline

Product Type

RXSOL-19-1233-025

Company Details:

RX MARINE INTERNATIONAL

105, A wing , BSEL , TECH PARK.

VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Kolkata, Chennai, Gandhidham, Fujairah, Muscat, Nairobi

Phone

+91 22 65113333/ 5555 / 9999 / 27611360 / 27815540

Fax

+91 22 2781 1318 :::AOH :0091 9322594669

Email

mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

SARA 313	Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
	Aniline	CAS# 62-53-3	100 %	V/V	OSHA TWA 5 ppm (19 mg/m3)

3. Hazards Identification

www.rxmarine.com

Emergency Overview:

May be fatal if inhaled, swallowed or absorbed thru the skin. Avoid all contact. Use with adequate ventilation. Wash thoroughly after use. Keep container closed. Danger! May be fatal if swallowed, inhaled or absorbed through skin. Causes irritation to skin, eyes and respiratory tract. Combustible liquid and vapor. May cause methemoglobinemia. Affects blood, cardiovascular system, central nervous system, liver and kidneys. Toxic. Affects ability of blood to carry oxygen. Symptoms may include bluish discoloration of Lips and tongue, severe headache, nausea, confusion, dizziness, shock, respiratory paralysis, death.

Inhalation:

Effects may be delayed. Causes respiratory tract irritation. May cause methemoglobinemia, cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood), convulsions, tachycardia, dyspnea (labored breathing), and death. Aspiration may lead to pulmonary edema.

Ingestion:

Harmful if swallowed. Causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause effects similar to those of acute inhalation. May cause central nervous system depression, convulsions, coma, and possible death due to respiratory paralysis. May cause cardiac effects such as heart blocks, arrhythmias, shock and possible death due to cardiovascular collapse. Alcohol can intensify the ability of aniline to induce methemoglobinemia.

Skin:

Causes moderate skin irritation. Harmful if absorbed through the skin. May cause skin sensitization, an allergic reaction, which becomes evident upon re-exposure to this material.

Eye Contact:

Causes severe eye irritation. May cause lacrimation (tearing), blurred vision, and photophobia. May cause chemical conjunctivitis and corneal damage.

Chronic Exposure:

May cause liver and kidney damage. May cause fetal effects. Repeated exposure may cause sensitization dermatitis. Chronic exposure may cause hemolysis of the red blood cells followed by stimulation of the bone marrow. Laboratory experiments have resulted in mutagenic effects. May cause cyanosis - a blue-gray coloring of the skin and lips caused by a lack

4. First Aid Measures

www.rxmarine.com

May be fatal if inhaled, swallowed or absorbed thru the skin. Avoid all contact. Use with adequate ventilation. Wash thoroughly after use. Keep container closed.

FIRST AID: CALL A PHYSICIAN.

SKIN:	Remove contaminated clothing. Wash exposed area with soap and water.
EYES:	Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid.
INHALATION:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
INGESTION:	If swallowed, induce vomiting immediately after giving two glasses of water. Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

www.rxmarine.com

Fire Extinguisher Type:	Any means suitable for extinguishing surrounding fire
Fire Extinguisher Type:	Fire possible at elevated temperatures. Dust in sufficient quantities can form explosive mixtures with air.
Fire Extinguisher Type:	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and clothing.

6. Accidental Release Measures

www.rxmarine.com

Evacuate area. Ventilate area and remove ignition sources. Contain and recover when possible. Ventilate area or leak or spill. Remove all sources of ignition. Wear appropriate personal protective equipment as specified in section 7. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an Inert material (e.g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer! Us regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities.

7. Handling and Storage

www.rxmarine.com

Store in a cool dry dark place. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling.

8. Exposure controls and personal protection

www.rxmarine.com

Respiratory protection	Organic Vapor Cartridge
Ventilation	Local Exhaust
	Mechanical
Protective gloves	NIOSH Approved Gloves
Eye protection	Splash Goggles
Other protective equipment	Wear appropriate clothing to prevent skin exposure.

9. Physical and chemical properties

www.rxmarine.com

Melting Point	-6°C
Boiling Point	184°C
Vapor Pressure	1mm @ 34.8°C
Vapor Density	3.22
Solubility In Water	soluble
Appearance/Odors	Clear, light red liquid/ characteristic odor
Flash Point	70°C
Percent Volatile By Volume	Information not available

Evaporation Rate	Information not available
Evaporation Standard	
Auto Ignition Temp	1139°C
Lower Flamm. Limit In Air	Information not available
Upper Flamm. Limit In Air	Information not available
Specific Gravity	1.02

10. Stability and reactivity

www.rxmarine.com

Stability	Stable
Conditions to Avoid	Heat, Air & Light
Materials to Avoid	Oxidizing materials
Hazardous Decomposition Products	Carbon and Nitrogen Oxides, HCL and Aniline Fumes
Hazardous Polymerization	Will not occur
Conditions to Avoid	None known

11. Toxicological information

www.rxmarine.com

NTP Carcinogen - Known: No, IARC Category- 3

12. Ecological information

www.rxmarine.com

Environmental Fate: When released into the soil, this material is expected to readily biodegrade. When released into the soil, this material may leach into groundwater. When released into the soil, this material may evaporate to a moderate extent. When released into water, this material is expected to readily biodegrade. When released into water, this material is expected to have a half-life between 10 and 30 days. This material has an experimentally determined bioconcentration factor (BCF) of less than 100. This material is not expected to significantly bioaccumulate. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals. When released into the air, this material is expected to be readily degraded by photolysis. When released into the air, this material is expected to have a half-life of less than 1 day. When released into the air, this material is not expected to adversely affect the ozone layer.

Environmental Toxicity: This material is expected to be very toxic to terrestrial life. This material is expected to be very toxic to aquatic life. The LC50/96-hour values for fish are between 10 and 100 mg/l. The EC50/48-hour values for daphnia are less than 1 mg/l.

13. Disposal considerations

www.rxmarine.com

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved incinerator or disposed in a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements..

14. Transport information

www.rxmarine.com

DOT Classification: Aniline, 6.1, UN1547, PG II
 DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

15. Regulatory information

www.rxmarine.com

Chemical Inventory Status
 Part 1: Inrdient
 Aniline (62-53-3)

TSCA	Yes
EC	Yes
Japan	Yes
Australia	Yes

Chemical Inventory Status

Part 2:Ingredient

Aniline (62-53-3)

Korea	Yes
DSL	Yes
NDSL	No
Phil.	Yes

Federal, State & International Regulations

Part 1: Ingredient

Aniline (62-53-3)

RQ	5000
TPQ	1000*
List	Yes
Chemical Catg	No

Federal, State & International Regulations

Part 2:Ingredient

Aniline (62-53-3)

CERCLA	5000
261.33	U012
8(d)	No
Chemical Weapons Convention	No
TSCA 12 (b)	No
CDTA	Yes (Pure/Liquid)
SARA 311/312 : Acute	Yes
Chronic	Yes
Fire	Yes
Pressure	No
Reactivity	No
Australian Hazchem Code	3x
Poison Schedule	S6

16. Other information

www.rxmarine.com

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Rx Marine International be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if RX Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.