

1. Product and Company Identification

www.rxmarine.com

Product Name Acid Blue 25
Part Number RXSOL-19-3356-025

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400
Fax +91 22 27612100 ::AOH :0091 9821214367
Email mail@rxmarine.com
Website www.rxmraine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	CAS	EC number	Weight	MF
ACID BLUE 25	6408-78-2	229-068-1	416.38	C20H13N2NaO5S

3. Hazards Identification

www.rxmarine.com

Signal Word	Warning
Hazard Statements	H315 Causes skin irritation H319 Causes serious eye irritation H335 May cause respiratory irritation
P280 Wear protective gloves.P305 + P351 + P338	Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary statements - response	P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.
Response	None
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Prevention	P273 Avoid release to the environment.
Supplemental Hazard Statements	None
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

General advice	Show this material safety data sheet to the doctor in attendance.
If inhaled	Move the victim into fresh air. If breathing is difficult, give oxygen. If not

Eye Contact swallowed	breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical. Rinse with pure water for at least 15 minutes. Consult a doctor. After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.
Skin Contact	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.
Ingestion:	Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.
Notes to Physician If swallowed	Treat symptomatically After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.
Most important symptoms and effects, both acute and delaye	No data available
Indication of any immediate medical attention and special treatment needed	No data available

5. Fire-fighting Measures

www.rxmarine.com

Flammability	May be combustible at high temperature.
Flash Point	CLOSED CUP: Higher than 93.3°C (200°F).
Suitable extinguishing media	Water Foam Carbon dioxide (CO ₂) Dry powder
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given
Special hazards arising from the substance or mixture	Carbon oxides Mixture with combustible ingredients. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.
Further information	Prevent fire extinguishing water from contaminating surface water or the ground water system.
Hazardous combustion products	Fire may cause the evolution of Sulphur oxides, nitrogen oxides.
Advice for firefighters	Wear self-contained breathing apparatus for firefighting if necessary.
Protective Equipment	Use personal protective equipment.
Specific Hazards Arising from the Chemical	Has a fire-promoting effect due to the release of oxygen. Ambient fire may liberate hazardous vapours.

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures	Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Spillage	Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition sources. Call for assistance on disposal.
Personal Protection	Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.
Environmental Precaution	Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.
Methods and materials for	Collect and arrange disposal. Keep the chemical in suitable and closed

containment and cleaning

containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

7. Handling and Storage

www.rxmarine.com

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

Storage conditions

Tightly closed. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Light sensitive. Moisture sensitive.

Storage conditions

Tightly closed. Dry

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Handling

Keep away from heat. Keep away from sources of ignition. Keep away from combustible material. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals

Advice on general occupational hygiene

Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

8. Exposure controls and personal protection

www.rxmarine.com

Occupational Exposure limit values

No data available

Biological limit values

No data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk elimination area

Engineering Control

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US)

Body Protection

protective clothing

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Other Protection Measure
Control of environmental exposure
Thermal hazards

Handle in accordance with good industrial hygiene and safety practice.
Do not let product enter drains. Risk of explosion.
No data available



Gloves Suit

9. Physical and chemical properties

www.rxmarine.com

Physical state	Powder
Colour	Blue
Odour	No data available
Odor Threshold	Not Applicable
pH	Not Applicable
Melting Point	>300°C
Boiling Point	No data available
Flash Point	No data available
Evaporation Rate	Not Applicable
Flammability (solid, gas)	No data available
Explosive limits	No Data Available
Upper/lower flammability or explosive limits	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Vapour pressure	No Data Available
Density	No data available
Vapour Density	No Data Available
Specific Gravity	No data available
Partition coefficient	No data available
Explosive properties	None
Solubility	DMSO (Slightly), Water (Slightly)
Ignition temperature	No information available.
Particle characteristics	No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity	No data available
Stability	No data available
Possibility of hazardous reactions	No data available
Conditions to avoid	No data available
Incompatible materials	No data available
Hazardous Polymerization	No data available

11. Toxicological information

www.rxmarine.com

Acute toxicity	Toxicity to fish: no data available Toxicity to daphnia and other aquatic invertebrates: no data available Toxicity to algae: no data available Toxicity to microorganisms: no data available
Skin corrosion/irritation	no data available
Serious eye damage/eye irritation	No data available
Respiratory or skin sensitization	No data available
Serious eye damage/eye irritation	No data available
Rout Of Entry	Inhalation. Ingestion.
Toxicity to Animal	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE Acute oral toxicity (LD50): 689 mg/kg [Rat].
Toxic Effects on Human	May cause damage to the following organs: upper respiratory tract. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant, sensitizer), of ingestion, of inhalation (lung irritant, lung sensitizer).
Germ cell mutagenicity	No data available
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Special Remarks on other Toxi Effects on Humans:	Acute Potential Health Effects: Skin: Causes skin irritation. May cause skin sensitization, an allergic reation, which becomes evident upon re-exposure to this material. Eyes: Causes eye irritation. Ingestion: Causes gastrointestinal (digestive) tract irritation with nausea, vomiting, and diarrhea. May be harmful if swallowed. Inhalation: Causes respiratory tract irritation. May cause chemical pneumonitis and pulmonary edema, inflammation, edema of bronchi and larynx. Chronic Potential Health Effects: Repeated or prolonged skin exposure may cause allergic reactions in sensitive individuals. Repeated or prolonged exposure by inhalation may affect respiration and metabolism.
Additional Information	Endocrine disrupting properties
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: OD2800000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: DK2625000 burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Damage to the eyes. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidenc

12. Ecological information

www.rxmarine.com

Persistence and degradability	No data available
Toxicity	Toxicity to fish: no data available Toxicity to daphnia and other aquatic invertebrates: no data available Toxicity to algae: no data available Toxicity to microorganisms: no data available
Bioaccumulative potential	No data available
Toxicity to fish	Flow-through test LC50 - <i>Oryzias latipes</i> - > 95,4 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	Static test EC50 - <i>Daphnia magna</i> (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	Static test ErC50 - SELENASTRUM - > 998 mg/l - 72 h (OECD Test Guideline 201)
Eco Toxicity	Not Available

COD and BOD 5	Not Available
Products Biodegradation:	The methods for determining the biological degradability are not applicable to inorganic substances.
Mobility in soil	No Information available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	No data available

13. Disposal considerations

www.rxmarine.com

Disposal methods	The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.
Contaminated packaging	Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
Waste treatment Method	See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

www.rxmarine.com

UN number	ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.)
UN proper shipping name	IATA: Not dangerous goods. (For reference only, please check.) ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.)
Transport hazard class(es)	IATA: Not dangerous goods. (For reference only, please check.) ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.)
Packaging group	IATA: Not dangerous goods. (For reference only, please check.) ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.)
Environmental hazards	IATA: Not dangerous goods. (For reference only, please check.) ADR/RID: No IMDG: No

Special precautions for user	IATA: No
Further information	No data available
Transport in bulk according to IMO instruments	Not classified as dangerous in the meaning of transport regulations. No data available

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
Safety, health and environmental regulations specific for the product in question	European Inventory of Existing Commercial Chemical Substances (EINECS) -Listed. EC Inventory Listed. United States Toxic Substances Control Act (TSCA) Inventory- Listed. China Catalog of Hazardous chemicals 2015 Not- Listed. New Zealand Inventory of Chemicals (NZIoC) Listed. PICCS -Listed. Vietnam National Chemical Inventory -Listed. IECSC Listed. Korea Existing Chemicals List (KECL) -Listed.
National legislation	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : ACUTE TOXIC : ENVIRONMENTAL HAZARDS
DSCL (EEC)	R8- Contact with combustible material may cause fire. R20/22- Harmful by inhalation and if swallowed. R36/37/38- Irritating to eyes, respiratory system and skin. R42/43- May cause sensitization by inhalation and skin contact. S22- Do not breathe dust. S24- Avoid contact with skin. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37- Wear suitable gloves.
Other regulations	Take note of Dir 94/33/EC on the protection of young people at work
Chemical Safety Assessment	For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

PALLADIUM ACETATE RXSOL-60-6605-160

PALLADIUM HYDROXIDE 20% ON CHARCOAL RXSOL-60-6605-163

PALLADIUM NITRATE 44% PD content RXSOL-60-6605-164

PALLADIUM SPONGE 99.9% POWDER RXSOL-60-6605-165

PALLADIUM CALCIUM CARBONATE 10% pd RXSOL-60-6605-166

PARAFFIN WAX 58 60C BLOCK BRICKS RXSOL-60-6605-180

P DIMETHYL AMINO BENZALDEHYDE AR RXSOL-60-6605-192

P DIMETHYL AMINO CINNAMALDEHYDE AR RXSOL-60-6605-193

PEPTONE BACTERIOLOGICAL GRANULAR RXSOL-60-6605-197

PETROLEUM ETHER 100-2000 C FOR SYNTHESIS RXSOL-60-6605-205

PHENOL RED INDICATOR SOLUTION RXSOL-60-6605-215

PHENOLDISULPHONIC ACID SOLUTION 25% RXSOL-60-6605-216

PHENOLPHTHALEIN INDICATOR RXSOL-60-6605-218

PHENYL CHLOROFORMATE FOR SYNTHESIS RXSOL-60-6605-219

PHENYL HYDRAZINE AR RXSOL-60-6605-220

PHENYL HYDRAZINE FOR SYNTHESIS RXSOL-60-6605-221

PHENYL HYDRAZINE HYDROCHLORIDE AR RXSOL-60-6605-223

PHENYL MERCURY ACETATE FOR SYNTHESIS RXSOL-60-6605-224

PHENYL PHOSPHATE DISODIUM SALT AR RXSOL-60-6605-226

PHENYL TRIMETHYL AMMONIUM CHLORIDE RXSOL-60-6605-227

PHLOXIN B FOR MICROSCOPY RXSOL-60-6605-229

PHTHALAMIDE FOR SYNTHESIS RXSOL-60-6605-237

PHTHALIC ACID AR RXSOL-60-6605-238

PHTHALIC ACID FOR SYNTHESIS RXSOL-60-6605-239

PHTHALIC ANHYDRIDE FOR SYNTHESIS RXSOL-60-6605-249

PHTHALIDE FOR SYNTHESIS RXSOL-60-6605-250

PHTHALIMIDE FOR SYNTHESIS RXSOL-60-6605-251

PICRIC ACID SOLUTION AR 1.2% RXSOL-60-6605-256

PIPERAZINE Anhydrous 98% RXSOL-60-6605-257

PIPERAZINE Anhydrous 98% RXSOL-60-6605-257

PIPES BUFFER piperazine NN-Bis-2-Ethene Sulfonic acid RXSOL-60-6605-260

PLATINIUM OXIDE Pt 80% RXSOL-60-6605-261

POLYETHYLENE GLYCOL 600 RXSOL-60-6605-269

POLYVINYL PYRROLIDONE PVP RXSOL-60-6605-241

PONCEAU S FOR ELECTROPHORESIS RXSOL-60-6605-242

POPOP Scintillation Grade 1 4-bis(5-phenyloxaza-2-yl) benzene RXSOL-60-6605-243

POPSO BUFFER FOR BIOCHEMISTRY RXSOL-60-6605-244

POTASSIUM ACETATE AR RXSOL-60-6605-245

POTASSIUM ACETATE LR RXSOL-60-6605-246

SODAMIDE RXSOL-60-6605-451

SODIUM ACETATE TRIHYDRATE AR RXSOL-60-6605-462

SODIUM ARSENITE SOLUTION AR 0.1N N10 RXSOL-60-6605-468

SODIUM BENZOATE AR RXSOL-60-6605-472

SODIUM BIASELENITE Sodium Hydrogen Selenite RXSOL-60-6605-473

SODIUM BROMATE LR RXSOL-60-6605-481

SODIUM BROMIDE AR RXSOL-60-6605-482

SODIUM BROMIDE LR RXSOL-60-6605-483

SODIUM CHLORIDE SOLUTION 85% wv RXSOL-60-6605-488

SODIUM CHROMATE TETRAHYDRATE LR RXSOL-60-6605-490

SODIUM DI CHLOROISOCYANURATE RXSOL-60-6605-495

SODIUM HYDROXIDE SOLUTION IN 1M N1 RXSOL-60-6605-519

SODIUM LAURYL SULPHATE AR 99% RXSOL-60-6605-529

SODIUM LAURYL SULPHATE POWDER LR RXSOL-60-6605-531

SODIUM META BORATE TETRAHYDRATE LR RXSOL-60-6605-534

SODIUM METHOXIDE AR RXSOL-60-6605-535

SODIUM METHOXIDE POWDER LR RXSOL-60-6605-536

SODIUM MOLYBDATE AR DIHYDRATE RXSOL-60-6605-537

SODIUM NITRITE AR RXSOL-60-6605-541

SODIUM NITRITE LR RXSOL-60-6605-542

SODIUM NITRO PRUSIDE AR RXSOL-60-6605-543

SODIUM NITRO PRUSIDE LR RXSOL-60-6605-544

SODIUM OXALATE AR RXSOL-60-6605-545

SODIUM PERBORATE TRIHYDRATE PURE RXSOL-60-6605-548

SODIUM PER CARBONATE GRANULAR RXSOL-60-6605-549

SODIUM PER CARBONATE TABLET RXSOL-60-6605-550

SODIUM PERSULPHATE AR RXSOL-60-6605-553

SODIUM PERSULPHATE LR RXSOL-60-6605-554

SODIUM PHOSPHATE DI BASIC DIHYDRATE RXSOL-60-6605-559

SODIUM PYRUVATE RXSOL-60-6605-562

SODIUM SALICYLATE AR RXSOL-60-6605-563

SODIUM SELENITE AR ANHYDROUS RXSOL-60-6605-566

SODIUM SELENITE LR ANHYDROUS RXSOL-60-6605-567

SODIUM SELENITE PENTAHYDRATE LR RXSOL-60-6605-568

SODIUM SILICATE POWDER META HYDRATED RXSOL-60-6605-569

SODIUM SILICATE SOLUTION RXSOL-60-6605-570

SODIUM SILICO FLUORIDE 99% RXSOL-60-6605-571

SODIUM STANNATE LR RXSOL-60-6605-572

SODIUM SULPHATE ANHYDROUS AR RXSOL-60-6605-573

SODIUM SULPHIDE FLAKES AR RXSOL-60-6605-576

SODIUM SULPHITE ANHYDROUS AR RXSOL-60-6605-577

SODIUM SULPHITE ANHYDROUS LR RXSOL-60-6605-578

SODIUM TELLURITE 96% RXSOL-60-6605-579

SODIUM Tert BUTOXIDE 98% RXSOL-60-6605-580

SODIUM THIOCYANATE AR RXSOL-60-6605-581

SODIUM THIOSULPHATE AR PENTAHYDRATE RXSOL-60-6605-583

SODIUM TRI POLYPHOSPHATE ANHYDROUS STPP RXSOL-60-6605-585

SODIUM TUNGSTATE DIHYDRATE RXSOL-60-6605-586

SODIUM TUNGSTATE DIHYDRATE AR RXSOL-60-6605-587

SODIUM B GLYCERO PHOSPHATE AR RXSOL-60-6605-588

SOYA LECITHIN 30% RXSOL-60-6605-592

SOYA PEPTONE SOYATONE RXSOL-60-6605-593

SPADNS AR RXSOL-60-6605-595

SPAN 20 Sorbitan Monolaurate